



2020

BICYCLES / E-BIKES CATALOGUE



E-BIKES

006

E-BIKES

MOUNTAIN

036

DOWNHILL

042

ENDURO

048

TRAIL

054

MTB-XC

074

MTB-XC WOMEN

084

DIRT

ROAD

092

RACING

098

GRAVEL

TOUR

104

CROSS

120

TREKKING

URBAN

130

CITY

134

CLASSIC

142

FITNESS

JUNIOR

148

JUNIOR

162

FIRST BIKE



EVERY BIKE
HAS A MISSION



EVERY BIKE HAS A
_MISSION



WHEN DESIGNING AND DEVELOPING, WE ARE NOT ONLY CREATING WELL ENGINEERED AND UNIQUE BICYCLES, WE ARE CREATING SOMETHING MORE... SOMETHING WHICH GOES BEYOND JUST JOINING THE MECHANICAL ELEMENTS TOGETHER. AT KELLYS, WE BELIEVE THAT EVERY BIKE HAS A MISSION TO FULFIL IN EVERY HUMAN'S LIFE. WE MAKE OUR BIKES IN THE SPIRIT OF THIS PHILOSOPHY, TO BRING JOY TO THE LIVES OF MILLIONS OF PEOPLE RIDING KELLYS AROUND THE GLOBE FOR MORE THAN A QUARTER OF A CENTURY.



_01

E-BIKES





THEOS



THEOS i90

27.5

FRAME Kellys e-Frame Allmountain 27.5, Uni-Body Integrated Design / Four-bar link, 150mm rear travel **MOTOR** Shimano STEPS E8000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E8000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** Fox 36 Float Factory, Kashima Coat, 160mm, Float Evol / FIT4 3-Position Remote **REAR SHOCK** Fox Float DPX2 Factory, 3-Position / Trunnion mount **SHIFTERS** Shimano Deore XT Di2 SW-M8050 Firebolt, 11-speed **R/DERAILLEUR** Shimano Deore XT Di2 M8050 **BRAKES** Shimano Deore XT M8020 Hydraulic Disc **WHEELSET** DT Swiss H1900 Spline 30 Disc **TYRES** Schwalbe 2.60 Magic Mary, ADDIX Soft / Hans Dampf Evo, ADDIX Speedgrip



AFTER A SUCCESSFUL LAUNCH OF THE NEW GENERATION OF KELLYS E-BIKES WITH A FULLY INTEGRATED BATTERY IN THE 2019 SEASON, WE DECIDED TO DO THE NEXT STEP. WE WANTED TO CREATE AN ULTIMATE FULL-SUSPENSION E-BIKE FOR THE MOST DEMANDING RIDERS WHICH UTILISES ALL KELLYS' LATEST E-TECHNOLOGIES, WITH UNI-BODY INTEGRATED DESIGN AND POWERFUL KELLYS RE-CHARGE LI-ION BATTERY AMONG THEM. WE DECIDED TO CREATE ALL-NEW KELLYS THEOS. THE FUTURE IS NOW...

As a Kellys' e-flagship, the new THEOS is powered by a top version of Re-Charge Li-ion Battery with 630Wh/17Ah for the ultimate range and performance. Such a massive amount of energy is packed into small, fully integrated power cell hidden in the frame. It's not only about sleek look of the bike, but also the top-of-the-line riding characteristics.

Thanks to its compactness the bottom tube of the frame, where the battery is placed, is single-wall, narrow and has an undisrupted structure which makes it stiffer and lighter in comparison to the other designs. According to the Uni-Body Integrated Design philosophy, the battery is placed the lowest possible, so the centre of gravity is low and concentrated around the bottom bracket. Combined with progressive geometry it ensures flawless cornering, high-speed stability and control no matter the terrain.




SHIMANO DEORE XT

Huge battery capacity with the latest Shimano STEPS E8000 e-drive system gives the rider the best possible performance and range, while four-bar suspension with virtual pivot ensures top riding characteristics with great both uphill and downhill capabilities. Thanks to floating damper the rear end is super-sensitive while giving the desired support during the aggressive ride.

All of those technologies make up new THEOS - the ultimate hard-enduro e-bike offering the rider the performance and fun factor at an absolutely new level.



THEOS



THEOS i70

27.5

FRAME Kellys e-Frame Allmountain 27.5, Uni-Body Integrated Design / Four-bar link, 150mm rear travel **MOTOR** Shimano STEPS E8000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** Rock Shox Yari RC Boost, 160mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Open-Pedal / Trunnion mount **SHIFTERS** Shimano Deore XT SL-M8000-IR Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano MT520 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Magic Mary, ADDIX Soft / Hans Dampf Evo, ADDIX Speedgrip





SHIMANO STEPS E7000

THEOS i50

27.5

FRAME Kellys e-Frame Allmountain 27.5, Uni-Body Integrated Design / Four-bar link, 150mm rear travel **MOTOR** Shimano STEPS E7000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** Rock Shox Sektor RL, 150mm, DebonAir / Motion Control RL **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Open-Pedal / Trunnion mount **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Michelin 2.60 Wild AM Performance





TYGON



TYGON 70

29 27.5

FRAME Kellys e-Frame 29 / 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E8000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** Rock Shox Revelation RC, 120mm, DebonAir / Motion Control RC **SHIFTERS** Shimano SLX SL-M7000-R Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano SLX M7000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX



*

KELLYS TYGON AND TAYEN INTRODUCE THE NEW GENERATION OF KELLYS E-BIKES. BUILT FROM SCRATCH, THE NEW PLATFORM DOES NOT ACCEPT ANY COMPROMISES - IT WAS CREATED TO BE AN E-BIKE FROM TOP TO BOTTOM. UNIQUE RIDING CHARACTERISTICS ALONG WITH FULLY INTEGRATED 630WH/17AH BATTERY AND EFFICIENT SHIMANO DRIVE UNIT ALLOW TYGON AND TAYEN TO BRING THE RIDER TO THE ABSOLUTELY NEW LEVEL OF E-BIKING.

The new Kellys e-frame combines progressive geometry with a fully integrated battery to keep the riding characteristics at the level unavailable for other e-bikes on the market. This unique way of design is based on the unified chassis, creating a lightweight and extra-stiff structure for the best possible performance. By following the Uni-Body Integrated Design philosophy, our engineers were able to develop e-bike with the extremely high stiffness-to-weight ratio, with fully integrated components and undisturbed, uniform and durable construction. Short chainstays, expanded front triangle along with a low gravity centre ensures flawless cornering, stability and control. All the latest MTB frame technologies were also applied to provide the best mountain bike experience possible.



SHIMANO SC-E7000

The power source of new TYGON and TAYEN - Kellys Re-Charge Li-ion Battery, uses the latest technologies available - it's compact, lightweight and has an unparalleled volume-to-capacity ratio. This is why our engineers were able to pack massive 630Wh/17Ah of energy into small, fully integrated power cell hidden in the frame. That is why the bottom tube of the frame has an undisrupted structure which makes the whole chassis stiffer, lighter and more efficient in comparison to the other quasi-integrated designs.



TYGON 50 RED / BLACK

29

FRAME Kellys e-Frame 29, Uni-Body Integrated Design
MOTOR Shimano STEPS E7000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** SR Suntour XCR34 LOR Air, 120mm, air / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance, ADDIX





TYGON 50 *BLACK / RED*

27.5

FRAME Kellys e-Frame 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** SR Suntour XCR34 LOR Air, 120mm, air / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance, ADDIX

TYGON



TYGON 20 *GREEN / RED*

29

FRAME Kellys e-Frame 29, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCM32, 120mm, coil spring **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M610 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob





TYGON 10 GREY / RED

29

FRAME Kellys e-Frame 29, Uni-Body Integrated Design **MOTOR** Panasonic GX0 **SWITCH UNIT** Panasonic gear shifter button **COMPUTER DISPLAY** Panasonic LCD **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCM32, 120mm, coil spring **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob



TAYEN



TAYEN 50

29 27.5

FRAME Kellys e-Frame KLC 29 / 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **SWITCH UNIT** Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** SR Suntour XCR34 LOR Air, 120mm, air / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance, ADDIX



KELLYS TAYEN IS NOT JUST A TYGON PAINTED DIFFERENTLY - IT'S AN E-BIKE BUILT ESPECIALLY FOR WOMEN FROM TOP TO BOTTOM. WHILE UTILISING ALL TOP E-TECHNOLOGIES KNOWN FROM TYGON (KELLYS RE-CHARGE LI-ION BATTERY, UNI-BODY INTEGRATED DESIGN), THE TAYEN'S COMPONENTS, GEOMETRY AND SIZING WERE CUSTOMISED TO FULFIL WOMEN RIDERS DEMANDS.



With the new frame design came a new approach to the sizing and geometry. To keep the optimum riding characteristics and ensure flawless and comfortable ride, our engineers designed the geometry for each frame's size separately. Thanks to smart geometry, every women rider can be sure of the best optimum performance regardless of the frame size. Also, the other components with handlebar, stem, saddle and drivetrain among them are women-optimised to make every ride comfortable, safe and fun.

KELLYS E-FRAME KLC



TAYEN 20

29 27.5

FRAME Kellys e-Frame KLC 29 / 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000
SWITCH UNIT Shimano SW-E7000 for motor assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY**
 Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCM32, 120mm, coil spring
SHIFTERS Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M610
BRAKES Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Draft Disc **TYRES**
 Schwalbe 2.25 Rapid Rob





TAYEN 10 SKY BLUE / GREY

29 27.5

FRAME Kellys e-Frame KLC 29 / 27.5, Uni-Body Integrated Design **MOTOR** Panasonic GX0 **SWITCH UNIT** Panasonic gear shifter button **COMPUTER DISPLAY** Panasonic LCD **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCM32, 120mm, coil spring **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob





TAYEN



TYGON 30



FRAME Kellys e-Frame 29, Uni-Body Integrated Design **MOTOR** Shimano STEPS E6100 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 / MT400-B Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.25 Rapid Rob **LIGHTING** Spanninga LED





TAYEN 30

29

FRAME Kellys e-Frame KLC 29, Uni-Body Integrated Design
MOTOR Shimano STEPS E6100 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 / MT400-B Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.25 Rapid Rob **LIGHTING** Spanninga LED





E-CARSON 70

FRAME Kellys e-Frame Tour Profile Aluminium alloy, semi-integrated battery **MOTOR** Shimano STEPS E6100 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NCX-D L0 Air, 63mm, air / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano TX505-8 Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe Energizer Plus, GreenGuard 28x1.75 ADDIX E, ReflectiveLine **LIGHTING** Trelock Veo 50 / Duo Flat





E-CRISTY 70

FRAME Kellys e-Frame Tour Profile Lady Aluminium alloy, semi-integrated battery **MOTOR** Shimano STEPS E6100 **SWITCH** **UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NCX-D LD Air, 63mm, air / Speed Lockout **SHIFTERS** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano TX505-8 Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe Energizer Plus, GreenGuard 28x1.75 ADDIX E, ReflectiveLine **LIGHTING** Trelock Veo 50 / Trelock Duo Flat




E-CARSON 50 *BLUE / RED*

FRAME Kellys e-Frame Tour Profile Aluminium alloy, semi-integrated battery **MOTOR** Shimano STEPS E5000 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505-8 Disc **RIMS** KLS Draft Disc **TYRES** Impac Streetpac 28x1.75 ReflectiveLine **LIGHTING** AXA Compactline 35 / Trelock Duo Flat



E-CRISTY 50 SKY BLUE / RED

FRAME Kellys e-Frame Tour Profile Lady Aluminium alloy, semi-integrated battery **MOTOR** Shimano STEPS E5000 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505-8 Disc **RIMS** KLS Draft Disc **TYRES** Impac Streetpac 28x1.75 ReflectiveLine **LIGHTING** AXA Compactline 35 / Trelock Duo Flat





ESTIMA



ESTIMA 70

FRAME Kellys e-Frame City Aluminium alloy monotube, semi-integrated battery **MOTOR** Shimano STEPS E6110 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **SHIFTERS** Shimano Nexus SL-C6000-8 Revoshift, 8-speed **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano TX505-8 / Nexus C6001 Inter-8 Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe Energizer Plus, GreenGuard 28x1.75 ADDIX E, ReflectiveLine **LIGHTING** Trelock Veo 50 / Duo Flat



ESTIMA 50 *BLACK / WHITE*

FRAME Kellys e-Frame City Aluminium alloy monotube, semi-integrated battery **MOTOR** Shimano STEPS E5000 **SWITCH UNIT** Shimano SW-E6010 for motor assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **SHIFTERS** Shimano Nexus SL-C3000-7 Revoshift, 7-speed **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505-8 / Nexus C3001 Inter-7 Disc **RIMS** KLS Draft Disc **TYRES** Impac Streetpac 28x1.75 ReflectiveLine **LIGHTING** AXA Compactline 35 / Trelock Duo Flat



_02

MOUNTAIN



DOWNHILL

ENDURO

TRAIL

MTB-XC

MTB-XC WOMEN

DIRT




KELLYS FACTORY TEAM IS A GROUP OF PEOPLE WHO RIDE THEIR LIVES. THEIR COMMITMENT AND DEDICATION TO CYCLING SPORTS IS SOMETHING WHICH MAKES US NOT ONLY PROUD BUT ALSO MOTIVATES US TO MOVE FORWARD.



_ K E L L Y S F A C T O R Y T E A M

THE PEOPLE WHO DRIVE US FORWARD


TEK



Kellys Factory Team is one of the key elements of the Kellys brand - it emphasises almost 25 years of Kellys sporting legacy and traditions. Since 2015 Kellys Factory Team competes in many prestigious MTB events with European and World Downhill Championship, European and World Cup and many national championships and cups among them. Thousands of spectators, professional photo and video coverage and social media dedicated posts have built still growing recognition of the Team and Kellys brand.



Rasto Baranek, Stanislav Sehnal and Adam Rojcek create the gravity-oriented trio of unique talents riding over the limits and testing our bicycles and gear under the most difficult race conditions. The Team cooperates with our R&D department to support the development and testing new prototypes and production models to ensure that every Kellys bicycle will fulfil its mission flawlessly.



STANISLAV SEHNAL

Young but widely experienced Elite rider. With more than seven years of racing on the top European tracks facing the best downhill riders in Europe, he proved that he is a tough player with great potential and talent.

ADAM ROJCEK

is the newest addition to the team. This young talent proved himself as one of the most consistent and successful riders in Slovakia for the past few years, earning him overall Slovak National Champion three years in a row (2016, 2017 and 2018).



Team members



RASTISLAV BARANEK

One of the most talented and promising young riders in Slovakia. Despite his young age, Rasto is very experienced with more than ten years of racing over Europe and the whole world.



MOUNTAIN

DOWNHILL





NOID



THINKLINK™
SUSPENSION SYSTEM



NOID 90

29

FRAME Kellys Gravity DH 29 / Think Link, 205mm rear travel **FORK** Rock Shox BoXXer Ultimate, 200mm, DebonAir / Charger 2 RC2 **REAR SHOCK** Rock Shox Super Deluxe Coil Ultimate DH RC / Rapid Recovery **CRANKSET** Shimano Saint M825 Hollowtech II [34] **R/SHIFTER** Shimano Zee SL-M640 Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Saint M820 **BRAKES** Shimano Saint M820 Hydraulic Disc **HUBS** Novatec DH Disc **RIMS** KLS Brave 2 Disc **TYRES** Schwalbe 2.35 Magic Mary, ADDIX Soft



EVEN THOUGH THIS DOWNHILL BEAST IS A QUITE NEW PLAYER ON THE DOWNHILL FIELD, KELLYS NOID HAS ALREADY GAINED GREAT RECOGNITION AND RESPECT AMONG EXTREME RIDERS AROUND THE WORLD.



Not only the unique design and beastly look but also innovative technical solutions distinguish it from the other DH bikes available today. Kellys NOID is just one of its kind allowing the riders to reach an absolutely new level of riding. Being the racing bike of Kellys Factory Team, Kellys NOID confirmed its sport potential, durability and performance. Thanks to unique Kellys' Think Link Suspension System and Vario Geometry System, the NOID proved to be a versatile bike allowing to obtain the best results whatever the conditions, the type of track or rider preferences. Now available both in 27.5 and 29-inch option.



ROCK SHOX SUPER DELUXE COIL





Noid



THINKLINK™
SUSPENSION SYSTEM



Noid 90

27.5

FRAME Kellys Gravity DH 27.5 / Think Link, 205mm rear travel **FORK** Rock Shox BoXXer Ultimate, 200mm, DebonAir / Charger 2 RC2 **REAR SHOCK** Rock Shox Super Deluxe Coil Ultimate DH RC / Rapid Recovery **CRANKSET** Shimano Saint M825 Hollowtech II [34] **R/SHIFTER** Shimano Zee SL-M640 Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Saint M820 **BRAKES** Shimano Saint M820 Hydraulic Disc **HUBS** Novatec DH Disc **RIMS** KLS Brave 2 Disc **TYRES** Schwalbe 2.35 Magic Mary, ADDIX Soft





Adam Rojcek @ Downhill World Cup Andorra 2019

NOID 70

27.5

FRAME Kellys Gravity DH 27.5 / Think Link, 205mm rear travel
FORK Rock Shox BoXXer Select, 200mm, DebonAir / Charger RC
REAR SHOCK Rock Shox Super Deluxe Coil Select R / Rapid Recovery
CRANKSET Shimano Zee M645 [34] **R/SHIFTER** Shimano Zee SL-M640 Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Zee M640 **BRAKES** Shimano Zee M640 Hydraulic Disc
HUBS Novatec DH Disc **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.35 Magic Mary, ADDIX Soft



ROCK SHOX BOXXER ULTIMATE





MOUNTAIN

ENDURO





SWAG



THINKLINK™
SUSPENSION SYSTEM



SWAG 50

27.5

FRAME Kellys Enduro 27.5 / Think Link, 165mm rear travel **FORK** Rock Shox Lyrik Select+, 170mm, DebonAir / Charger 2 RC **REAR SHOCK** Rock Shox Super Deluxe Coil Ultimate RCT, Rapid Recovery / Open-Pedal **CRANKSET** Shimano SLX M7100-1 Hollowtech II [32] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8120 **BRAKES** Shimano SLX M7120 Hydraulic Disc **HUBS** Shimano SLX M7110-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Hans Dampf, ADDIX Soft / Nobby Nic, ADDIX Speedgrip



THINK LINK SUSPENSION SYSTEM IS A UNIQUE DESIGN OF TOTALLY INDEPENDENT REAR SUSPENSION. IT ENSURES NO NEGATIVE INFLUENCE FROM A DRIVETRAIN AND BRAKES, NO PEDAL KICKBACK AND CONSTANT REAR TRIANGLE GEOMETRY WITH ABSOLUTELY NO CHAIN GROWTH.

Think Link Suspension keeps the grip at the best possible level and provides smooth stroke allowing uninterrupted power transfer from a crank to the rear wheel. It comes down to the fact that the suspension works independently being active in any situation utilising the full potential of the bike and the rider anytime anywhere.

Utilised in Kellys NOID, SWAG and THORX the Think Link Suspension System proved to be not only high-performance platform but also durable and versatile solution for enduro riders. No matter if you are racing or shredding in a bikepark during the weekend.



ROCK SHOX LYRIK SELECT+

To keep the Think Link performing at its best, the system is customised according to the type of the bike. Thanks to re-tuned suspension, optimised kinematics and carefully chosen components we're sure that the Think Links Suspension System offers the top performance and optimum characteristics desired by the most demanding riders from downhill through enduro to trail. This is why Kellys' engineers were able to create bikes which can go far beyond the riding experience know to the mountain riders so far. Just choose your favourite bike type, hit the trail and become the king of a mountain!



SWAG

THINKLINK™
SUSPENSION SYSTEM



SWAG 30

27.5

FRAME Kellys Enduro 27.5 / Think Link, 165mm rear travel **FORK** Rock Shox Yari RC, 170mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Shimano MT610-12 Hollowtech II [32] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7120 **BRAKES** Shimano SLX M7100 Hydraulic Disc **HUBS** Shimano MT400-B / MT510-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX





I am a downhill racer, but I really enjoy enduro exploration, away from the existing trails with just pure adventure, crossing the wildness, marking my own paths. I think these are the primal roots of true enduro. SWAG is really easy to ride off the trails, crossing pristine mountains and forests. Its high manoeuvrability lets me ride in the roughest terrain and explore the most unavailable areas.

Rastislav Baranek | Kellys Factory Team

SWAG 10

27.5

FRAME Kellys Enduro 27.5 / Think Link, 165mm rear travel
FORK Rock Shox 35 Gold RL, 150mm, DebonAir / Motion Control
REAR SHOCK Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal
CRANKSET Sram SX Eagle DUB X-Sync [32]
R/SHIFTER Sram NX Eagle X-Actuation Trigger, 12-speed
R/DERAILLEUR Sram NX Eagle X-Horizon
BRAKES Shimano MT400 Hydraulic Disc
HUBS Shimano MT400-B Disc
RIMS KLS Valor 3 Disc
TYRES Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX





MOUNTAIN

TRAIL





THINKLINK™
SUSPENSION SYSTEM



THORX 50



FRAME Kellys Allmountain / Think Link, 140mm rear travel **FORK** Rock Shox Pike Select+, 150mm, DebonAir / Charger 2 RC **REAR SHOCK** Rock Shox Deluxe Ultimate RCT, DebonAir / Rapid Recovery / Open-Pedal-Lock **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II [34] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8120 **BRAKES** Shimano Deore XT M8100 Hydraulic Disc **HUBS** Shimano SLX M7110-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf, ADDIX Soft / Nobby Nic, ADDIX Speedgrip



*

THORX 30

29 27.5

FRAME Kellys Allmountain / Think Link, 140mm rear travel **FORK** Rock Shox 35 Gold RL, 150mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Shimano MT610-12 Hollowtech II [34] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7120 **BRAKES** Shimano SLX M7100 Hydraulic Disc **HUBS** Shimano MT400-B / MT510-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX



THORX

THORX 10

29 27.5

FRAME Kellys Allmountain / Think Link, 140mm rear travel **FORK** Rock Shox Sektor RL, 150mm, DebonAir / Motion Control RL **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Sram SX Eagle DUB X-Sync [34] **R/SHIFTER** Sram NX Eagle, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX



GIBON



GIBON 70

27.5

FRAME Kellys Dynamic Trail 27.5 **FORK** Rock Shox Revelation RC, 130mm, DebonAir / Motion Control RC **CRANKSET** Truvativ Stylo 6K Eagle DUB X-Sync 2 [32] **R/SHIFTER** Sram NX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano SLX M7000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Rocket Ron Performance





GIBON 50

27.5

FRAME Kellys Dynamic Trail 27.5 **FORK** Rock Shox Recon RL, 130mm, Solo Air / Motion Control **CRANKSET** Sram SX Eagle DUB X-Sync [32] **R/SHIFTER** Sram NX X-Actuation Trigger, 11-speed **R/DERAILLEUR** Sram NX X-Horizon **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Rocket Ron Performance



GIBON 30

27.5

FRAME Kellys Dynamic Trail 27.5 **FORK** SR Suntour XCM32 L0, 120mm, coil / Speed Lockout **CRANKSET** Shimano MT210-B2 [36x22] **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Alivio MT400-D / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Rocket Ron Performance



MOUNTAIN

MTB-XC





HACKER



HACKER 90



FRAME Kellys iCAD Carbon Pro 29 **FORK** Fox 32 Float SC Factory, Kashima Coat, 100mm, Float Evol air / FIT4 2-Position Remote **CRANKSET** Sram X01 Eagle DUB X-Sync 2 [34] **SHIFTERS** Sram X01 Eagle Trigger, 12-speed **R/DERAILLEUR** Sram X01 Eagle **BRAKES** Shimano XTR M9100 Hydraulic Disc **WHEELSET** Mavic Crossmax Elite **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



KELLYS' CROSS-COUNTRY LEGACY CONTAINS OF MANY SUCCESSFUL RACING BIKES GEARED FOR THE TOP PERFORMANCE. BEST MATERIALS, LATEST TECHNOLOGIES AND UNIQUE KELLYS' DESIGN HAS RESULTED IN THE CREATION OF RACE-PROVEN CARBON HARTAILS WITH UNIQUE RIDE CHARACTERISTICS, LOW MASS AND UNCOMPROMISED PEDAL EFFICIENCY.

This is why Kellys HACKER has been created - 29-inch wheels, lightweight frame with racing geometry and performance along with top-notch components allow this XC bolide to satisfy the most demanding riders.

Being the ultimate XC racer, the HACKER's frame combines iCAD carbon fibre of the military grade and latest standards to be compatible with the most advanced racing components. All-new HACKER is race-ready with inner wiring, direct derailleur and brake callipers mounts, and also front and rear thru axles with a tapered head tube for razor-sharp handling and excellent stiffness. To ensure flawless and effective power transfer Kellys' engineers implemented the Power Core high-efficiency design to the new HACKER's frame.



KELLYS iCAD CARBON PRO FRAME

It is based on combining material characteristics with a specific shape to create strong and uniform structure connecting head tube, bottom bracket and rear stays while maintaining low weight. The shortened rear triangle with flex seat stays for unprecedented manoeuvrability in tight corners significantly improves ultra-efficient power transfer from the crank to the rear wheel and also damps the vibration to increase comfort. Expansion of the front triangle allows increasing the wheelbase for the best stability at high speeds and on the steepest descents.



HACKER 70

29

FRAME Kellys iCAD Carbon Pro 29 **FORK** Rock Shox SID Select+, 100mm, DebonAir / Charger 2 RL / OneLoc Remote Lockout **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II [34] **SHIFTERS** Shimano Deore XT SL-M8100-R Rapidfire Plus **R/DERAILLEUR** Shimano Deore XT M8120 **BRAKES** Shimano Deore XT M8100 Hydraulic Disc **WHEELSET** Mavic Crossmax **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



HACKER 50

29

FRAME Kellys iCAD Carbon Pro 29 **FORK** Rock Shox Reba RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano SLX M7100-1 Hollowtech II [34] **SHIFTERS** Shimano SLX SL-M7100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8120 **BRAKES** Shimano Deore M6000 Hydraulic Disc **HUBS** Shimano MT400-B / MT510-B Disc **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



HACKER 30

29

FRAME Kellys iCAD Carbon Sport 29 **FORK** Rock Shox Recon RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Sram SX Eagle DUB X-Sync [34] **SHIFTERS** Sram NX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano MT400-B Disc **TYRES** Schwalbe 2.25 Rapid Rob



GATE



GATE 90

29

FRAME Kellys Dynamic RRC 29 **FORK** Rock Shox Sektor RL, 100mm, DebonAir / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II [34] **SHIFTERS** Shimano SLX SL-M7100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8120 **BRAKES** Shimano MT500 Hydraulic Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.25 Rapid Rob





GATE 70

29

FRAME Kellys Dynamic RRC 29 **FORK** Rock Shox Sektor RL, 100mm, DebonAir / Motion Control / OneLoc Remote Lockout **CRANKSET** Truvativ Stylo 6K Eagle DUB X-Sync 2 [34] **SHIFTERS** Sram NX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.25 Rapid Rob



GATE 50

29

FRAME Kellys Dynamic RRC 29 **FORK** Rock Shox Recon RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano MT600-B2 [36x26] **SHIFTERS** Shimano SLX SL-M7000 Rapidfire Plus, 22-speed **F/R DERAILLEUR** Shimano SLX M7020-D / Deore XT M8000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.25 Rapid Rob



GATE 30 SAGE GREEN / WHITE

29

FRAME Kellys Dynamic RRC 29 **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** Shimano MT500-B2 Hollowtech II [36x26] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano Deore M6020-D / Deore XT M781 **BRAKES** Shimano M365 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.25 Rapid Rob







SPIDER 90

29 27.5

FRAME Kellys Alutec RRC **FORK** SR Suntour XCR32 LOR Air, 100mm, air / Speed Lockout
CRANKSET KLS Active [38x24] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus,
20-speed **F/R DERAILLEUR** Shimano Deore M618 / Deore M610 **BRAKES** Shimano MT200
Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25
Rapid Rob



SPIDER 70 RED / GREY LIME

29 27.5

FRAME Kellys Alutec RRC **FORK** SR Suntour XCM RL, 100mm, coil / Remote Speed Lockout
CRANKSET Shimano Altus M2000 [40x30x22] **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera M3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob

SPIDER





SPIDER 60

29 27.5

FRAME Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano MT100 [40x30x22] **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus M2000 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob **LIGHTING** Büchel Urban Halogen / Büchel LED Standlight





SPIDER 50 *BLACK BLUE / SAGE GREEN*

29 27.5

FRAME Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano MT100 [40x30x22] **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus M2000 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



SPIDER



SPIDER 30 *GREY ORANGE / NEON LIME*

29 27.5

FRAME Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 [42x34x24] **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Acera M3000 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac





SPIDER 10 *RED / TURQUOISE*

29 27.5

FRAME Kellys Alutec RRC **FORK** SR Suntour XCT30 HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Altus M2000 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgipac



MADMAN



MADMAN 60

29" 27.5"

FRAME Kellys Alutec RRC **FORK** SR Suntour XCC HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCC [42x32x22] **SHIFTERS** Shimano SL-M310 Rapidfire Plus,
24-speed **F/R DERAILLEUR** Shimano TY700 / Altus M370 **BRAKES** Tektro Hydraulic Disc
HUBS Shimano Dynamo 3D32 / KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10
Ridgepac **LIGHTING** Büchel Urban Halogen / Büchel LED Standlight



MADMAN 50

BLACK GREEN / NEON LIME

FRAME Kellys Alutec RRC **FORK** SR Suntour XCT30 HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 [42x34x24] **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac

29 27.5





MADMAN 30 *BLACK / TURQUOISE*

29 27.5 26

FRAME Kellys Alutec RRC **FORK** SR Suntour XCM30 HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [42x34x24] **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgipac





MADMAN 10 *BLACK BLUE / NEON ORANGE*

29 27.5 26

FRAME Kellys Alutec RRC **FORK** SR Suntour XCE28, 80mm, coil spring **CRANKSET** Prowheel [42x34x24]
SHIFTERS Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TZ30 / TY500 **BRAKES** Apse
 V-brake **HUBS** alloy / Shimano TY500-7 **RIMS** KLS Draft **TYRES** Impac 2.10 Ridgepac



MOUNTAIN

MTB-XC WOMEN





DESIRE



DESIRE 90



FRAME Kellys Dynamic KLC Lite 29 LSG **FORK** Rock Shox Reba RL, 100mm, Solo Air / Motion Control / OneLock Remote Lockout **CRANKSET** Sram SX Eagle DUB X-Sync [34] **SHIFTERS** Sram NX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob



* All Desire models. Technology library on pages 168-169.



KELLYS DIVERSA SADDLE

DESIRE 70

29

FRAME Kellys Dynamic KLC Lite 29 LSG **FORK** Rock Shox Recon RL, 100mm, Solo Air / Motion Control / OneLock Remote Lockout
CRANKSET Shimano Deore M6000-B2 Hollowtech II [36x26]
SHIFTERS Shimano Deore SL-M6000 Rapidfire Plus, 20-speed
F/R DERAILLEUR Shimano Deore M6020-D / Deore XT M781
BRAKES Shimano 365 Hydraulic Disc **HUBS** Shimano MT400-B Disc
RIMS KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob





DESIRE 50

29

FRAME Kellys Dynamic KLC Lite 29 LSG **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** KLS Advanced integrated [36x26] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano Deore M6020-D / Deore XT M781 **BRAKES** Shimano 365 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob

DESIRE 30

29

FRAME Kellys Dynamic KLC Lite 29 LSG **FORK** SR Suntour XCR32 RLR, 100mm, coil / Speed Lockout **CRANKSET** Shimano Acera MT210-2 [36x22] **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Alivio M4020-D / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob



_VANITY



VANITY 70

29 27.5

FRAME Kellys KLC Lite - Lady Sport Geometry
FORK SR Suntour XCR RL, 100mm, coil / Remote Speed Lockout **CRANKSET** Shimano Altus M2000 [40x30x22] **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera M3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.10 Rapid Rob



KELLYS EBONY SADDLE



VANITY 50

29 27.5

FRAME Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCT30 HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 [42x34x24] **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Acera M360 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac





VANITY 40

29 27.5

FRAME Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [42x32x24] **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** Shimano Dynamo 3D32 / KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac **LIGHTING** Büchel Urban Halogen / Büchel LED Standlight



VANITY 30

29 27.5

FRAME Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCT30 HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [42x32x24] **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



VANITY 20 *BONDI BLUE / WHITE*

27.5 26

FRAME Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE28, 80mm, coil spring **CRANKSET** Shimano TY301 [42x32x24] **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TX500 **RIMS** KLS Draft **TYRES** Innova 2.0





VANITY 10 *WHITE / AQUA GREEN*

27.5 26

FRAME Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE28, 80mm, coil spring **CRANKSET** Prowheel [42x34x24] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova 2.0

VANITY



MOUNTAIN

DIRT





WHIP



WHIP 70

FRAME Kellys Dirt 26 **FORK** X-Fusion Slant RC, 100mm, air / RC Damper **CRANKSET** Prowheel Charm [32], 1-speed **R/BRAKE** Shimano MT500 Hydraulic Disc **HUBS** alloy / KT Disc single-speed **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.25 Table Top Performance ADDIX

FOR THE DIRT RIDERS EVERY RIDE
BRINGS SOMETHING NEW - IT'S
ALL ABOUT GOING FURTHER,
OVERCOMING FEAR AND LAWS OF
PHYSICS, RIDING BEYOND. THE DIRT
BIKE NEEDS TO BE TOUGH, ROBUST
AND READY TO GO OVER THE LIMITS
WHenever THE RIDERS WANTS.



SHIMANO MT500

This is why Kellys created WHIP - the toughest bike for the toughest riders. There are no compromises whenever it comes to the frame's performance and strength. Kellys WHIP is stronger and easier to control - both on the ground and in the air, so every dirt rider can be limited only by his imagination. The latest frame geometry provides lots of fun factor, because we know that the dirt riding is all about having fun!



WHIP



WHIP 50

FRAME Kellys Dirt 26 **FORK** SR Suntour XCT L0-R, 100mm, coil / Speed Lockout
CRANKSET Prowheel Charm [34] **R/SHIFTER** Sram X5 Trigger, 9-speed **R/DERAILLEUR**
Sram X4 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS
Brave Disc **TYRES** Schwalbe 2.25 Nobby Nic Performance ADDIX

WHIP 30

FRAME Kellys Dirt 26 **FORK** SR Suntour XCR LO-R, 100mm, coil / Speed Lockout **CRANKSET** Prowheel Charm (32), 1-speed **R/BRAKE** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc / KT Disc single-speed **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.25 Table Top Performance ADDIX



WHIP 10

FRAME Kellys Dirt 26 **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel Charm (34), 7-speed **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Nobby Nic Performance ADDIX



_03

ROAD



RACING

GRAVEL



URC



URC 90

FRAME Kellys iCAD RC Carbon Pro **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Ultegra R8000 Hollowtech II (52x36) **SHIFTERS** Shimano Ultegra Di2 ST-R8050 Dual Control, 22-speed **F/R DERAILLEUR** Shimano Ultegra Di2 R8050 **BRAKES** Shimano Ultegra R8000 **WHEELSET** Mavic Ksyrium Elite UST **TYRES** Mavic Yksion Pro UST 25C





SHIMANO ULTEGRA





URC 70

FRAME Kellys iCAD RC Carbon Pro Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano Ultegra R8000 Hollowtech II (50x34) **SHIFTERS** Shimano Ultegra ST-R8020 Dual Control, 22-speed **F/R DERAILEUR** Shimano Ultegra R8000 **BRAKES** Shimano Ultegra R8070 Hydraulic Disc **WHEELSET** Mavic Ksyrium UST Disc **TYRES** Mavic Yksion Elite 28C



*

URC 50

FRAME Kellys iCAD RC Carbon Pro Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano 105 R7000 Hollowtech II [52x36] **SHIFTERS** Shimano ST-RS505 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 R7000 **BRAKES** Shimano RS505 Hydraulic Disc **WHEELSET** Mavic Aksium Disc **TYRES** Schwalbe Durano 25C



URC 30

FRAME Kellys iCAD RC Carbon Sport **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano 105 R7000 Hollowtech II [52x36] **SHIFTERS** Shimano 105 ST-R7000 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 R7000 **BRAKES** Shimano 105 R7000 **HUBS** Shimano 105 R7000 **RIMS** Kellys Spark **TYRES** Schwalbe Lugano 25C

URC



ARC



ARC 50

FRAME Kellys Endurance Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS
CRANKSET Shimano RS510 [50x34] **SHIFTERS** Shimano 105 ST-R7000 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 R7000 **BRAKES** Tektro Spyre Mechanical Disc
HUBS Novatec Disc **RIMS** KLS Spark **TYRES** Schwalbe Lugano 25C



*



ARC 30

FRAME Kellys Endurance Concept - Aluminium alloy **FORK** Kellys Carbon 1.5 TS
CRANKSET Shimano Sora R3000 (50x34) **SHIFTERS** Shimano Sora ST-R3000 Dual
 Control, 18-speed **F/R DERAILLEUR** Shimano Sora R3000 **BRAKES** Tektro **HUBS**
 Shimano Claris **RIMS** KLS Spark **TYRES** Schwalbe Lugano 25C



ARC 10

FRAME Kellys Endurance Concept - Aluminium alloy **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Claris
 R2000 (50x34) **SHIFTERS** Shimano Claris ST-R2000 Dual
 Control, 16-speed **F/R DERAILLEUR** Shimano Claris R2000
BRAKES Tektro **HUBS** Shimano Claris **RIMS** KLS Spark
TYRES Schwalbe Lugano 25C







R O A D

GRAVEL



SOOT



SOOT 70

FRAME Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS
CRANKSET Sram Apex 1 X-Sync [44] **SHIFTERS** Sram Apex 1 ExactActuation, 11-speed
R/DERAILLEUR Sram Apex 1 X-Horizon **BRAKES** Sram Apex 1 Hydraulic Disc **HUBS**
Novatec Disc **RIMS** KLS Grind **TYRES** Schwalbe G-One Allround - RaceGuard 38C





SOOT 50

FRAME Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano GRX RX600-11 [46x30] **SHIFTERS** Shimano GRX ST-RX600, 22-speed **F/R DERAILLEUR** Shimano GRX RX810 **BRAKES** Shimano GRX RX400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Grind **TYRES** Schwalbe Smart Sam Performance 40C ADDIX



SOOT 30

FRAME Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano Claris R2000 [50x34] **SHIFTERS** Shimano Claris ST-R2000 Dual Control, 16-speed **F/R DERAILLEUR** Shimano Claris R2000 **BRAKES** Tektro Spyre Mechanical Disc **HUBS** Novatec Disc **RIMS** KLS Grind **TYRES** Schwalbe Smart Sam Performance 40C ADDIX



CROSS

TREKKING



_04

TOUR

TOUR



PHANATIC



PHANATIC 90

FRAME Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NRX-D RL Air, 75mm, air / Remote Speed Lockout
CRANKSET Shimano Deore XT T8000-3 Hollowtech II [48x36x26] **SHIFTERS** Shimano Deore XT SL-T8000 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT T8000 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc
RIMS KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



SHIMANO SLX

PHEEBE 90

FRAME Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NRX-D RL Air, 75mm, air / Remote Speed Lockout
CRANKSET Shimano Deore XT T8000-3 Hollowtech II [48x36x26]
SHIFTERS Shimano Deore XT SL-T8000 Rapidfire Plus, 30-speed
F/R DERAILLEUR Shimano Deore XT T8000 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine





PHANATIC 70

FRAME Kellys Crossforce Lite - Sport Cross Geometry
FORK SR Suntour NCX-D RL Air, 75mm, air / Remote Speed Lockout **CRANKSET** Shimano Deore T6010 Hollowtech II [48x36x26] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore T6000 / Deore XT M781 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



PHANATIC 50



FRAME Kellys Crossforce Lite - Sport Cross Geometry
FORK SR Suntour NVX HLO, 75mm, coil / Speed Lockout
CRANKSET Shimano T521 Hollowtech Octalink [48x36x26]
SHIFTERS Shimano Deore SL-M6000 Rapidfire Plus, 30-speed
F/R DERAILLEUR Shimano Deore T6000
BRAKES Shimano MT200 Hydraulic Disc
HUBS Shimano TX505 Disc
RIMS KLS Draft Disc
TYRES Schwalbe CX Comp - ReflectiveLine



PHANATIC 40

FRAME Kellys Crossforce Lite - Sport Cross Geometry
FORK SR Suntour NEX-E25 NLO, 75mm, coil / Speed Lockout
CRANKSET Shimano Acera T3010 [48x36x26]
SHIFTERS Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed
F/R DERAILLEUR Shimano Acera T3000 / Alivio M4000
BRAKES Shimano MT200 Hydraulic Disc
HUBS Shimano Dynamo 3D37 / TX505 Disc
RIMS KLS Draft Disc
TYRES Schwalbe CX Comp - ReflectiveLine
LIGHTING Büchel Urban Halogen / Büchel LED Standlight



PHANATIC 30 *TEAL / GREY*

FRAME Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 [48x36x26] **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine





PHEEBE

PHEEBE 30 *WHITE / DARK RED*

FRAME Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 [48x36x26] **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



PHANATIC 10 *RED / DARK OCEAN*

FRAME Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM [48x36x26] **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Innova





PHEEBE 10 MINT / DARK PURPLE

FRAME Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM [48x36x26] **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Innova



CLIFF



CLIFF 90 *DEEP BLUE / BLACK RED*

FRAME Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY501 [48x38x28] **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova

CLEA 90 *DARK RED / BLACK AQUA*

FRAME Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY501 [48x38x28] **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova





CLIFF 70 *BLACK GREEN / GREY*

FRAME Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova





CLEA 70 *DARK BLUE / RED*

FRAME Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



CLIFF 30 *BLUE / GREY*

FRAME Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [48x38x28]
SHIFTERS Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake
HUBS alloy / Shimano RM30 **RIMS** KLS Draft **TYRES** Innova





CLEA 30 *BLACK PINK / WHITE*

FRAME Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TYRES** Innova

CLEA



CLIFF 10 *BLACK BLUE / RED*

FRAME Kellys Crosslite **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [48x38x28] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova





CLEA 10 *GREY PINK / MINT*

FRAME Kellys Crosslite Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [48x38x28]
SHIFTERS Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse
 V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova



TOUR

TREKKING





CARSON



CARSON 90

FRAME Kellys Tour Profile **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **CRANKSET** Shimano T521 Hollowtech Octalink [48x36x26] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Deore T6000 / Deore XT T8000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Road Cruiser - ReflectiveLine **LIGHTING** AXA Compactline 35 Steady / AXA Slim Steady

CARSON 70

FRAME Kellys Tour Profile **FORK** SR Suntour NEX DX, 63mm, coil spring **CRANKSET** SR Suntour XCM [48x36x26] **SHIFTERS** Shimano Altus SL-M2010-9 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Road Cruiser - ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



CRISTY 70

FRAME Kellys Tour Profile Lady **FORK** SR Suntour NEX DX, 63mm, coil spring **CRANKSET** SR Suntour XCM [48x36x26] **SHIFTERS** Shimano Altus SL-M2010-9 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Road Cruiser - ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight





CARSON 50

FRAME Kellys Tour Profile **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



CRISTY 50

FRAME Kellys Tour Profile Lady **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



CARSON 40

FRAME Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight

CRISTY 40

FRAME Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



CRISTY



CARSON 30

FRAME Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery



CRISTY 30

FRAME Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery

CARSON 10

FRAME Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery



CRISTY 10

FRAME Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery



_05

URBAN



CITY

CLASSIC

FITNESS



AVENUE



AVENUE 90



FRAME Kellys Aluminium alloy monotube 28 **FORK** SR Suntour CR-8V, 50mm, coil spring
CRANKSET Prowheel [38] **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed
BRAKES Tektro V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus
C3000 / Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Draft **TYRES** Michelin
Protek 700x47C ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees
LED Standlight



AVENUE 70

28

FRAME Kellys Aluminium alloy monotube 28 **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Shimano TY501 [48x38x28] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / KLS Drive **RIMS** KLS Draft **TYRES** Mitas Flash 28x1.75 ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



AVENUE 50

28

FRAME Kellys Aluminium alloy monotube 28 **FORK** hi-ten unicrown **CRANKSET** Prowheel [38] **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Draft **TYRES** Mitas Flash 28x1.75 ReflectiveLine **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



AVENUE 30

26

FRAME Kellys Aluminium alloy monotube 26 **FORK** hi-ten unicrown **CRANKSET** Prowheel [38] **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Mitas Cobra 26x1.90 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight

AVENUE 20

28

FRAME Kellys Aluminium alloy monotube 28
FORK hi-ten unicrown **CRANKSET** Prowheel [38]
SHIFTERS Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event
TYRES Mitas Flash 28x1.75 ReflectiveLine
LIGHTING Büchel Retro battery / Büchel Champs Elysees LED battery



AVENUE 10

26

FRAME Kellys Aluminium alloy monotube 26 **FORK** hi-ten unicrown **CRANKSET** Prowheel [38] **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Mitas Cobra 26x1.90 **LIGHTING** Büchel Retro battery / Büchel Champs Elysees LED battery



A photograph of an urban street scene. In the foreground, there is a cobblestone path made of rectangular stones in shades of grey and beige. To the left, a portion of a bicycle wheel with a tan tire and a yellow reflector is visible. In the background, there is a light-colored, textured wall. A green vertical pipe runs down the wall. To the right, there is a window with a white frame and decorative metal grilles. A large, semi-transparent dark blue rectangle is overlaid on the left side of the image, containing the text 'URBAN' and 'CLASSIC'. A thick white diagonal line starts from the top left and extends towards the center of the blue rectangle.

URBAN

CLASSIC



ROYAL DUTCH



ROYAL DUTCH *BLACK*

28

FRAME van Kellys Dutch - Aluminium alloy 28 **FORK** unicrown steel **CRANKSET** Prowheel [36] **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



ROYAL DUTCH MENTHOL

28

FRAME van Kellys Dutch - Aluminium alloy 28 **FORK** unicrown steel
CRANKSET Prowheel [36] **SHIFTERS** Shimano Nexus SL-7S20 Revoshift,
 7-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS**
 alloy / Shimano Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Event
TYRES Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro
 battery / battery LED





ARWEN DUTCH *BLACK / BEIGE*

28

FRAME van Kellys Dutch - Aluminium alloy 28 **FORK** unicrown steel **CRANKSET** Prowheel [36] **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED





DUTCH

ARWEN DUTCH MENTHOL / RED

28

FRAME van Kellys Dutch - Aluminium alloy 28 **FORK** unicrown steel **CRANKSET** Prowheel [36] **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



CLASSIC DUTCH *BLUE / CORAL*

28

FRAME van Kellys Dutch - Aluminum alloy 28 **FORK** unicrown steel
CRANKSET Prowheel (36), 1-speed **BRAKES** Apse Artek V-brake / coaster
brake **HUBS** alloy / coaster brake hub **RIMS** KLS Event **TYRES** Impac Bigpac
28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED









U R B A N

FITNESS



-_PHYSIO



PHYSIO 50

FRAME Kellys Urban Move Concept - Aluminium alloy **FORK** Aluminium alloy **CRANKSET** Shimano Sora R3000 (50x34) **SHIFTERS** Shimano Sora SL-3000 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Sora R3000 **BRAKES** Shimano UR300 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Grind **TYRES** Schwalbe Spicer 35C ReflectiveLine



PHYSIO 30

FRAME Kellys Urban Move Concept - Aluminium alloy **FORK** Aluminium alloy
CRANKSET SR Suntour XCR6 [48x36x26] **SHIFTERS** Shimano Altus SL-M2010
 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus M371 / Acera M3000
BRAKES Tektro V-brake **HUBS** Shimano TX500 **RIMS** KLS Grind **TYRES** Schwalbe
 Spicer 35C ReflectiveLine



PHYSIO 10

FRAME Kellys Urban Move Concept - Aluminium alloy **FORK** hi-ten steel **CRANKSET**
 Shimano TY301 [48x38x28] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed
F/R DERAILLEUR Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** Shimano TY500
RIMS KLS Draft **TYRES** Impac Streetpac 35C



JUNIOR

FIRST BIKE



JUNIOR

_06



NAGA

NAGA 90

26

FRAME Kellys Aluminium alloy MTB 26 **FORK** Aluminium alloy **CRANKSET** Prowheel [30] **R/SHIFTER** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano T3000 **RIMS** KLS Draft **TYRES** Schwalbe CX Comp 26x2.0



NAGA 80

26

FRAME Kellys Aluminium alloy MTB 26 **FORK** SR Suntour M3010, 63mm, coil spring **CRANKSET** Prowheel [42x34x24] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / TY500 **RIMS** KLS Draft **TYRES** Innova 26x2.0 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight

NAGA 70 *NEON LIME / PURPLE*

26

FRAME Kellys Aluminium alloy MTB 26 **FORK** SR Suntour M3010, 63mm, coil spring
CRANKSET Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed
F/R DERAILEUR Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy / TY500
RIMS KLS Draft **TYRES** Innova 26x2.0





MARC



MARC 90

24

FRAME Kellys Alutec RRC MTB 24 **FORK** SR Suntour XCT, 50mm, coil spring **CRANKSET** SR Suntour XCT [42x32x22] **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Mitas Winner 24x1.95



MARC 70

24

FRAME Kellys Alutec RRC Junior plus 24 **FORK** Aluminium alloy **CRANKSET** Prowheel [36] **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano TX800 **BRAKES** Tektro Hydraulic Disc **HUBS** KT alloy Disc **RIMS** KLS Brave Disc **TYRES** Innova 24x2.35



MARC 50

24

FRAME Kellys Alutec RRC MTB 24 **FORK** SR Suntour XCT, 50mm, coil spring **CRANKSET** Prowheel [36] **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT alloy Disc **RIMS** KLS Draft Disc **TYRES** Mitas Winner 24x1.95



KITER 90

24

FRAME Kellys Aluminium alloy MTB 24 **FORK** Aluminium alloy **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano Altus SL-M370 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M370 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano T500 **RIMS** KLS Wasper **TYRES** Schwalbe CX Comp 24x2.0



KITER 70

24

FRAME Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight

KITER 50 *TITANIUM BLUE / TURQUOISE*

24

FRAME Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring
CRANKSET Prowheel [42x34x24] **SHIFTERS** Shimano RS35-7 Revoshift, 21-speed
F/R DERAILLEUR Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS
Wasper **TYRES** Mitas Winner 24x1.95



KITER



KITER 50

NEON YELLOW / RED

24

FRAME Kellys Aluminium alloy MTB 24
FORK SR Suntour M3010, 50mm, coil spring
CRANKSET Prowheel [42x34x24] **SHIFTERS**
Shimano RS35-7 Revoshift, 21-speed
F/R DERAILLEUR Shimano TY500 / TY300
BRAKES Tektro V-brake **HUBS** alloy **RIMS** KLS
Wasper **TYRES** Mitas Winner 24x1.95



KITER 30

TURQUOISE

24

FRAME Kellys Aluminium alloy MTB 24 **FORK**
hi-ten steel unicrown **CRANKSET** Prowheel
[32] **R/SHIFTER** Shimano RS35-7 Revoshift,
7-speed **F/R DERAILLEUR** Shimano TY300
BRAKES Tektro V-brake **HUBS** alloy **RIMS** KLS
Wasper **TYRES** Mitas Winner 24x1.95



KITER 30

NEON ORANGE / WHITE / PURPLE

24

FRAME Kellys Aluminium alloy MTB 24 **FORK** hi-ten steel unicrown
CRANKSET Prowheel [32] **R/SHIFTER** Shimano RS35-7 Revoshift,
7-speed **F/R DERAILEUR** Shimano TY300 **BRAKES** Tektro V-brake
HUBS alloy **RIMS** KLS Waspier **TYRES** Mitas Winner 24x1.95





LUMI 90

20

FRAME Kellys Aluminium alloy MTB 20 **FORK** Aluminium alloy **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano SL-RS45-8 Revoshift, 8-speed **BRAKES** Tektro V-brake **HUBS** Shimano TX500 **RIMS** KLS **TYRES** Schwalbe CX Comp 20x1.75



LUMI 70

20

FRAME Kellys Aluminium alloy MTB 20 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS **TYRES** Mitas Winner 20x1.90 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



LUMI 50 GREEN / PINK BLUE



FRAME Kellys Aluminium alloy MTB 20 **FORK** SR Suntour M3010, 40mm, coil spring **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano SL-RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90



LUMI 30 PURPLE



FRAME Kellys Aluminium alloy MTB 20 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano SL-RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90



LUMI 30

NEON YELLOW / RED / WHITE



FRAME Kellys Aluminium alloy MTB 20 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32] **R/SHIFTER** Shimano SL-RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90



MAGGIE

24

FRAME Kellys Aluminium alloy monotube 24 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [38] **R/SHIFTER** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Wasp **TYRES** Mitas Walrus 24x1.75x2 ReflectiveLine



CINDY

20

FRAME Kellys Aluminium alloy monotube 20 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [36], 1-speed **BRAKES** Tektro V-brake / coaster brake **HUBS** alloy / coaster brake hub **RIMS** KLS **TYRES** Mitas Walrus 20x1.75x2



WASPER

RED / YELLOW / BLUE

16

FRAME Kellys Aluminium alloy MTB 16 **FORK** steel unicrown **CRANKSET** 1-speed **BRAKES** V-brake / coaster brake **HUBS** steel / coaster brake hub

EMMA



EMMA MENTHOL / PINK

16

FRAME Kellys Aluminium alloy monotube 16 **FORK** steel unicrown **CRANKSET** 1-speed **BRAKES** V-brake / coaster brake **HUBS** steel / coaster brake hub





JUNIOR

FIRST BIKE





KIRU



ALU **Mg** ULTRALIGHT
MAGNESIUM
FRAME



For 2020 season Kellys is introducing **ALL-NEW BALANCE BIKE KIRU**. Its frame is made out of ultra-light Magnesium alloy, which saves 25% of weight compare to traditional aluminium alloy frame. With the new material also comes a unique design with sleek, dynamic lines and shape. You cannot be indifferent to all-new KIRU, so your kid will be a star on the field for sure.



KIRU RACE
LIME

KIRU RACE

PURPLE / FOREST



KIRU

LIME / PURPLE / FOREST



KITE 12 RACE
PINK / TEAM



_KITE

KITE 12 RACE
RED



KITE 12

TEAM / RED



BOTH KIRU AND KITE 12 HELP YOUR CHILD TO GET USED TO RIDING A BIKE AND BRINGS MUCH FUN.

Riding on two wheels helps to improve their motor skills, riding control and coordination. As your kid progresses, it tries to keep its feet on the integrated footrests and develops advanced riding skills. Adjustable handlebars and seatpost clamp allow easy and quick adjustment of the bike to meet your child's needs. Thanks to 12-inch wheels with high-profile inflatable tyres the ride is comfortable and smooth. The tyres' tread is designed to keep the grip on any surface from grass and sand, to tarmac or concrete. Balance bikes Kellys KIRU and KITE 12 meet the highest safety standards for the European market and are certified to EN-71 norm.



KITE 12

PINK





TECHNOLOGIES

 WHEEL SWAP	The unique ability of the frame to utilise both 29-inch or 27.5+ wheels .
 BOOST THRU AXLE	Boost thru axles increases the stiffness even more, resulting in more effective and more precise bike handling . Thanks to the wider rear hub the wheels are stiffer, the tyre clearance is bigger , and so the wider rear wheel and shorter chainstay can be applied.
 Di2 COMPATIBLE	The frame is electronic shifting Shimano Di2 system ready .
 DRIVE CORE	Drive Core bottom bracket is the heart of Kellys' new generation frames. Thanks to its tough structure it can withstand the great loads occurring during aggressive ride both from suspension system and drivetrain.
 FLAT MOUNT	Flat mount standard is based on the same principles as post mount, but it is intended for road bikes allowing to use smaller 140-millimetre rotors .
 FOUR BAR LINKAGE SUSPENSION SYSTEM	The advanced system of the rear suspension characterized by high sensitivity and pedalling efficiency . Versatile characteristics ensures the best damping and riding performance regardless of the condition.
 HYDRO FORMING	Hydroforming is a way of the 3-D shaping of the frame tubes. This technology allows creating lighter, stiffer and more beautiful frames thanks shape-to-strength optimization.
 INTEGRATED FRAME PROTECTION	Integrated Frame Protection ensures the best possible frame protection. Its exclusive design, precise fitment and durability make the rider feel confident to hit the toughest parts of the trail without any fear of damaging the frame.
 INTERNAL CABLEROUTING	The derailleur, brake, dropper and electrical cables are routed internally inside of the frame which results in a cleaner design, better performance and durability .
 ISCG05	It is a chain guide, bash guard or front derailleur direct mount standard. It is widely used in extreme mountain bikes.
 KELLYS RE-CHARGE LI-ION BATTERY	This unique power source is compact, lightweight and has unparalleled volume-to-capacity ratio . This is why our engineers were able to pack massive 630Wh/17Ah of energy into small, fully integrated power cell hidden in the frame . Thanks to its compactness the bottom tube of the frame, where the battery is placed, is single-wall, narrow and has undisrupted structure which makes it stiffer and lighter in compare to the other designs.



KICKSTAND DIRECTMOUNT

This feature allows to **directly mount the kickstand to the frame** without unnecessary intermediary parts like additional brackets or clamps. It's **lighter, simpler and more durable**.



POST MOUNT

It is the way of the direct mount of the brake calliper which results in stiffer and more precise connection to the frame, thus **better braking performance and durability** is provided.



POWER CORE

Power Core design is the way of **weight-to-stiffness frame optimization** which bases on reinforced structure connecting head tube, bottom bracket and chainstays to ensure **virtually lossless power transfer, razor-sharp handling and low weight**.



PRESS FIT BOTTOM BRACKET

This technology allows putting bottom bracket bearings directly into the frame, which results in **lighter, stiffer and more durable system**. Bigger diameter of the bottom bracket tube also creates **tougher frame structure**.



SIDE SWING

New standard for front derailleurs. Thanks to simplified construction it allows to **shorten the chainstays**, provides **better shifting performance** and **more tyre clearance**.



TAPERED HEADTUBE

The tapered head tube serves up a significant **increase in rough terrain tracking and stability** by use of oversized 1.5" bottom bearing.



THINKLINK SUSPENSION SYSTEM

Think Link Suspension System is a **unique design of totally independent rear suspension**. It ensures **no negative influence from a drivetrain and brakes, no pedal kickback** and **constant rear triangle geometry** with absolutely **no chain growth**. Think Link Suspension keeps the grip at the best possible level and provides smooth stroke allowing uninterrupted power transfer from a crank to the rear wheel.



THRU AXLE

Thru axle is really important feature of the frame **increasing the stiffness of the whole structure, better braking and pedalling performance**. It also results in improved steering and handling, especially at high speeds and rough terrain.



UNI-BODY INTEGRATED DESIGN

As in F1 racing cars this unique way of design is based on monolith, unified body of the e-bike creating lightweight and extra-stiff structure for the best possible performance. Having **extremely high stiffness-to-weight ratio**, with fully integrated components and undisturbed, uniform construction it ensures the **best possible performance**.



VARIO GEOMETRY SYSTEM

VGS is a unique feature of new NOID's allowing **fine tuning of the frame geometry** to match bike's characteristics to the riders needs. The chainstays and wheelbase length, bottom bracket height along with the head and seat tube angles can be adjusted within minutes.



KELLYS LADYCONCEPT

Kellys Lady Concept stands for unique approach to the design of frames. KLS mark means **specially adapted geometry and sizing to meet the feminine bikers needs**. Also the gearing, suspension and, of course, the unique style are taken into account.



E-BIKES

MTB					
	THEOS i90	THEOS i70	THEOS i50	TYGON 70 29"	TYGON 70 27.5"
FRAME	Kellys e-Frame Allmountain 27.5 Uni-Body Integrated Design / Four-bar link, 150mm rear travel tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame Allmountain 27.5 Uni-Body Integrated Design / Four-bar link, 150mm rear travel tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame Allmountain 27.5 Uni-Body Integrated Design / Four-bar link, 150mm rear travel tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle
FRAME SIZE	M / L	M / L	S / M / L / XL	M / L / XL	S / M / L
MOTOR	Shimano STEPS E8000, 36V	Shimano STEPS E8000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E8000, 36V	Shimano STEPS E8000, 36V
SWITCH UNIT	Shimano SW-E7000	Shimano SW-E7000	Shimano SW-E7000	Shimano SW-E7000	Shimano SW-E7000
COMPUTER DISPLAY	Shimano SC-E8000	Shimano SC-E7000	Shimano SC-E7000	Shimano SC-E7000	Shimano SC-E7000
BATTERY	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah
FORK	Fox 36 Float Factory (27.5) Boost Kashima Coat, 160mm, Float Evol / FIT4 3-Position Remote / Open Mode Adjust / 15QR thru axle	Rock Shox Yari RC (27.5) Boost 160mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (27.5) Boost 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle	Rock Shox Revelation RC (29) Boost 120mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Revelation RC (27.5) Boost 120mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle
REAR SHOCK	Fox Float DPX2 Factory 3-Position / Trunnion mount (205x65mm)	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal / Trunnion mount (205x65mm)	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal / Trunnion mount (205x65mm)	-	-
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	-	-	-	-	-
CRANKSET	Shimano FC-E8050 Hollowtech II (38T) length 170mm	Shimano FC-E8000 (38T) length 170mm	Shimano FC-E8000 (38T) length 170mm	Shimano FC-E8000 (34T) length 170mm	Shimano FC-E8000 (34T) length 170mm
SHIFTERS	Shimano Deore XT Di2 SW-M8050 Firebolt	Shimano Deore XT SL-M8000-IR Rapidfire Plus I-Spec II	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano SLX M7000-R Rapidfire Plus	Shimano SLX M7000-R Rapidfire Plus
F/DERAILEUR	-	-	-	-	-
R/DERAILEUR	Shimano Deore XT Di2 M8050 (direct mount)	Shimano Deore XT M8000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M8000 (direct mount)
SPEED	11	11	10	11	11
FREEWHEEL	Shimano CS-M7000-11 (11-46T)	Shimano CS-M7000-11 (11-46T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-M7000-11 (11-46T)	Shimano CS-M7000-11 (11-46T)
CHAIN	KMC e11T (116 links)	KMC e11T (116 links)	KMC e10T (116 links)	KMC e11T (116 links)	KMC e11T (116 links)
BRAKES	Shimano Deore XT M8020 Hydraulic Disc	Shimano MT520 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano SLX M7000 Hydraulic Disc	Shimano SLX M7000 Hydraulic Disc
BRAKE ROTORS	203mm front / 203mm rear	203mm front / 203mm rear	203mm front / 203mm rear	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano Deore XT BL-M8000	Shimano BL-MT501	Shimano BL-MT400	Shimano SLX BL-M7000	Shimano SLX BL-M7000
HUBS		Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)
THRU AXLE	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear
RIMS / WHEELSET	DT Swiss H1900 Spline 30 Disc Center Lock (15x110mm / 12x148mm)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Magic Marry 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Hans Dampf Evo 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Schwalbe Magic Marry 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Hans Dampf Evo 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Michelin Wild AM Performance 65-584 (27.5x2.60) Tubeless Ready	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding	Schwalbe Hans Dampf 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding
STEM	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 60mm (M), 70mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 60mm (S - M), 70mm (L)
HANDLEBAR	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 720mm
GRIPS	KLS Poison	KLS Poison	KLS Poison	KLS Poison	KLS Poison
SEAT POST	KS LEV Integra Remote Telescopic diam 31.6mm / length 440mm, travel 150mm	KS RAGE-I Remote Telescopic diam 31.6mm / length 442mm, travel 150mm	KS RAGE-I Remote Telescopic diam 31.6mm / length 442mm, travel 150mm	KS E20-I Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS E20-I Remote Telescopic diam 30.9mm / length 485mm, travel 150mm
SADDLE	KLS Styx	KLS Styx	KLS Styx	Selle Royal Vivo	Selle Royal Vivo
PEDALS	plastic	plastic	plastic	plastic	plastic
FRONT LIGHT	-	-	-	-	-
REAR LIGHT	-	-	-	-	-
FENDERS	-	-	-	-	-
ACCESSORIES	-	-	-	-	-

Specification are subject to change without notice.

E-BIKES

MTB

	TYGON 50 29"	TYGON 50 27.5"	TYGON 30 29"	TYGON 20 29"	TYGON 10 29"
FRAME	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle
FRAME SIZE	BLACK M / L / XL RED M / L	BLACK S / M / L RED S / M / L	M / L / XL	GREEN M / L / XL RED M / L	GREY M / L / XL RED M / L / XL
MOTOR	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E6100, 36V	Shimano STEPS E7000, 36V	Panasonic GX0, 90Nm, 36V
SWITCH UNIT	Shimano SW-E7000	Shimano SW-E7000	Shimano SW-E6010	Shimano SW-E7000	Panasonic gear shifter button
COMPUTER DISPLAY	Shimano SC-E7000	Shimano SC-E7000	Shimano SC-E6100	Shimano SC-E7000	Panasonic center LCD
BATTERY	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah
FORK	SR Suntour XCR34 LOR Air (29) Boost 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR34 LOR Air (27.5) Boost 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCM32 (29) Boost 120mm, coil spring, thru axle	SR Suntour XCM32 (29) Boost 120mm, coil spring, thru axle
REAR SHOCK	-	-	-	-	-
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	-	-	-	-	-
CRANKSET	Shimano FC-E8000 (34T) length 170mm	Shimano FC-E8000 (34T) length 170mm	Shimano FC-E6100 (34T) length 170mm	Shimano FC-E8000 (34T) length 170mm	Samox
SHIFTERS	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus
F/DERAILLEUR	-	-	-	-	-
R/DERAILLEUR	Shimano Deore M6000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Deore M610 (direct mount)	Shimano Altus M2000 (direct mount)
SPEED	10	10	10	10	9
FREEWHEEL	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG400-9 (11-36T)
CHAIN	KMC e10T (116 links)	KMC e10T (116 links)	KMC e10T (116 links)	KMC e10T (116 links)	KMC X9 (118 links)
BRAKES	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano BL-MT400	Shimano BL-MT400	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
HUBS	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano TX505 / MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)
THRU AXLE	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear
RIMS	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding	Schwalbe Nobby Nic Performance 65-584 (27.5x2.60) folding	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 60mm (M), 70mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 60mm (S - M), 70mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 15mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (M), 680mm (L - XL)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (M), 680mm (L - XL)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (M), 680mm (L - XL)
GRIPS	KLS Poison	KLS Poison	KLS Token 2Density	KLS Advancer	KLS Advancer
SEAT POST	KLS Active diam 30.9mm / length 350mm (M), 400mm (L - XL)	KLS Active diam 30.9mm / length 300mm (S - M), 350mm (L)	KLS Active diam 30.9mm / length 300mm (M), 350mm (L - XL)	KLS Active diam 30.9mm / length 300mm (M), 350mm (L - XL)	KLS Active diam 30.9mm / length 300mm (M), 350mm (L - XL)
SADDLE	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	KLS Sentinel 2	KLS Sentinel 2
PEDALS	plastic	plastic	plastic	plastic	plastic
FRONT LIGHT	-	-	Spanninga LED	-	-
REAR LIGHT	-	-	Spanninga LED	-	-
FENDERS	-	-	alloy	-	-
ACCESSORIES	-	-	alloy carrier, chainguard, kickstand, bell	-	-

Specification are subject to change without notice.



E-BIKES

MTB

	TAYEN 50 29"	TAYEN 50 27.5"	TAYEN 30 29"	TAYEN 20 29"	TAYEN 20 27.5"
FRAME	Kellys e-Frame KLC 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame KLC 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame KLC 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame KLC 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame KLC 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle
FRAME SIZE	M / L	S / M	M / L	M / L	S / M
MOTOR	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E6100, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V
SWITCH UNIT	Shimano SW-E7000	Shimano SW-E7000	Shimano SW-E6010	Shimano SW-E7000	Shimano SW-E7000
COMPUTER DISPLAY	Shimano SC-E7000	Shimano SC-E7000	Shimano SC-E6100	Shimano SC-E7000	Shimano SC-E7000
BATTERY	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5 Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah
FORK	SR Suntour XCR34 LOR Air (29) Boost 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR34 LOR Air (27.5) Boost 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCM32 (29) Boost 120mm, coil spring, thru axle	SR Suntour XCM32 (27.5) Boost 120mm, coil spring, thru axle
REAR SHOCK	-	-	-	-	-
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	-	-	-	-	-
CRANKSET	Shimano FC-E8000 (34T) length 170mm	Shimano FC-E8000 (34T) length 170mm	Shimano FC-E6100 (34T) length 170mm	Shimano FC-E8000 (34T) length 170mm	Shimano FC-E8000 (34T) length 170mm
SHIFTERS	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus
F/DERAILLEUR	-	-	-	-	-
R/DERAILLEUR	Shimano Deore M6000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Deore M610 (direct mount)	Shimano Deore M610 (direct mount)
SPEED	10	10	10	10	10
FREEWHEEL	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)
CHAIN	KMC e10T (116 links)	KMC e10T (116 links)	KMC e10T (116 links)	KMC e10T (116 links)	KMC e10T (116 links)
BRAKES	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano BL-MT400	Shimano BL-MT400	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
HUBS	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano TX505 / MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)
THRU AXLE	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear
RIMS	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding	Schwalbe Nobby Nic Performance 65-584 (27.5x2.60) folding	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 60mm (M), 70mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 60mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 15mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 640mm (S), 660mm (M)
GRIPS	KLS Poison	KLS Poison	KLS Token 2Density	KLS Advancer	KLS Advancer
SEAT POST	KLS Active diam 30.9mm / length 300mm (M), 350mm (L)	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm (M), 350mm (L)	KLS Active diam 30.9mm / length 300mm (M), 350mm (L)	KLS Active diam 30.9mm / length 300mm
SADDLE	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo
PEDALS	plastic	plastic	plastic	plastic	plastic
FRONT LIGHT	-	-	Spanninga LED	-	-
REAR LIGHT	-	-	Spanninga LED	-	-
FENDERS	-	-	alloy	-	-
ACCESSORIES	-	-	alloy carrier, chainguard, kickstand, bell	-	-

Specification are subject to change without notice.

E-BIKES

MTB		TOUR			
	TAYEN 10 29"	TAYEN 10 27.5"	E-CARSON 70	E-CRISTY 70	E-CARSON 50
FRAME	Kellys e-Frame KLC 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame KLC 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame Tour Profile Aluminium alloy, semi-integrated battery, tapered HT, integrated kickstand mount	Kellys e-Frame Tour Profile Lady Aluminium alloy, semi-integrated battery, tapered HT, integrated kickstand mount	Kellys e-Frame Tour Profile Aluminium alloy, semi-integrated battery, tapered HT, integrated kickstand mount
FRAME SIZE	SKY BLUE M / L GREY M / L	SKY BLUE S GREY S	M / L	S / M / L	BLUE M / L RED M / L
MOTOR	Panasonic GX0, 90Nm, 36V	Panasonic GX0, 90Nm, 36V	Shimano STEPS E6100, 36V	Shimano STEPS E6100, 36V	Shimano STEPS E5000, 36V
SWITCH UNIT	Panasonic gear shifter button	Panasonic gear shifter button	Shimano SW-E6010	Shimano SW-E6010	Shimano SW-E6010
COMPUTER DISPLAY	Panasonic center LCD	Panasonic center LCD	Shimano SC-E6100	Shimano SC-E6100	Shimano SC-E6100
BATTERY	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah
FORK	SR Suntour XCM32 (29) Boost 120mm, coil spring, thru axle	SR Suntour XCM32 (29) Boost 120mm, coil spring, thru axle	SR Suntour NCX-D LO Air 63mm, air / Speed Lockout	SR Suntour NCX-D LO Air 63mm, air / Speed Lockout	SR Suntour NEX-E25 NLO 63mm, coil spring
REAR SHOCK	-	-	-	-	-
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	-	-	-	-	-
CRANKSET	Samox	Samox	Shimano FC-E6100 (38T) length 170mm	Shimano FC-E6100 (38T) length 170mm	Shimano FC-E5000 (38T) length 175mm
SHIFTERS	Shimano Altus SL-M2000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus
F/DERAILLEUR	-	-	-	-	-
R/DERAILLEUR	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Deore M6000 (direct mount)	Shimano Alivio M4000 (direct mount)
SPEED	9	9	10	10	9
FREEWHEEL	Shimano CS-HG400-9 (11-36T)	Shimano CS-HG400-9 (11-36T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG400-9 (11-36T)
CHAIN	KMC X9 (118 links)	KMC X9 (118 links)	KMC X10 (112 links)	KMC X10 (112 links)	KMC X9 (114 links)
BRAKES	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	180mm front / 180mm rear	180mm front / 180mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT400	Shimano BL-MT400	Shimano BL-MT200
HUBS	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)
THRU AXLE	SR Suntour 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	-	-	-
RIMS	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes / eyelets)	KLS Cartel Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Schwalbe Energizer Plus 47-622 (28x1.75) GreenGuard, ADDIX E ReflectiveLine	Schwalbe Energizer Plus 47-622 (28x1.75) GreenGuard, ADDIX E ReflectiveLine	Impac Streetpac 47-622 (28x1.75) ReflectiveLine
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 105mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm (S), 105mm (M - L)	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 105mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 640mm	Kalloy RiseBar diam 31.8mm / width 640mm	Kalloy RiseBar diam 31.8mm / width 640mm	Kalloy RiseBar diam 31.8mm / width 640mm
GRIPS	KLS Advancer	KLS Advancer	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
SEAT POST	KLS Active diam 30.9mm / length 300mm (M), 350mm (L)	KLS Active diam 30.9mm / length 300mm	Kalloy suspension diam 30.9mm / length 350mm	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - L)	Kalloy suspension diam 30.9mm / length 350mm
SADDLE	KLS Sentinel 2	KLS Sentinel 2	Selle Royal Essenza Moderate	Selle Royal Essenza Moderate	Selle Royal Vivo
PEDALS	plastic	plastic	NonSlip - alloy	NonSlip - alloy	plastic
FRONT LIGHT	-	-	Trelock Veo 50	Trelock Veo 50	AXA Compactline 35
REAR LIGHT	-	-	Trelock Duo Flat	Trelock Duo Flat	Trelock Duo Flat
FENDERS	-	-	alloy	alloy	plastic
ACCESSORIES	-	-	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell

Specification are subject to change without notice.



E-BIKES

	CITY		
	E-CRISTY 50	ESTIMA 70	ESTIMA 50
FRAME	Kellys e-Frame Tour Profile Lady Aluminium alloy, semi-integrated battery, tapered HT, integrated kickstand mount	Kellys e-Frame City Aluminium alloy monotube semi-integrated battery, tapered HT integrated kickstand mount	Kellys e-Frame City Aluminium alloy monotube semi-integrated battery, tapered HT integrated kickstand mount
FRAME SIZE	SKY BLUE S / M / L RED S / M / L	S / M	WHITE S / M BLACK S / M
MOTOR	Shimano STEPS E5000, 36V	Shimano STEPS E6110, 36V	Shimano STEPS E5000, 36V
SWITCH UNIT	Shimano SW-E6010	Shimano SW-E6010	Shimano SW-E6010
COMPUTER DISPLAY	Shimano SC-E6100	Shimano SC-E6100	Shimano SC-E6100
BATTERY	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah
FORK	SR Suntour NEX-E25 NLO 63mm, coil spring	SR Suntour NEX-E25 NLO 63mm, coil spring	SR Suntour NEX-E25 NLO 63mm, coil spring
REAR SHOCK	-	-	-
HEAD PARTS	semi-integrated	FSA 1.5 i semi-integrated	semi-integrated
B.B.PARTS	-	-	-
CRANKSET	Shimano FC-E5000 (38T) length 175mm	Shimano FC-E6100 (38T) length 170mm	Shimano FC-E5000 (38T) length 170mm
SHIFTERS	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Nexus SL-C6000-8 Revoshift	Shimano Nexus SL-C3000-7 Revoshift
F/DERAILLEUR	-	-	-
R/DERAILLEUR	Shimano Alivio M4000 (direct mount)	-	-
SPEED	9	8	7
FREEWHEEL	Shimano CS-HG400-9 (11-36T)	Shimano for internal hub 18T	Shimano for internal hub 18T
CHAIN	KMC X9 (114 links)	KMC Z1 (106 links)	KMC Z1 (106 links)
BRAKES	Shimano MT200 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT200	Shimano BL-MT400	Shimano BL-MT200
HUBS	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505 / Shimano Nexus C6001 Inter-8 Disc Center Lock (32 holes)	Shimano TX505 / Shimano Nexus C3001 Inter-7 Disc Center Lock (32 holes)
THRU AXLE	-	-	-
RIMS	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Cartel Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black
TYRES	Impac Streetpac 47-622 (28x1.75) ReflectiveLine	Schwalbe Energizer Plus 47-622 (28x1.75) GreenGuard, ADDIX E ReflectiveLine	Impac Streetpac 47-622 (28x1.75) ReflectiveLine
STEM	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm (S), 105mm (M - L)	Promax a-head adjustable diam 25.4mm / length 85mm (S), 105mm (M)	Promax a-head adjustable diam 25.4mm / length 85mm (S), 105mm (M)
HANDLEBAR	Kalloy RiseBar diam 31.8mm / width 640mm	Kalloy RiseBar diam 25.4mm / width 640mm	Kalloy RiseBar diam 25.4mm / width 640mm
GRIPS	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
SEAT POST	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - L)	Kalloy suspension diam 27.2mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 27.2mm / length 300mm (S), 350mm (M)
SADDLE	Selle Royal Vivo	Selle Royal Essenza Relaxed	Selle Royal Freedom Royalgel
PEDALS	plastic	NonSlip - alloy	plastic
FRONT LIGHT	AXA Compactline 35	Trelock Veo 50	Axa Compactline 35
REAR LIGHT	Trelock Duo Flat	Trelock Duo Flat	Trelock Duo Flat
FENDERS	plastic	alloy	plastic
ACCESSORIES	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell

Specification are subject to change without notice.

MOUNTAIN

DOWNHILL				ENDURO	
	NOID 90 29"	NOID 90 27.5"	NOID 70 27.5"	SWAG 50	SWAG 30
FRAME	Kellys Gravity DH 29 / Think Link suspension system 205mm rear travel, internal routing ISCG 05, 12x150mm thru axle	Kellys Gravity DH 27.5 / Think Link suspension system 205mm rear travel, internal routing ISCG 05, 12x150mm thru axle	Kellys Gravity DH 27.5 / Think Link suspension system 205mm rear travel, internal routing ISCG 05, 12x150mm thru axle	Kellys Enduro 27.5 / Think Link suspension system 165mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Enduro 27.5 / Think Link suspension system 165mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
FRAME SIZE	L / M	M / L / XL	M / L / XL	M / L	S / M / L
FORK	Rock Shox BoXXer Ultimate (29) Boost 200mm, DebonAir / Charger 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox BoXXer Ultimate (27.5) Boost 200mm, DebonAir / Charger 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox BoXXer Select (27.5) Boost 200mm, DebonAir / Charger RC / Maxle Stealth 20mm thru axle	Rock Shox Lyrik Select+ (27.5) Boost 170mm, DebonAir / Charger 2 RC / Maxle Stealth 15mm thru axle	Rock Shox Yari RC (27.5) Boost 170mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle
REAR SHOCK	Rock Shox Super Deluxe Coil Ultimate DH RC / Rapid Recovery (250x75mm)	Rock Shox Super Deluxe Coil Ultimate DH RC / Rapid Recovery (250x75mm)	Rock Shox Super Deluxe Coil Select R / Rapid Recovery (250x75mm)	Rock Shox Super Deluxe Coil Ultimate RCT, Rapid Recovery / Open-Pedal (230x65mm)	Rock Shox Deluxe RT DebonAir / Rapid Recovery / Open-Pedal (230x65mm)
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A
CRANKSET	Shimano Saint M825 Hollowtech II (34T) length 165mm	Shimano Saint M825 Hollowtech II (34T) length 165mm	Shimano Zee M645 (34T) length 165mm	Shimano SLX (020) M7100-1 Hollowtech II (32T) length 170mm (S), 175mm (M - L)	Shimano MT610-12 Hollowtech II (32T) length 170mm (S), 175mm (M - L)
SHIFTERS	Shimano Zee SL-M640 Rapidfire Plus	Shimano Zee SL-M640 Rapidfire Plus	Shimano Zee SL-M640 Rapidfire Plus	Shimano SLX (020) SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX (020) SL-M7100-IR Rapidfire Plus (I-Spec EV)
F/DERAILLEUR	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt HXR, ISCG 05	-
R/DERAILLEUR	Shimano Saint M820 (direct mount)	Shimano Saint M820 (direct mount)	Shimano Zee M640 (direct mount)	Shimano Deore XT (020) M8120 (direct mount)	Shimano SLX (020) M7120 (direct mount)
SPEED	10	10	10	12	12
FREEWHEEL	Shimano CS-HG500-10 (11-25T)	Shimano CS-HG500-10 (11-25T)	Shimano CS-HG500-10 (11-25T)	Shimano CS-M7100-12 (10-51T)	Shimano (020) CS-M7100-12 (10-51T)
CHAIN	KMC X10 EL (104 links)	KMC X10 EL (102 links)	KMC X10 EL (102 links)	Shimano CN-M7100 (114 links)	KMC X12-1 (114 links)
BRAKES	Shimano Saint M820 Hydraulic Disc	Shimano Saint M820 Hydraulic Disc	Shimano Zee M640 Hydraulic Disc	Shimano SLX (020) M7120 Hydraulic Disc	Shimano SLX (020) M7100 Hydraulic Disc
BRAKE ROTORS	203mm front / 203mm rear	203mm front / 203mm rear	203mm front / 203mm rear	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano Saint BL-M820	Shimano Saint BL-M820	Shimano Zee BL-M640	Shimano SLX (020) BL-M7100	Shimano SLX (020) BL-M7100
HUBS	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Shimano SLX (020) M7110-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
THRU AXLE	Rock Shox Maxle Stealth 20x110 front / Mr.control 12x150mm rear	Rock Shox Maxle Stealth 20x110 front / Mr.control 12x150mm rear	Rock Shox Maxle Stealth 20x110 front / Mr.control 12x150mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear
RIMS	KLS Brave 2 Disc 622x30 (32 holes)	KLS Brave 2 Disc 584x30 (32 holes)	KLS Brave 2 Disc 584x30 (32 holes)	KLS Valor 3 Disc 584x30 (32 holes)	KLS Valor 3 Disc 584x30 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Magic Mary 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Magic Mary 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Magic Mary 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Hans Dampf 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear
STEM	Race Face Atlas DM direct mount / bar bore 31.8mm	Race Face Atlas DM direct mount / bar bore 31.8mm	Race Face Chester DM 35 direct mount / bar bore 35mm	Race Face Affect R 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm
HANDLEBAR	Race Face Atlas RiseBar diam 31.8mm / rise 13mm / width 785mm	Race Face Atlas RiseBar diam 31.8mm / rise 13mm / width 785mm	Race Face Affect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	Race Face Chester 35 RiseBar diam 35mm / rise 35mm / width 780mm	Race Face Chester 35 RiseBar diam 35mm / rise 35mm / width 780mm
GRIPS	KLS Poison	KLS Poison	KLS Poison	KLS Poison	KLS Poison
SEAT POST	Race Face Chester diam 30.9mm / length 325mm	Race Face Chester diam 30.9mm / length 325mm	Race Face Chester diam 30.9mm / length 325mm	KS E20-I Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS E20-I Remote Telescopic diam 30.9mm / length 485mm, travel 150mm
SADDLE	KLS Styx	KLS Styx	KLS Styx	KLS Styx	KLS Styx
PEDALS	plastic	plastic	plastic	KLS Master	KLS Master

Specification are subject to change without notice.



MOUNTAIN

	ENDURO	TRAIL			
	SWAG 10	THORX 50 29"	THORX 30 29"	THORX 30 27.5"	THORX 10 29"
FRAME	Kellys Enduro 27.5 / Think Link suspension system 165mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link suspension system 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link suspension system 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Think Link suspension system 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link suspension system 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
FRAME SIZE	S / M / L	M / L	M / L	S / M	M / L
FORK	Rock Shox 35 Gold RL (27.5) Boost 150mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Pike Select+ (29) Boost 150mm, DebonAir / Charger 2 RC / Maxle Stealth 15mm thru axle	Rock Shox 35 Gold RL (29) Boost 150mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox 35 Gold RL (27.5) Boost 150mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (29) Boost 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle
REAR SHOCK	Rock Shox Deluxe RT DebonAir / Rapid Recovery / Open-Pedal (230x65mm)	Rock Shox Deluxe Ultimate RCT DebonAir / Rapid Recovery / Open-Pedal-Lock (210x55mm)	Rock Shox Deluxe RT DebonAir / Rapid Recovery / Open-Pedal (210x55mm)	Rock Shox Deluxe RT DebonAir / Rapid Recovery / Open-Pedal (210x55mm)	Rock Shox Deluxe RT DebonAir / Rapid Recovery / Open-Pedal (210x55mm)
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	Sram DUB PressFit	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Sram DUB PressFit
CRANKSET	Sram SX Eagle DUB X-Sync (32T) length 170mm (S), 175mm (M - L)	Shimano Deore XT (020) M8100-1 Hollowtech II (34T) length 175mm (M - L)	Shimano MT610-12 Hollowtech II (34T) length 175mm (M - L)	Shimano MT610-12 Hollowtech II (34T) length 170mm (S), 175mm (M)	Sram SX Eagle DUB X-Sync (34T) length 175mm
SHIFTERS	Sram NX Eagle X-Actuation Trigger	Shimano SLX (020) SL-M7100-IR Rapidfire Plus (1-Spec EV)	Shimano SLX (020) SL-M7100-IR Rapidfire Plus (1-Spec EV)	Shimano SLX (020) SL-M7100-IR Rapidfire Plus (1-Spec EV)	Sram NX Eagle X-Actuation Trigger
F/DERAILEUR	-	-	-	-	-
R/DERAILEUR	Sram NX Eagle X-Horizon	Shimano Deore XT (020) M8120 (direct mount)	Shimano SLX (020) M7120 (direct mount)	Shimano SLX (020) M7120 (direct mount)	Sram NX Eagle X-Horizon
SPEED	12	12	12	12	12
FREEWHEEL	Sram PG-1210-12 Eagle (11-50T)	Shimano CS-M7100-12 (10-51)	Shimano (020) CS-M7100-12 (10-51T)	Shimano (020) CS-M7100-12 (10-51T)	Sram PG-1210-12 Eagle (11-50T)
CHAIN	Sram SX Eagle (112 links)	Shimano CN-M7100-12 (114 links)	KMC X12-1 (114 links)	KMC X12-1 (114 links)	Sram SX Eagle (114 links)
BRAKES	Shimano MT400 Hydraulic Disc	Shimano Deore XT (020) M8100 Hydraulic Disc	Shimano SLX (020) M7100 Hydraulic Disc	Shimano SLX (020) M7100 Hydraulic Disc	Shimano MT400 Hydraulic Disc
BRAKE ROTORS	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano BL-MT400	Shimano Deore XT (020) BL-M8100	Shimano SLX (020) BL-M7100	Shimano SLX (020) BL-M7100	Shimano BL-MT400
HUBS	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano SLX (020) M7110-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
THRU AXLE	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear
RIMS	KLS Valor 3 Disc 584x30 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear	Schwalbe Hans Dampf 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding rear	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding rear
STEM	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm
HANDLEBAR	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 780mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm
GRIPS	KLS Poison	KLS Poison	KLS Poison	KLS Poison	KLS Poison
SEAT POST	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M - L)	KS E20-1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS E20-1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS E20-1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm
SADDLE	KLS Styx	KLS Styx	KLS Styx	KLS Styx	KLS Styx
PEDALS	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.

MOUNTAIN

TRAIL

	THORX 10 27.5"	GIBON 70	GIBON 50	GIBON 30
FRAME	Kellys Allmountain 27.5 / Think Link suspension system 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing 12x148mm Boost thru axle
FRAME SIZE	S / M	M / L	S / M / L	S / M / L
FORK	Rock Shox Sektor RL (27.5) Boost 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle	Rock Shox Revelation RC (27.5) Boost 130mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (27.5) Boost 130mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	SR Suntour XCM32 LD (27.5) Boost 120mm, coil / Speed Lockout / 15mm thru axle
REAR SHOCK	Rock Shox Deluxe RT DebonAir / Rapid Recovery / Open-Pedal (210x55mm)	-	-	-
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	1.5 integrated	1.5 integrated
B.B.PARTS	Sram DUB PressFit	Sram DUB	Sram DUB	Shimano BB52
CRANKSET	Sram SX Eagle DUB X-Sync (34T) length 170mm (S), 175mm (M)	Truvativ Stylo 6K Eagle DUB X-Sync 2 (32T) length 175mm	Sram SX Eagle DUB X-Sync (32T) length 170mm (S), 175mm (M - L)	Shimano MT210-B2 (36x22T) length 170mm (S), 175mm (M - L)
SHIFTERS	Sram NX Eagle X-Actuation Trigger	Sram NX Eagle X-Actuation Trigger	Sram NX 11-Speed X-Actuation Trigger	Shimano Altus SL-M2000 Rapidfire Plus
F/DERAILLEUR	-	-	-	Shimano Alivio MT400-D (direct mount)
R/DERAILLEUR	Sram NX Eagle X-Horizon	Sram NX Eagle X-Horizon	Sram NX 1x11 X-Horizon	Shimano Alivio M4000 (direct mount)
SPEED	12	12	11	18
FREEWHEEL	Sram PG-1210-12 Eagle (11-50T)	Sram PG-1230-12 Eagle (11-50T)	SunRace MS8-11 (11-46)	Shimano CS-HG200-9 (11-34T)
CHAIN	Sram SX Eagle (114 links)	Sram NX Eagle (114 links)	KMC X11 (110 links)	KMC X9 (108 links)
BRAKES	Shimano MT400 Hydraulic Disc	Shimano SLX M7000 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano BL-MT400	Shimano SLX BL-M7000	Shimano BL-MT400	Shimano BL-MT201
HUBS	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
THRU AXLE	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear
RIMS	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear	Schwalbe Rocket Ron Performance 65-584 (27.5x2.60) folding	Schwalbe Rocket Ron Performance 65-584 (27.5x2.60) folding	Schwalbe Rocket Ron Performance 65-584 (27.5x2.60) folding
STEM	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm
HANDLEBAR	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm
GRIPS	KLS Poison	KLS Crypton	KLS Crypton	KLS Advancer
SEAT POST	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M)	EXAform JAG1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M - L)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)
SADDLE	KLS Styx	KLS Avenger	KLS Avenger	KLS Avenger
PEDALS	KLS Master	plastic	plastic	plastic

Specification are subject to change without notice.



MOUNTAIN

MTB-XC

	HACKER 90 29"	HACKER 70 29"	HACKER 50 29"	HACKER 30 29"	GATE 90 29"
FRAME	Kellys iCAD Carbon Pro 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys iCAD Carbon Pro 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys iCAD Carbon Pro 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys iCAD Carbon Sport 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing 12x148mm Boost thru axle
FRAME SIZE	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
FORK	Fox 32 Float SC Factory (29) Boost 100mm, Float Evol / FIT4 2-Position Remote / 15QR thru axle	Rock Shox SID Select- (29) Boost 100mm, DebonAir / Charger 2 RL / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Reba RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	Rock Shox Sektor RL (29) Boost 100mm, DebonAir / Motion Control / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	Sram DUB PressFit	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB-MT500-PA	Sram DUB PressFit	Shimano Press-Fit BB-MT500-PA
CRANKSET	Sram X01 Eagle DUB X-Sync 2 (34T) length 170mm (S), 175mm (M - L)	Shimano Deore XT (020) M8100-1 Hollowtech II (34T) length 170mm (S), 175mm (M - L)	Shimano SLX (020) M7100-1 Hollowtech II (34T) length 170mm (S), 175mm (M - L)	Sram SX Eagle DUB X-Sync (34T) length 170mm (S), 175mm (M - L)	Shimano Deore XT (020) M8100-1 Hollowtech II (34T) length 170mm (S), 175mm (M - L)
SHIFTERS	Sram X01 Eagle X-Actuation Trigger	Shimano Deore XT (020) SL-M8100-R Rapidfire Plus I-spec EV	Shimano SLX (020) SL-M7100-R Rapidfire Plus	Sram NX Eagle X-Actuation Trigger	Shimano SLX (020) SL-M7100-R Rapidfire Plus
F/DERAILLEUR	-	-	-	-	-
R/DERAILLEUR	Sram X01 Eagle X-Horizon	Shimano Deore XT (020) M8120 (direct mount)	Shimano Deore XT (020) M8120 (direct mount)	Sram NX Eagle X-Horizon	Shimano Deore XT (020) M8120 (direct mount)
SPEED	12	12	12	12	12
FREEWHEEL	Sram XG-1295-12 Eagle (10-50T)	Shimano (020) CS-M7100-12 (10-51T)	Shimano (020) CS-M7100-12 (10-51T)	Sram PG-1210-12 Eagle (11-50T)	Shimano (020) CS-M7100-12 (10-51T)
CHAIN	Sram X01 Eagle (114 links)	KMC X12-1 (114 links)	KMC X12-1 (114 links)	Sram NX Eagle (114 links)	KMC X12-1 (114 links)
BRAKES	Shimano XTR M9100 Hydraulic Disc	Shimano Deore XT (020) M8100 Hydraulic Disc	Shimano Deore M6000 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc
BRAKE ROTORS	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear
BRAKE LEVERS	Shimano XTR BL-M9100	Shimano Deore XT (020) BL-M8100	Shimano Deore BL-M6000	Shimano BL-MT501	Shimano BL-MT501
HUBS	-	-	Shimano MT400-B / MT510-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
THRU AXLE	Fox 15QR 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear
RIMS / WHEELSET	Mavic Crossmax Elite 29 (15x110mm / 12x148mm)	Mavic Crossmax 29 (15x110mm / 12x148mm)	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)
SPOKES	-	-	Sapim - stainless steel black	Sapim - stainless steel black	Sapim - stainless steel black
TYRES	Schwalbe Racing Ray Performance / Schwalbe Racing Ralph Performance 57-622 (29x2.25) folding	Schwalbe Racing Ray Performance / Schwalbe Racing Ralph Performance 57-622 (29x2.25) folding	Schwalbe Racing Ray Performance / Schwalbe Racing Ralph Performance 57-622 (29x2.25) folding	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)
STEM	Ritchey WCS C220 84D diam 28.6mm / bar bore 31.8mm / 6° / length 80mm (S), 90mm (M - L)	KLS Ultimate diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 90mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)
HANDLEBAR	Ritchey WCS FlatBar diam 31.8mm / rise +/-5mm / width 710mm (S), 740mm (M - L)	KLS Ultimate FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)
GRIPS	KLS Silica	KLS Crypton	KLS Crypton	KLS Crypton	KLS Crypton
SEAT POST	KS LEV Integra Remote Telescopic diam 30.9mm / length 392mm, travel 125mm	KLS Ultimate diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Advanced diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Advanced diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Advanced diam 30.9mm / length 350mm (S), 400mm (M - L)
SADDLE	fi'zi:k Antares R7 (alloy rails)	fi'zi:k Antares R7 (alloy rails)	fi'zi:k Antares R7 (alloy rails)	KLS Avenger	KLS Avenger
PEDALS	plastic	plastic	plastic	plastic	plastic

Specification are subject to change without notice.

MOUNTAIN

MTB-XC

	GATE 70 29"	GATE 50 29"	GATE 30 29"	SPIDER 90 29"	SPIDER 90 27.5"
FRAME	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys Alutec RRC 29 Race Ready Concept tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept tapered HT
FRAME SIZE	S / M / L	S / M / L	WHITE S / M / L SAGE GREEN S / M / L	S / M / L / XL	S / M / L
FORK	Rock Shox Sektor RL (29) Boost 100mm, DebonAir / Motion Control / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	SR Suntour XCR32 RLR Air (29) Boost 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR32 LOR Air (29) 100mm, air / Speed Lockout	SR Suntour XCR32 LOR Air (27.5) 100mm, air / Speed Lockout
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	semi-integrated	semi-integrated
B.B.PARTS	Sram DUB PressFit	Shimano Press-Fit BB-MT500-PA	Shimano Press-Fit BB-MT500-PA	cartridge (113mm)	cartridge (113mm)
CRANKSET	Truvativ Stylo 6K Eagle DUB X-Sync 2 (34T) length 170mm (S), 175mm (M - L)	Shimano MT600-B2 (36x26T) length 170mm (S), 175mm (M - L)	Shimano MT500-B2 (36x26T) length 170mm (S), 175mm (M - L)	KLS Active (38x24T) length 170mm (S), 175mm (M - XL)	KLS Active (38x24T) length 170mm (S), 175mm (M - L)
SHIFTERS	Sram NX Eagle X-Actuation Trigger	Shimano SLX SL-M7000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus
F/DERAILLEUR	-	Shimano SLX M7020-D (direct mount)	Shimano Deore M6020-D (direct mount)	Shimano Deore M618 (34.9mm)	Shimano Deore M618 (34.9mm)
R/DERAILLEUR	Sram NX Eagle X-Horizon	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M781 (direct mount)	Shimano Deore M610 (direct mount)	Shimano Deore M610 (direct mount)
SPEED	12	22	20	20	20
FREEWHEEL	Sram PG-1210-12 Eagle (11-50T)	Shimano CS-M7000-11 (11-42T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)
CHAIN	Sram SX Eagle (114 links)	KMC X11 (112 links)	KMC X10 EL (110 links)	KMC X10 EL (110 links)	KMC X10 EL (108 links)
BRAKES	Shimano MT500 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano M365 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT501	Shimano BL-MT400	Shimano BL-M365	Shimano BL-MT200	Shimano BL-MT200
HUBS	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)
THRU AXLE	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	-	-
RIMS	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x19 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)
STEM	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)
HANDLEBAR	KLS Advanced FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 680mm (S), 700mm (M), 720mm (L - XL)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)
GRIPS	KLS Crypton	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L - XL)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)
SADDLE	KLS Avenger	KLS Avenger	KLS Avenger	KLS Sentinel 2	KLS Sentinel 2
PEDALS	plastic	plastic	plastic	KLS Master	KLS Master

Specification are subject to change without notice.



MOUNTAIN

MTB-XC										
SPIDER 70 29"		SPIDER 70 27.5"		SPIDER 60 29"		SPIDER 60 27.5"		SPIDER 50 29"		
Kellys Alutec RRC 29 Race Ready Concept tapered HT		Kellys Alutec RRC 27.5 Race Ready Concept tapered HT		Kellys Alutec RRC 29 Race Ready Concept tapered HT		Kellys Alutec RRC 27.5 Race Ready Concept tapered HT		Kellys Alutec RRC 29 Race Ready Concept tapered HT		
RED S / M / L GREY LIME S / M / L		RED S / M / L GREY LIME S / M / L		M / L		S / M / L		BLACK BLUE S / M / L / XL SAGE GREEN S / M / L / XL		
SR Suntour XCM RL (29) 100mm, coil / Remote Speed Lockout		SR Suntour XCM RL (27.5) 100mm, coil / Remote Speed Lockout		SR Suntour XCT HLO (29) 100mm, coil / Speed Lockout		SR Suntour XCT HLO (27.5) 100mm, coil / Speed Lockout		SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout		
semi-integrated		semi-integrated		semi-integrated		semi-integrated		semi-integrated		
cartridge (126mm)		cartridge (126mm)		cartridge (122mm)		cartridge (122mm)		cartridge (122mm)		
Shimano Altus M2000 (40x30x22T) length 170mm (S), 175mm (M - L)		Shimano Altus M2000 (40x30x22) length 170mm (S), 175mm (M - L)		Shimano MT100 (40x30x22T) length 175mm (M - L)		Shimano MT100 (40x30x22T) length 170mm (S), 175mm (M - L)		Shimano MT100 (40x30x22T) length 170mm (S), 175mm (M - XL)		
Shimano Altus SL-M2000 Rapidfire Plus		Shimano Altus SL-M2000 Rapidfire Plus		Shimano ST-EF505-9 EZ-fire Plus		Shimano ST-EF505-9 EZ-fire Plus		Shimano ST-EF505-9 EZ-fire Plus		
Shimano Acera M3000 (34.9mm)		Shimano Acera M3000 (34.9mm)		Shimano Altus M2000 (34.9mm)		Shimano Altus M2000 (34.9mm)		Shimano Altus M2000 (34.9mm)		
Shimano Alivio M4000 (direct mount)		Shimano Alivio M4000 (direct mount)		Shimano Acera M3000 (direct mount)		Shimano Acera M3000 (direct mount)		Shimano Acera M3000 (direct mount)		
27		27		27		27		27		
Shimano CS-HG201-9 (11-34T)		Shimano CS-HG201-9 (11-34T)		Shimano CS-HG201-9 (11-34T)		Shimano CS-HG201-9 (11-34T)		Shimano CS-HG201-9 (11-34T)		
KMC X9 (112 links)		KMC X9 (108 links)		KMC X9 (112 links)		KMC X9 (108 links)		KMC X9 (112 links)		
Shimano MT200 Hydraulic Disc		Shimano MT200 Hydraulic Disc		Shimano ST-EF505 / MT200 Hydraulic Disc		Shimano ST-EF505 / MT200 Hydraulic Disc		Shimano ST-EF505 / MT200 Hydraulic Disc		
160mm front / 160mm rear		160mm front / 160mm rear		160mm front / 160mm rear		160mm front / 160mm rear		160mm front / 160mm rear		
Shimano BL-MT200		Shimano BL-MT200		Shimano ST-EF505-9 EZ-fire Plus		Shimano ST-EF505-9 EZ-fire Plus		Shimano ST-EF505-9 EZ-fire Plus		
Shimano TX505 Disc Center Lock (32 holes)		Shimano TX505 Disc Center Lock (32 holes)		Shimano Dynamo 3037 / Shimano TX505 Disc Center Lock (32 holes)		Shimano Dynamo 3037 / Shimano TX505 Disc Center Lock (32 holes)		Shimano TX505 Disc Center Lock (32 holes)		
KLS Draft Disc 622x21 (32 holes)		KLS Draft Disc 584x19 (32 holes)		KLS Draft Disc 622x21 (32 holes)		KLS Draft Disc 584x19 (32 holes)		KLS Draft Disc 622x21 (32 holes)		
stainless steel black		stainless steel black		stainless steel		stainless steel		stainless steel		
Schwalbe Rapid Rob 57-622 (29x2.25)		Schwalbe Rapid Rob 57-584 (27.5x2.25)		Schwalbe Rapid Rob 57-622 (29x2.25)		Schwalbe Rapid Rob 57-584 (27.5x2.25)		Impac Ridgepac 54-622 (29x2.10)		
KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)		KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)		KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (M), 100mm (L)		KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)		KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L - XL)		
KLS Active RiseBar diam 31.8mm / rise 15mm / width 680mm (S), 700mm (M), 720mm (L)		KLS Active RiseBar diam 31.8mm / rise 15mm / width 620mm (S), 640mm (M), 660mm (L)		KLS Active RiseBar diam 31.8mm / rise 15mm / width 700mm (M), 720mm (L)		KLS Active RiseBar diam 31.8mm / rise 15mm / width 620mm (S), 640mm (M), 660mm (L)		KLS Active RiseBar diam 31.8mm / rise 15mm / width 680mm (S), 700mm (M), 720mm (L - XL)		
KLS Advancer 2Density		KLS Advancer 2Density		KLS Advancer 2Density		KLS Advancer 2Density		KLS Advancer 2Density		
KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)		KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)		KLS Active diam 30.9mm / length 350mm (M), 400mm (L)		KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)		KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L - XL)		
KLS Sentinel 2		KLS Sentinel 2		KLS Sentinel 2		KLS Sentinel 2		KLS Sentinel 2		
KLS Master		KLS Master		KLS Master		KLS Master		KLS Master		
-		-		Büchel Urban Halogen		Büchel Urban Halogen		-		
-		-		Büchel LED Standlight		Büchel LED Standlight		-		
-		-		SKS		SKS		-		
-		-		kickstand, bell		kickstand, bell		-		

Specification are subject to change without notice.

MOUNTAIN

MTB-XC

	SPIDER 50 27.5"	SPIDER 30 29"	SPIDER 30 27.5"	SPIDER 10 29"	SPIDER 10 27.5"
FRAME	Kellys Alutec RRC 27.5 Race Ready Concept tapered HT	Kellys Alutec RRC 29 Race Ready Concept tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept tapered HT	Kellys Alutec RRC 29 Race Ready Concept tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept tapered HT
FRAME SIZE	BLACK BLUE S / M / L SAGE GREEN XS / S / M / L	GREY ORANGE S / M / L NEON LIME S / M / L	GREY ORANGE XS / S / M / L NEON LIME XS / S / M / L	RED S / M / L TURQUOISE S / M / L	RED XS / S / M / L TURQUOISE XS / S / M / L
FORK	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCT30 HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCT30 HLO (27.5) 100mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)
CRANKSET	Shimano MT100 (40x30x22T) length 170mm (XS - S), 175mm (M - L)	Shimano TY501 (42x34x24T) length 170mm (S), 175mm (M - L)	Shimano TY501 (42x34x24T) length 170mm (XS - S), 175mm (M - L)	Shimano TY501 (42x34x24T) length 170mm (S), 175mm (M - L)	Shimano TY501 (42x34x24T) length 170mm (XS - S), 175mm (M - L)
SHIFTERS	Shimano ST-EF505-9 EZ-fire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
F/DERAILLEUR	Shimano Altus M2000 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)
R/DERAILLEUR	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)
SPEED	27	24	24	24	24
FREEWHEEL	Shimano CS-HG201-9 (11-34T)	Shimano CS-HG31-8 (11-32T)	Shimano CS-HG31-8 (11-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
CHAIN	KMC X9 (108 links)	KMC Z8 (112 links)	KMC Z8 (108 links)	KMC Z8 (112 links)	KMC Z8 (108 links)
BRAKES	Shimano ST-EF505 / MT200 Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano ST-EF505-9 EZ-fire Plus	Tektro	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
HUBS	Shimano TX505 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
RIMS	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x19 (32 holes)
SPOKES	stainless steel	steel	steel	steel	steel
TYRES	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (XS - M), 100mm (L)	KLS Active - diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (XS - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - M), 90mm (L)
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 15mm / width 600mm (XS), 620mm (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 600mm (XS), 620mm (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (XS), 640mm (S), 680mm (M - L)
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	KLS Active diam 30.9mm / length 300mm (XS), 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 300mm (XS), 350mm (S - M), 400mm (L)
SADDLE	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2
PEDALS	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.



MOUNTAIN

MTB-XC

	MADMAN 60 29"	MADMAN 60 27.5"	MADMAN 50 29"	MADMAN 50 27.5"	MADMAN 30 29"
FRAME	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept
FRAME SIZE	M / L	XS / S / M	BLACK GREEN M / L NEON LIME M / L	BLACK GREEN XS / S / M NEON LIME XS / S / M	BLACK TURQUOISE M / L
FORK	SR Suntour XCT HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCT30 HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCT30 HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM30 HLO (29) 100mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
CRANKSET	SR Suntour XCC (42x32x22T) length 175mm (M - L)	SR Suntour XCC (42x32x22T) length 170mm (XS - S), 175mm (M)	Shimano TY501 (42x34x24T) length 175mm (M - L)	Shimano TY501 (42x34x24T) length 170mm (XS - S), 175mm (M)	Shimano TY301 (42x34x24T) length 170mm (S), 175mm (M - L)
SHIFTERS	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus
F/DERAILLEUR	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)
R/DERAILLEUR	Shimano Altus M370 (direct mount)	Shimano Altus M370 (direct mount)	Shimano Altus M370 (direct mount)	Shimano Altus M370 (direct mount)	Shimano TX800 (direct mount)
SPEED	24	24	24	24	24
FREEWHEEL	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
CHAIN	KMC Z8 (110 links)	KMC Z8 (108 links)	KMC Z8 (110 links)	KMC Z8 (108 links)	KMC Z8 (110 links)
BRAKES	Tektro Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Tektro	Tektro	Tektro	Tektro	Shimano ST-EF510-8 EZ-fire Plus
HUBS	Shimano Dynamo 3D32 / KLS Firework Disc (32 holes)	Shimano Dynamo 3D32 Disc / KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
THRU AXLE	-	-	-	-	-
RIMS	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)
SPOKES	steel	steel	steel	steel	steel
TYRES	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L))	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - M)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - M)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 680mm (M - L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (XS), 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 680mm (M - L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (XS), 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 680mm
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer
SEAT POST	KLS Active diam 27.2mm / length 400mm (M - L)	KLS Active diam 27.2mm / length 350mm (XS - S), 400mm (M)	KLS Active diam 27.2mm / length 400mm (M - L)	KLS Active diam 27.2mm / length 350mm (XS - S), 400mm (M)	KLS Active diam 27.2mm / length 400mm
SADDLE	KLS Falcon	KLS Falcon	KLS Falcon	KLS Falcon	KLS Falcon
PEDALS	alloy	alloy	alloy	alloy	alloy
FRONT LIGHT	Büchel Urban Halogen	Büchel Urban Halogen	-	-	-
REAR LIGHT	Büchel LED Standlight	Büchel LED Standlight	-	-	-
FENDERS	SKS	SKS	-	-	-
ACCESSORIES	kickstand, bell	kickstand, bell	-	-	-

Specification are subject to change without notice.

MOUNTAIN

MTB-XC

	MADMAN 30 27.5"	MADMAN 30 26"	MADMAN 10 29"	MADMAN 10 27.5"	MADMAN 10 26"
FRAME	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 26 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 26 Race Ready Concept
FRAME SIZE	BLACK S / M TURQUOISE S / M	BLACK XXS / XS / S TURQUOISE XXS / XS / S	BLACK BLUE M / L NEON ORANGE M / L	BLACK BLUE S / M NEON ORANGE S / M	BLACK BLUE XXS / XS / S NEON ORANGE XXS / XS / S
FORK	SR Suntour XCM30 HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM30 HLO (26) 100mm, coil / Speed Lockout	SR Suntour XCE28 (29) 80mm, coil spring	SR Suntour XCE28 (27.5) 80mm, coil spring	SR Suntour XCE28 (26) 80mm, coil spring
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (122mm)	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)
CRANKSET	Shimano TY301 (42x34x24T) length 170mm (S), 175mm (M)	Shimano TY301 (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm
SHIFTERS	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
F/DERAILLEUR	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TZ30 (31.8mm)	Shimano TZ30 (31.8mm)	Shimano TZ30 (31.8mm)
R/DERAILLEUR	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TY500 (direct mount)	Shimano TY500 (direct mount)	Shimano TY500 (direct mount)
SPEED	24	24	21	21	21
FREEWHEEL	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)
CHAIN	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z7 (110 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
BRAKES	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc	Apse V-brake	Apse V-brake	Apse V-brake
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	-	-	-
BRAKE LEVERS	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
HUBS	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)
THRU AXLE	-	-	-	-	-
RIMS	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 559x19 (32 holes)	KLS Draft 622x19 (32 holes)	KLS Draft 584x19 (32 holes)	KLS Draft 559 x19 (32 holes)
SPOKES	steel	steel	steel	steel	steel
TYRES	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XXS) / 620mm (XS), 660mm (S)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 680mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XXS) / 620mm (XS), 660mm (S)
GRIPS	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer
SEAT POST	KLS Active diam 27.2mm / length 350mm (S), 400mm (M)	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 400mm	KLS Active diam 27.2mm / length 350mm (S), 400mm (M)	KLS Active diam 27.2mm / length 350mm
SADDLE	KLS Falcon	KLS Falcon	KLS Falcon	KLS Falcon	KLS Falcon
PEDALS	alloy	alloy	plastic	plastic	plastic

Specification are subject to change without notice.



MOUNTAIN

MTB-XC WOMEN

	DESIRE 90 29"	DESIRE 70 29"	DESIRE 50 29"	DESIRE 30 29"	VANITY 70 29"
FRAME	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing 12x148mm Boost thru axle	Kellys KLC Lite 29 Lady Sport Geometry
FRAME SIZE	S / M / L	S / M / L	S / M / L	S / M / L	M / L
FORK	Rock Shox Reba RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	SR Suntour XCR32 RLR Air (29) Boost 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR32 RLR (29) Boost 100mm, coil / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR RL (29) 100mm, coil / Remote Speed Lockout
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	semi-integrated
B.B.PARTS	Sram DUB PressFit	Shimano BB52	-	Shimano BB-MT500	cartridge (124.5mm)
CRANKSET	Sram SX Eagle DUB X-Sync (34T) length 170mm (S - M), 175mm (L)	Shimano Deore M6000-B2 Hollowtech II (36x26T) length 170mm (S), 175mm (M - L)	KLS Advanced integrated (36x26T) length 170mm (S), 175mm (M - L)	Shimano Acera MT210-2 (36x22T) length 170mm (S - M), 175mm (L)	Shimano Altus M2000 (40x30x22T) length 175mm (M - L)
SHIFTERS	Sram NX Eagle X-Actuation Trigger	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus
F/DERAILLEUR	-	Shimano Deore M6020-D (direct mount)	Shimano Deore M6020-D (direct mount)	Shimano Alivio M4020-D (direct mount)	Shimano Acera M3000 (34.9mm)
R/DERAILLEUR	Sram NX Eagle X-Horizon	Shimano Deore XT M781 (direct mount)	Shimano Deore XT M781 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)
SPEED	12	20	20	18	27
FREEWHEEL	Sram PG-1210-12 Eagle (11-50T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG201-9 (11-34T)	Shimano CS-HG200-9 (11-34T)
CHAIN	Sram SX Eagle (116 links)	KMC X10 EL (110 links)	KMC X10 EL (110 links)	KMC X9 (110 links)	KMC X9 (110 links)
BRAKES	Shimano MT500 Hydraulic Disc	Shimano M365 Hydraulic Disc	Shimano M365 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT501	Shimano BL-M365	Shimano BL-M365	Shimano BL-MT200	Shimano BL-MT200
HUBS	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano TX505 Disc Center Lock (32 holes)
THRU AXLE	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x142mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x142mm rear	-
RIMS	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS Draft Disc 622x19 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)
STEM	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 80mm (M), 100mm (L)
HANDLEBAR	KLS Advanced RiseBar diam 31.8mm / rise 15mm / width 640mm (S - M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 620mm (M), 640mm (L)
GRIPS	KLS Token 3Density	KLS Token 3Density	KLS Token 3Density	KLS Token 3Density	KLS Token 2Density
SEAT POST	KLS Advanced diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)
SADDLE	KLS Diversa	KLS Diversa	KLS Diversa	KLS Diversa	KLS Ebony Women
PEDALS	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.

MOUNTAIN

MTB-XC WOMEN

	VANITY 70 27.5"	VANITY 50 29"	VANITY 50 27.5"	VANITY 40 27.5"	VANITY 30 29"
FRAME	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 29 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 29 Lady Sport Geometry
FRAME SIZE	S / M / L	M / L	S / M / L	S / M / L	M / L
FORK	SR Suntour XCR RL (27.5) 100mm, coil / Remote Speed Lockout	SR Suntour XCT30 HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCT30 HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCT30 HLO (29) 100mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (124.5mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
CRANKSET	Shimano Altus M2000 (40x30x22T) length 170mm (S), 175mm (M - L)	Shimano TY501 (42x34x24T) length 170mm (M), 175mm (L)	Shimano TY501 (42x34x24T) length 170mm (S - M), 175mm (L)	Shimano TY301 (42x32x24T) length 170mm (S - M), 175mm (L)	Shimano TY301 (42x32x24T) length 170mm (M), 175mm (L)
SHIFTERS	Shimano Altus SL-M2000 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
F/DERAILLEUR	Shimano Acera M3000 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)
R/DERAILLEUR	Shimano Alivio M4000 (direct mount)	Shimano Acera M360 (direct mount)	Shimano Acera M360 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
SPEED	27	24	24	24	24
FREEWHEEL	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
CHAIN	KMC X9 (108 links)	KMC Z8 (110 links)	KMC Z8 (110 links)	KMC Z8 (110 links)	KMC Z8 (110 links)
BRAKES	Shimano MT200 Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT200	Tektro	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
HUBS	Shimano TX505 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	Shimano Dynamo 3D32 / KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
THRU AXLE	-	-	-	-	-
RIMS	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Rapid Rob 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 80mm (S), 90mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 15mm / width 620 (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 620mm (M), 640mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 620 (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (S - M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)
GRIPS	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
SEAT POST	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)
SADDLE	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
PEDALS	KLS Master	KLS Master	KLS Master	alloy	alloy
FRONT LIGHT	-	-	-	Büchel Urban Halogen	-
REAR LIGHT	-	-	-	Büchel LED Standlight	-
FENDERS	-	-	-	SKS	-
ACCESSORIES	-	-	-	kickstand, bell	-

Specification are subject to change without notice.



MOUNTAIN

MTB-XC WOMEN

	VANITY 30 27.5"	VANITY 20 27.5"	VANITY 20 26"	VANITY 10 27.5"	VANITY 10 26"
FRAME	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 26 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 26 Lady Sport Geometry
FRAME SIZE	S / M / L	BONDI BLUE M / L WHITE M / L	BONDI BLUE XS / S WHITE XS / S	WHITE M / L AQUA GREEN M / L	WHITE XS / S AQUA GREEN XS / S
FORK	SR Suntour XCT HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCE28 (27.5) 80mm, coil spring	SR Suntour XCE28 (26) 80mm, coil spring	SR Suntour XCE28 (27.5) 80mm, coil spring	SR Suntour XCE28 (26) 80mm, coil spring
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (120mm)	cartridge (120mm)
CRANKSET	Shimano TY301 (42x32x24T) length 170mm (S - M), 175mm (L)	Shimano TY301 (42x32x24T) length 170mm (M), 175mm (L)	Shimano TY301 (42x32x24T) length 170mm (XS - S)	Prowheel (42x34x24) length 170mm	Prowheel (42x34x24) length 170mm
SHIFTERS	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
F/DERAILLEUR	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY500 (34.9mm)	Shimano TY500 (34.9mm)
R/DERAILLEUR	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)
SPEED	24	24	24	21	21
FREEWHEEL	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)
CHAIN	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
BRAKES	C-Star CX7 Mechanical Disc	Apse V-brake	Apse V-brake	Apse V-brake	Apse V-brake
BRAKE ROTORS	160mm front / 160mm rear	-	-	-	-
BRAKE LEVERS	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
HUBS	KLS Firework Disc (32 holes)	alloy / Shimano TX500-8 (32 holes)	alloy / Shimano TX500-8 (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)
THRU AXLE	-	-	-	-	-
RIMS	KLS Draft Disc 584x19 (32 holes)	KLS Draft 584x19 (32 holes)	KLS Draft 559x19 (32 holes)	KLS Draft 584x19 (32 holes)	KLS Draft 559x19 (32 holes)
SPOKES	stainless steel black	steel	steel	steel	steel
TYRES	Impac Ridgepac 54-584 (27.5x2.10)	Innova 54-584 (27.5x2.0)	Innova 54-559 (26x2.0)	Innova 54-584 (27.5x2.0)	Innova 54-559 (26x2.0)
STEM	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - S)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (S - M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 28mm / width 600mm (XS), 620mm (S)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XS), 620mm (S)
GRIPS	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Advancer	KLS Advancer
SEAT POST	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (XS - S)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (XS - S)
SADDLE	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
PEDALS	alloy	alloy	alloy	plastic	plastic

Specification are subject to change without notice.

MOUNTAIN

	DIRT			
	WHIP 70	WHIP 50	WHIP 30	WHIP 10
FRAME	Kellys Dirt 26 tapered HT, single-speed	Kellys Dirt 26 tapered HT, ISCG 05	Kellys Dirt 26 tapered HT, single-speed	Kellys Dirt 26 tapered HT, ISCG 05
FRAME SIZE	M / L	M / L	M / L	M / L
FORK	X-Fusion Slant RC (26) 100mm, air / RC Damper / Lock-X 15mm thru axle	SR Suntour XCR LO-R (26) 100mm, coil / Speed Lockout	SR Suntour XCR LO-R (26) 100mm, coil / Speed Lockout	SR Suntour XCM (26) 100mm, coil spring
HEAD PARTS	FSA 1.5 integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	-	-	-	cartridge (118mm)
CRANKSET	Prowheel Charm (32T) length 170mm	Prowheel Charm (34T) length 170mm	Prowheel Charm (32T) length 170mm	Prowheel Charm (34T) length 170mm
SHIFTERS	-	Sram X5 9-Speed Trigger	-	Shimano SL-M310 Rapidfire Plus
F/DERAILLEUR	-	chain guide Mozartt Presto, ISCG 05	-	chain guide Mozartt Presto, ISCG 05
R/DERAILLEUR	-	Sram X4	-	Shimano Acera M360 (direct mount)
SPEED	1	9	1	7
FREEWHEEL	single speed 15T sprocket	Shimano CS-HG200-9 (11-34T)	single speed 15T sprocket	Shimano CS-HG200-7 (12-32T)
CHAIN	KMC Z1 (86 links)	KMC X9 (104 links)	KMC Z1 (86 links)	KMC Z7 (106 links)
BRAKES	Shimano MT500 Hydraulic Disc	Shimano MT200 Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
BRAKE ROTORS	160mm rear	160mm front / 160mm rear	160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT501	Shimano BL-MT200	Tektro	Apse
HUBS	KT Disc (15x100mm) / KT Disc single-speed (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc / KT Disc single-speed (32 holes)	KT Disc (32 holes)
THRU AXLE	X-Fusion Lock-X 15x100mm front	-	-	-
RIMS	KLS Brave Disc 559x23 (32 holes)	KLS Brave Disc 559x23 (32 holes)	KLS Brave Disc 559x23 (32 holes)	KLS Draft Disc 559x21 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	steel
TYRES	Schwalbe Table Top Performance 57-559 (26x2.25) ADDIX	Schwalbe Nobby Nic Performance 57-559 (26x2.25) ADDIX	Schwalbe Table Top Performance 57-559 (26x2.25) ADDIX	Schwalbe Nobby Nic Performance 57-559 (26x2.25) ADDIX
STEM	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm
HANDLEBAR	Race Face Chester RiseBar diam 35mm / rise 35mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 740mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 740mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 740mm
GRIPS	Dirt	kraton	kraton	kraton
SEAT POST	BMX Pivotal diam 30.9mm / length 200mm	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm	Kalloy diam 30.9mm / length 300mm
SADDLE	Velo Pivotal	KLS Vader	Velo Pivotal	KLS Vader
PEDALS	VP Grind - nylon platform	VP Grind - nylon platform	VP Grind - nylon platform	plastic

Specification are subject to change without notice.



ROAD

RACING					
	URC 90	URC 70	URC 50	URC 30	ARC 50
FRAME	Kellys iCAD RC Carbon Pro Power Core, tapered HT internal routing	Kellys iCAD RC Carbon Pro Disc Power Core, flat mount, tapered HT internal routing, 12x142mm thru axle	Kellys iCAD RC Carbon Pro Disc Power Core, flat mount, tapered HT internal routing, 12x142mm thru axle	Kellys iCAD RC Carbon Pro Power Core, tapered HT internal routing	Kellys Endurance Concept Aluminium alloy Disc flat mount, tapered HT, internal routing
FRAME SIZE	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
FORK	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake 12x100mm thru axle	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, post mount disc brake
HEAD PARTS	Ritchey WCS Logic Zero 1.5 integrated	Ritchey Pro Logic Zero 1.5 integrated	Ritchey Pro Logic Zero 1.5 integrated	FSA 1.5 integrated	FSA 1.5 semi-integrated
B.B.PARTS	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano BB-RS500
CRANKSET	Shimano Ultegra R8000 Hollowtech II (52x36T) length 172.5mm (S - M), 175mm (L)	Shimano Ultegra R8000 Hollowtech II (50x34T) length 172.5mm (S - M), 175mm (L)	Shimano 105 R7000 Hollowtech II (52x36T) length 172.5mm (S - M), 175mm (L)	Shimano 105 R7000 Hollowtech II (52x36T) length 172.5mm (S - M), 175mm (L)	Shimano RS510 (50x34T) length 172.5mm (S - M), 175mm (L)
SHIFTERS	Shimano Ultegra Di2 ST-R8050 Dual Control	Shimano Ultegra ST-R8020 Dual Control	Shimano ST-RS505 Dual Control	Shimano 105 ST-R7000 Dual Control	Shimano 105 ST-R7000 Dual Control
F/DERAILLEUR	Shimano Ultegra Di2 R8050 (braze on)	Shimano Ultegra R8000 (braze on)	Shimano 105 R7000 (braze on)	Shimano 105 R7000 (braze on)	Shimano 105 R7000 (braze on)
R/DERAILLEUR	Shimano Ultegra Di2 R8050 (direct mount)	Shimano Ultegra R8000 (direct mount)	Shimano 105 R7000 (direct mount)	Shimano 105 R7000 (direct mount)	Shimano 105 R7000 (direct mount)
SPEED	22	22	22	22	22
FREEWHEEL	Shimano CS-R8000-11 (11-28T)	Shimano CS-5800-11 (11-32T)	Shimano CS-R7000-11 (11-32T)	Shimano CS-R7000-11 (11-32T)	Shimano CS-R7000-11 (11-32T)
CHAIN	Shimano CN-HG701-11 (106 links)	Shimano CN-HG701-11 (106 links)	Shimano HG-601-11 (108 links)	KMC X11 EL (108 links)	KMC X11 EL (108 links)
BRAKES	Shimano Ultegra R8000 / R8010-R	Shimano Ultegra R8070 Hydraulic Disc	Shimano RS505 Hydraulic Disc	Shimano 105 R7000 / 7010-R	Tektro Spyre Mechanical Disc
BRAKE ROTORS	-	140mm front / 140mm rear	160mm front / 160mm rear	-	160mm front / 160mm rear
BRAKE LEVERS	Shimano Ultegra Di2 ST-R8050 Dual Control	Shimano Ultegra ST-R8020 Dual Control	Shimano ST-RS505 Dual Control	Shimano 105 ST-R7000 Dual Control	Shimano 105 ST-R7000 Dual Control
HUBS	-	-	-	Shimano 105 R7000 (32 holes)	Novatec Disc (28 holes)
THRU AXLE	-	Mr.control 12x100mm front / 12x142mm rear	Mr.control 12x100mm front / 12x142mm rear	-	-
RIMS / WHEELSET	Mavic Ksyrium Elite UST	Mavic Ksyrium UST Disc Center Lock (12x100mm / 12x142mm)	Mavic Aksium Disc Center Lock (12x100mm / 12x142mm)	KLS Spark 622x15 (32 holes / eyelets)	KLS Spark 622x15 (28 holes / eyelets)
SPOKES	-	-	-	stainless steel black	stainless steel black
TYRES	Mavic Yksion Pro UST 25-622 (700x25C) folding	Mavic Yksion Elite 28-622 (700x28C) folding	Schwalbe Durano, RaceGuard 25-622 (700x25C)	Schwalbe Lugano, K-Guard 25-622 (700x25C)	Schwalbe Lugano K-Guard 25-622 (700x25C)
STEM	Ritchey WCS C220 diam 28.6mm / bar bore 31.8mm / 84° / length 90mm (S), 100mm (M), 110mm (L)	Ritchey WCS C220 diam 28.6mm / bar bore 31.8mm / 84° / length 90mm (S), 100mm (M), 110mm (L)	Ritchey Comp 4-Axis diam 28.6mm / bar bore 31.8mm / 84° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
HANDLEBAR	Ritchey WCS diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	Ritchey WCS diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	Ritchey Comp Logic II diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)
GRIPS	fi'zi:k microtex bar tape / gel padding	fi'zi:k microtex bar tape / gel padding	KLS bar tape	KLS bar tape	KLS bar tape
SEAT POST	Ritchey WCS Carbon 1-Bolt monocoque diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	Ritchey WCS Carbon 1-Bolt monocoque diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	Ritchey Comp 2-Bolt diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)
SADDLE	fi'zi:k Antares R7 (alloy rails)	fi'zi:k Antares R7 (alloy rails)	fi'zi:k Antares R7 (alloy rails)	fi'zi:k Antares R7 (alloy rails)	KLS SlipStream (cr-mo rails)
PEDALS	-	-	-	-	-

Specification are subject to change without notice.

ROAD

	RACING		GRAVEL		
	ARC 30	ARC 10	SOOT 70	SOOT 50	SOOT 30
FRAME	Kellys Endurance Concept Aluminium alloy tapered HT, internal routing	Kellys Endurance Concept Aluminium alloy tapered HT, internal routing	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing 12x142mm thru axle	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing 12x142mm thru axle	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing 12x142mm thru axle
FRAME SIZE	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
FORK	Kellys Carbon 1.5 tapered steerer	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake 12x100mm thru axle
HEAD PARTS	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated
B.B.PARTS	Shimano BB-RS500	Shimano BB-RS500	Sram GXP	Shimano BB-RS500	Shimano BB-RS500
CRANKSET	Shimano Sora R3000 (50x34T) length 170mm (S), 175mm (M - L)	Shimano Claris R2000 (50x34T) length 170mm (S - M), 175mm (L)	Sram Apex 1 X-Sync (44T) length 172.5mm (S - M), 175mm (L)	Shimano GRX (020) RX600-11 (46x30T) length 172.5mm (S - M), 175mm (L)	Shimano Claris R2000 (50x34T) length 170mm (S - M), 175mm (L)
SHIFTERS	Shimano Sora ST-R3000 Dual Control	Shimano Claris ST-R2000 Dual Control	Sram Apex 1 11-Speed ExactActuation	Shimano GRX (020) ST-RX600	Shimano Claris ST-R2000 Dual Control
F/DERAILLEUR	Shimano Sora R3000 (braze on)	Shimano Claris R2000 (braze on)	-	Shimano GRX (020) RX810 (braze on)	Shimano Claris R2000 (braze on)
R/DERAILLEUR	Shimano Sora R3000 (direct mount)	Shimano Claris R2000 (direct mount)	Sram Apex 1 X-Horizon	Shimano GRX (020) RX810 (direct mount)	Shimano Claris R2000 (direct mount)
SPEED	18	16	11	22	16
FREEWHEEL	Shimano CS-HG300-9 (11-32T)	Shimano CS-HG50-8 (11-32T)	Sram PG-1130-11 (11-42T)	Shimano CS-HG700-11 (11-34T)	Shimano CS-HG50-8 (11-32T)
CHAIN	KMC X9 (108 links)	KMC Z8 (108 links)	Sram PC-1110 (114 links)	KMC X11 EL (110 links)	KMC Z8 (110 links)
BRAKES	Tektro	Tektro	Sram Apex 1 Hydraulic Disc	Shimano GRX (020) RX400 Hydraulic Disc	Tektro Spyre Mechanical Disc
BRAKE ROTORS	-	-	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano Sora ST-R3000 Dual Control	Shimano Claris ST-R2000 Dual Control	Sram Apex 1	Shimano GRX (020) ST-RX600	Shimano Claris ST-R2000 Dual Control
HUBS	Shimano Claris 2400 (32 holes)	Shimano Claris 2400 (32 holes)	Novatec Disc (32 holes)	Novatec Disc (32 holes)	Novatec Disc (32 holes)
THRU AXLE	-	-	Mr.control 12x100mm front / Novatec 12x142mm rear	Mr.control 12x100mm front / Novatec 12x142mm rear	Mr.Control 12x100mm front / Novatec 12x142mm rear
RIMS	KLS Spark 622x15 (32 holes / eyelets)	KLS Spark 622x15 (32 holes / eyelets)	KLS Grind 622x17 (32 holes / eyelets)	KLS Grind 622x17 (32 holes / eyelets)	KLS Grind 622x17 (32 holes / eyelets)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe Lugano, K-Guard 25-622 (700x25C)	Schwalbe Lugano, K-Guard 25-622 (700x25C)	Schwalbe G-One Allround, RaceGuard 40-622 (700x38C) folding	Schwalbe Smart Sam Performance 42-622 (700x40C) ADDIX	Schwalbe Smart Sam Performance 42-622 (700x40C) ADDIX
STEM	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
HANDLEBAR	KLS Active Road diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)
GRIPS	KLS bar tape	KLS bar tape	KLS bar tape	KLS bar tape	KLS bar tape
SEAT POST	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KS E20-I Remote Telescopic diam 30.9mm / length 320mm, travel 75mm	KLS Active Road diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active Road diam 30.9mm / length 350mm (S - M), 400mm (L)
SADDLE	KLS SlipStream (cr-mo rails)	KLS SlipStream (cr-mo rails)	KLS SlipStream (cr-mo rails)	KLS SlipStream (cr-mo rails)	KLS SlipStream (cr-mo rails)
PEDALS	-	-	-	-	-

Specification are subject to change without notice.



TOUR

CROSS					
	PHANATIC 90	PHEEBE 90	PHANATIC 70	PHANATIC 50	PHANATIC 40
FRAME	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount
FRAME SIZE	M / L	S / M	M / L	S / M / L / XL	M / L
FORK	SR Suntour NRX-D RL Air 75mm, air / Remote Speed Lockout	SR Suntour NRX-D RL Air 75mm, air / Remote Speed Lockout	SR Suntour NCX-D RL Air 75mm, air / Remote Speed Lockout	SR Suntour NVX HLO 75mm, coil / Speed Lockout	SR Suntour NEX-E25 NLO 75mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	Shimano BB52	Shimano BB52	Shimano BB52	Shimano BB-ES300 Octalink	cartridge (122.5mm)
CRANKSET	Shimano Deore XT T8000-3 Hollowtech II (48x36x26T) length 175mm	Shimano Deore XT T8000-3 Hollowtech II (48x36x26T) length 170mm (S), 175mm (M)	Shimano Deore T6010 Hollowtech II (48x36x26T) length 175mm	Shimano T521 Hollowtech Octalink (48x36x26T) length 170mm (S), 175mm (M - XL)	Shimano Acera T3010 (48x36x26T) length 175mm
SHIFTERS	Shimano Deore XT SL-T8000 Rapidfire Plus	Shimano Deore XT SL-T8000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus
F/DERAILLEUR	Shimano Deore XT T8000 (31.8mm)	Shimano Deore XT T8000 (31.8mm)	Shimano Deore T6000 (31.8mm)	Shimano Deore T6000 (31.8mm)	Shimano Acera T3000 (31.8mm)
R/DERAILLEUR	Shimano Deore XT T8000 (direct mount)	Shimano Deore XT T8000 (direct mount)	Shimano Deore XT M781 (direct mount)	Shimano Deore T6000 (direct mount)	Shimano Alivio M4000 (direct mount)
SPEED	30	30	30	30	27
FREEWHEEL	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG300-9 (11-34T)
CHAIN	KMC X10 EL (114 links)	KMC X10 EL (114 links)	KMC X10 EL (114 links)	KMC X10 EL (114 links)	KMC X9 (114 links)
BRAKES	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT501	Shimano BL-MT501	Shimano BL-MT501	Shimano BL-MT201	Shimano BL-MT200
HUBS	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / Shimano TX505 Disc Center Lock (32 holes)
RIMS	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TYRES	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine
STEM	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 90mm	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 90mm	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 90mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm
HANDLEBAR	KLS Advanced FlatBar diam 31.8mm / width 640mm (M), 660mm (L)	KLS Advanced FlatBar diam 31.8mm / width 640mm	KLS Advanced FlatBar diam 31.8mm / width 640mm (M), 660mm (L)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (M), 660mm (L)
GRIPS	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
SEAT POST	KLS Advanced diam 27.2mm / length 350mm	KLS Advanced diam 27.2mm / length 350mm	KLS Advanced diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm
SADDLE	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Vivo
PEDALS	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy
FRONT LIGHT	-	-	-	-	Büchel Urban Halogen
REAR LIGHT	-	-	-	-	Büchel LED Standlight
FENDERS	-	-	-	-	RPZ
ACCESSORIES	-	-	-	-	kickstand, bell

Specification are subject to change without notice.

TOUR

CROSS					
	PHANATIC 30	PHEEBE 30	PHANATIC 10	PHEEBE 10	CLIFF 90
FRAME	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing integrated kickstand mount	Kellys Crosslite
FRAME SIZE	TEAL M / L GREY M / L	WHITE S / M DARK RED S / M	RED S / M / L DARK OCEAN M / L	MINT S / M DARK PURPLE S / M	BLACK RED S / M / L DEEP BLUE S / M / L / XL
FORK	SR Suntour NVX HLO 75mm, coil / Speed Lockout	SR Suntour NVX HLO 75mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil spring	SR Suntour NEX HLO 63mm, coil spring	SR Suntour NEX HLO 63mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (122.5mm)	cartridge (122.5mm)	cartridge (113mm)	cartridge (113mm)	cartridge (122mm)
CRANKSET	Shimano Acera T3010 (48x36x26T) length 175mm	Shimano Acera T3010 (48x36x26T) length 170mm (S), 175mm (M)	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M - L)	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M)	Shimano TY501 (48x38x28T) length 170mm (S), 175mm (M - XL)
SHIFTERS	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano Altus SL-M310 Rapidfire Plus
F/DERAILLEUR	Shimano Acera T3000 (31.8mm)	Shimano Acera T3000 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)
R/DERAILLEUR	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Altus M370 (direct mount)
SPEED	27	27	27	27	24
FREEWHEEL	Shimano CS-HG300-9 (11-34T)	Shimano CS-HG300-9 (11-34T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-8 (12-32T)
CHAIN	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC Z8 (114 links)
BRAKES	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Tektro Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-MT200	Shimano BL-MT200	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus	Tektro
HUBS	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)
RIMS	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel
TYRES	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp, Puncture Protection 40-622 (700x38C) ReflectiveLine	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
STEM	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)
HANDLEBAR	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (M), 660mm (L)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)
GRIPS	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
SEAT POST	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm
SADDLE	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	KLS CrossLine
PEDALS	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy

Specification are subject to change without notice.



TOUR

CROSS					
	CLEA 90	CLIFF 70	CLEA 70	CLIFF 30	CLEA 30
FRAME	Kellys Crosslite Lady	Kellys Crosslite	Kellys Crosslite Lady	Kellys Crosslite	Kellys Crosslite Lady
FRAME SIZE	DARK RED S / M BLACK AQUA S / M	BLACK GREEN S / M / L / XL GREY S / M / L	DARK BLUE S / M RED S / M	BLUE S / M / L / XL GREY S / M / L	BLACK PINK S / M WHITE S / M
FORK	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
CRANKSET	Shimano TY501 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)
SHIFTERS	Shimano Altus SL-M310 Rapidfire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus
F/DERAILLEUR	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)
R/DERAILLEUR	Shimano Altus M370 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
SPEED	24	24	24	24	24
FREEWHEEL	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
CHAIN	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)
BRAKES	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc	Tektro V-brake	Tektro V-brake
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	-	-
BRAKE LEVERS	Tektro	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus
HUBS	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)
RIMS	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)
SPOKES	stainless steel	stainless steel	stainless steel	steel	steel
TYRES	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
STEM	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 15° / length 75mm (S), 90mm (M - L), 105mm (XL)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 30° / length 90mm
HANDLEBAR	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	alloy RiseBar diam 25.4mm / width 640mm (S - M), 660mm (L - XL)	alloy RiseBar diam 25.4mm / width 640mm
GRIPS	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
SEAT POST	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm
SADDLE	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine
PEDALS	NonSlip - alloy	alloy	alloy	plastic	plastic

Specification are subject to change without notice.

TOUR

	CROSS		TREKKING		
	CLIFF 10	CLEA 10	CARSON 90	CARSON 70	CRISTY 70
FRAME	Kellys Crosslite	Kellys Crosslite Lady	Kellys Tour Profile internal routing integrated kickstand mount	Kellys Tour Profile internal routing integrated kickstand mount	Kellys Tour Profile Lady internal routing integrated kickstand mount
FRAME SIZE	BLACK BLUE S / M / L RED S / M / L	GREY PINK S / M MINT S / M	M / L / XL	S / M / L / XL	S / M
FORK	SR Suntour M3010 50mm, coil spring	SR Suntour M3010 50mm, coil spring	SR Suntour NEX-E25 NLO 63mm, coil spring	SR Suntour NEX DX 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX DX 63mm, coil spring (threaded steerer 28.6mm)
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated (threaded)	semi-integrated (threaded)
B.B.PARTS	cartridge (124.5mm)	cartridge (124.5mm)	Shimano BB-ES300 Octalink	cartridge (113mm)	cartridge (113mm)
CRANKSET	Prowheel (48x38x28T) length 170mm	Prowheel (48x38x28T) length 170mm	Shimano T521 Hollowtech Octalink (48x36x26T) length 175mm	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M - XL)	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M)
SHIFTERS	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus
F/DERAILLEUR	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano Deore T6000 (31.8mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)
R/DERAILLEUR	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano Deore XT T8000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)
SPEED	21	21	30	27	27
FREEWHEEL	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-9 (11-34T)
CHAIN	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC X10 EL (114 links)	KMC X9 (114 links)	KMC X9 (114 links)
BRAKES	Apse V-brake	Apse V-brake	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
BRAKE ROTORS	-	-	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
HUBS	alloy / Shimano TY500 (32 holes)	alloy / Shimano TY500 (32 holes)	Shimano Dynamo 3D37 / Shimano TX505 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / Shimano TX505 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / Shimano TX505 Disc Center Lock (32 holes)
RIMS	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
SPOKES	steel	steel	steel	steel	steel
TYRES	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Schwalbe Road Cruiser, K-Guard 42-622 (700x42C) ReflectiveLine	Schwalbe Road Cruiser, K-Guard 42-622 (700x42C) ReflectiveLine	Schwalbe Road Cruiser, K-Guard 42-622 (700x42C) ReflectiveLine
STEM	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 15° / length 75mm (S), 90mm (M - L)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 30° / length 90mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 105mm	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M - XL)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)
HANDLEBAR	steel RiseBar diam 25.4mm / width 640mm (S - M), 660mm (L)	steel RiseBar diam 25.4mm / width 640mm	alloy RiseBar diam 31.8mm / width 640mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm
GRIPS	KLS Token 2Density	KLS Token	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
SEAT POST	steel diam 27.2mm / length 330mm	steel diam 27.2mm / length 330mm	Kalloy suspension diam 30.9mm / length 350mm	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - XL)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)
SADDLE	KLS CrossLine	KLS ComfortLine	Selle Royal Lookin Visual Royalgel	Selle Royal Essenza Moderate	Selle Royal Essenza Moderate
PEDALS	plastic	plastic	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy
FRONT LIGHT	-	-	AXA Compactline 35 Steady	Büchel Urban LED	Büchel Urban LED
REAR LIGHT	-	-	AXA Slim Steady	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight
FENDERS	-	-	RPZ	RPZ	RPZ
ACCESSORIES	-	-	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specification are subject to change without notice.



TOUR

TREKKING					
	CARSON 50	CRISTY 50	CARSON 40	CRISTY 40	CARSON 30
FRAME	Kellys Tour Profile internal routing integrated kickstand mount	Kellys Tour Profile Lady internal routing integrated kickstand mount	Kellys Tour Profile internal routing integrated kickstand mount	Kellys Tour Profile Lady internal routing integrated kickstand mount	Kellys Tour Profile internal routing integrated kickstand mount
FRAME SIZE	M / L / XL	S / M	S / M / L / XL	S / M	M / L
FORK	SR Suntour NEX 63mm coil spring (threaded steerer 28.6mm)	SR Suntour NEX 63mm coil spring (threaded steerer 28.6mm)	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)
HEAD PARTS	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)
B.B.PARTS	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)
CRANKSET	Shimano TY301 (48x38x28T) length 175mm	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 175mm
SHIFTERS	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus
F/DERAILLEUR	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)
R/DERAILLEUR	Shimano Acera M360 (direct mount)	Shimano Acera M360 (direct mount)	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)
SPEED	24	24	24	24	24
FREEWHEEL	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
CHAIN	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)
BRAKES	Tektro V-brake	Tektro V-brake	Apse V-brake	Apse V-brake	Apse V-brake
BRAKE ROTORS	-	-	-	-	-
BRAKE LEVERS	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano (020) ST-EF500-8 EZ-fire Plus
HUBS	Shimano Dynamo Nexus C3000 / alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	alloy (32 holes)
RIMS	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)
SPOKES	steel	steel	steel	steel	steel
TYRES	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)
STEM	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 100mm	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M - XL)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 100mm
HANDLEBAR	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm
GRIPS	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
SEAT POST	Kalloy suspension diam 30.9mm / length 350mm	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - XL)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 350mm
SADDLE	Selle Royal Essenza Moderate	Selle Royal Essenza Moderate	KLS CrossLine	KLS ComfortLine	KLS CrossLine
PEDALS	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic
FRONT LIGHT	Büchel Urban LED	Büchel Urban LED	Büchel Urban Halogen	Büchel Urban Halogen	LED battery
REAR LIGHT	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED battery
FENDERS	RPZ	RPZ	RPZ	RPZ	RPZ
ACCESSORIES	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specification are subject to change without notice.

TOUR

URBAN

	TREKKING			CITY	
	CRISTY 30	CARSON 10	CRISTY 10	AVENUE 90	AVENUE 70
FRAME	Kellys Tour Profile Lady internal routing integrated kickstand mount	Kellys Tour Profile internal routing integrated kickstand mount	Kellys Tour Profile Lady internal routing integrated kickstand mount	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 28
FRAME SIZE	S / M	S / M / L	S / M	430mm / 480mm	430mm / 480mm
FORK	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V 50mm, coil spring (threaded steerer 28.6mm)
HEAD PARTS	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)
B.B.PARTS	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)	cartridge (116mm)	cartridge (120mm)
CRANKSET	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - L)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Prowheel (38T) length 170mm	Shimano TY501 (48x38x28T) length 170mm
SHIFTERS	Shimano (020) ST-EF500-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano Nexus SL-7S20 Revoshift	Shimano (020) ST-EF500-8 EZ-fire Plus
F/DERAILLEUR	Shimano TY710 (34.9mm)	Shimano TY510 (34.9mm)	Shimano TY510 (34.9mm)	-	Shimano TY710 (31.8mm)
R/DERAILLEUR	Shimano Altus M310 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	-	Shimano Altus M370 (direct mount)
SPEED	24	21	21	7	24
FREEWHEEL	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano for internal hub 21T	Shimano CS-HG31-8 (11-34T)
CHAIN	KMC Z8 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z6 (102 links)	KMC Z8 (116 links)
BRAKES	Apse V-brake	Apse V-brake	Apse V-brake	Tektro V-brake / Shimano coaster brake	Tektro V-brake
BRAKE ROTORS	-	-	-	-	-
BRAKE LEVERS	Shimano (020) ST-EF500-8 EZ-fire Plus	Apse	Apse	Tektro	Shimano ST-EF510-8 EZ-fire Plus
HUBS	alloy (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	Shimano Dynamo Nexus C3000 / Shimano C3000 Inter-7 (36 holes)	Shimano Dynamo Nexus C3000 / KLS Drive (36 holes)
RIMS	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (36 holes / eyelets)	KLS Draft 622x21 (36 holes / eyelets)
SPOKES	steel	steel	steel	steel	steel
TYRES	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Michelin Protek 47-622 (700x47C) ReflectiveLine	Mitas Flash 47-622 (28x1.75) ReflectiveLine
STEM	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M - L)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm
HANDLEBAR	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm
GRIPS	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
SEAT POST	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - L)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 27.2mm / length 350mm	Kalloy suspension diam 27.2mm / length 350mm
SADDLE	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel
PEDALS	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic
FRONT LIGHT	LED battery	LED battery	LED battery	Büchel Urban LED	Büchel Urban LED
REAR LIGHT	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight
FENDERS	RPZ	RPZ	RPZ	RPZ	RPZ
ACCESSORIES	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell

Specification are subject to change without notice.



URBAN

	CITY				CLASSIC
	AVENUE 50	AVENUE 30	AVENUE 20	AVENUE 10	ROYAL DUTCH
FRAME	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 26	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 26	van Kellys Dutch Aluminium alloy 28
FRAME SIZE	430mm / 480mm	430mm	430mm / 480mm	430mm	BLACK 460mm MENTHOL 460mm
FORK	hi-ten steel unicrown (threaded steerer 28.6mm)	hi-ten steel unicrown (threaded steerer 28.6mm)	hi-ten steel unicrown (threaded steerer 28.6mm)	hi-ten steel unicrown (threaded steerer 28.6mm)	unicrown steel (threaded steerer)
HEAD PARTS	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	threaded
B.B.PARTS	cartridge (116mm)	cartridge (116mm)	cartridge (116mm)	cartridge (116mm)	cartridge (115mm)
CRANKSET	Prowheel (38T) length 170mm	Prowheel (38T) length 170mm	Prowheel (38T) length 170mm	Prowheel (38T) length 170mm	Prowheel (36T) length 170mm
SHIFTERS	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-7S20 Revoshift
F/DERAILEUR	-	-	-	-	-
R/DERAILEUR	-	-	-	-	-
SPEED	3	3	3	3	7
FREEWHEEL	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 16T
CHAIN	KMC Z6 (102 links)	KMC Z6 (98 links)	KMC Z6 (102 links)	KMC Z6 (98 links)	KMC Z6 (98 links)
BRAKES	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake
BRAKE ROTORS	-	-	-	-	-
BRAKE LEVERS	Tektro	Tektro	Tektro	Tektro	Tektro
HUBS	Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 (36 holes)	Shimano Dynamo Nexus C3000 / Shimano 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus C3000 Inter-7 (36 holes)
RIMS	KLS Draft 622x21(36 holes / eyelets)	KLS Event 559x19 (36 holes)	KLS Event 622x19 (36 holes)	KLS Event 559x19 (36 holes)	KLS Event 622x19 (36 holes)
SPOKES	steel	steel	steel	steel	steel
TYRES	Mitas Flash 47-622 (28x1.75) ReflectiveLine	Mitas Cobra 50-559 (26x1.90)	Mitas Flash 47-622 (28x1.75) ReflectiveLine	Mitas Cobra 50-559 (26x1.90)	Impac Bigpac 50-622 (28x2.0) ReflectiveLine
STEM	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Zoom diam 25.4mm / 25° / length 80mm	Zoom diam 25.4mm / 25° / length 80mm	alloy / steel diam 25.4mm / 30° / length 80mm
HANDLEBAR	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 160mm / width 670mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 160mm / width 670mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm
GRIPS	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	HollandGrip
SEAT POST	Kalloy suspension diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 300mm	Kalloy Uno diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 300mm	steel diam 27.2mm / length 330mm
SADDLE	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	van Kellys
PEDALS	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	VP NonSlip - plastic	NonSlip - alloy
FRONT LIGHT	Büchel Urban Halogen	Büchel Urban Halogen	Büchel Retro battery	Büchel Retro battery	MENTHOL : Büchel Retro battery
REAR LIGHT	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED battery	LED battery, 3 modes
FENDERS	RPZ	RPZ	RPZ	RPZ	steel with coat guard
ACCESSORIES	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell	alloy carrier, chainguard, kickstand, bell	BLACK : front rack, alloy carrier, chainguard, kickstand, bell MENTHOL : front basket, alloy carrier, chainguard, kickstand, bell

Specification are subject to change without notice.

URBAN

	CLASSIC		FITNESS		
	ARWEN DUTCH	CLASSIC DUTCH	PHYSIO 50	PHYSIO 30	PHYSIO 10
FRAME	van Kellys Dutch Aluminium alloy 28	van Kellys Dutch Aluminium alloy 28	Kellys Urban Move Concept Aluminium alloy flat mount, tapered HT, internal routing	Kellys Urban Move Concept Aluminium alloy tapered HT, internal routing	Kellys Urban Move Concept Aluminium alloy internal routing
FRAME SIZE	BLACK 460mm RED 460mm MENTHOL 460mm BEIGE 460mm	BLUE 460mm CORAL 460mm	S / M / L	S / M / L	S / M / L
FORK	unicrown steel (threaded steerer)	unicrown steel (threaded steerer)	Aluminium alloy 1.5 tapered steerer, flat mount	Aluminium alloy 1.5 tapered steerer	hi-ten steel
HEAD PARTS	threaded	threaded	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (115mm)	cartridge (115mm)	Shimano BB-SR500	cartridge (113mm)	cartridge (122mm)
CRANKSET	Prowheel (36T) length 170mm	Prowheel (36T) length 170mm	Shimano Sora R3000 (50x34T) length 170mm (S), 175mm (M - L)	SR Suntour XCR6 (48x36x26T) length 170mm (S), 175mm (M - L)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - L)
SHIFTERS	Shimano Nexus SL-3S42E Revoshift	-	Shimano Sora SL-3000 Rapidfire Plus	Shimano Altus SL-M2010 Rapidfire Plus	Shimano ST-EF41-7 EZ-fire Plus
F/DERAILLEUR	-	-	Shimano Sora R3000 (34.9mm)	Shimano Altus M371 (34.9mm)	Shimano TY510 (34.9mm)
R/DERAILLEUR	-	-	Shimano Sora R3000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano TY300 (direct mount)
SPEED	3	1	18	27	21
FREEWHEEL	Shimano for internal hub 16T	single 16T	Shimano CS-HG300-9 (11-34T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-7 (12-32T)
CHAIN	KMC Z6 (98 links)	KMC Z6 (98 links)	KMC X9 (112 links)	KMC X9 (110 links)	KMC Z7 (114 links)
BRAKES	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Shimano UR300 Hydraulic Disc	Tektro V-brake	Apse V-brake
BRAKE ROTORS	-	-	160mm front / 160mm rear	-	-
BRAKE LEVERS	Tektro	Tektro	Shimano BL-MT200	Shimano Alivio BL-T4010	Shimano ST-EF41-7 EZ-fire Plus
HUBS	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / coaster brake hub (36 holes)	Novatec Disc (32 holes)	Shimano TX500-8 (32 holes)	Shimano TY500-7 (32 holes)
RIMS	KLS Event 622x19 (36 holes)	KLS Event 622x19 (36 holes)	KLS Grind 622x17 (32 holes / eyelets)	KLS Grind 622x17 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)
SPOKES	steel	steel	stainless steel black	stainless steel black	steel
TYRES	Impac Bigpac 50-622 (28x2.0) ReflectiveLine	Impac Bigpac 50-622 (28x2.0) ReflectiveLine	Schwalbe Spicer 35-622 (700x35C) ReflectiveLine	Schwalbe Spicer 35-622 (700x35C) ReflectiveLine	Impac Streetpac 37-622 (700x35C)
STEM	alloy / steel diam 25.4mm / 30° / length 80mm	alloy / steel diam 25.4mm / 30° / length 80mm	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 90mm (M), 110mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 90mm (M), 110mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S), 90mm (M), 105mm (L)
HANDLEBAR	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm
GRIPS	HollandGrip	HollandGrip	KLS Token 2Density	KLS Token 2Density	KLS Token
SEAT POST	steel diam 27.2mm / length 330mm	steel diam 27.2mm / length 330mm	KLS Active diam 30.9mm / 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / 350mm (S - M), 400mm (L)
SADDLE	van Kellys	van Kellys	KLS SlipStream	KLS SlipStream	KLS SlipStream
PEDALS	NonSlip - alloy	NonSlip - alloy	plastic	plastic	plastic
FRONT LIGHT	Büchel Retro battery	Büchel Retro battery	-	-	-
REAR LIGHT	LED battery, 3 modes	LED battery, 3 modes	-	-	-
FENDERS	steel with coat guard	steel with coat guard	SKS	-	-
ACCESSORIES	front basket, alloy carrier, chainguard, kickstand, bell	front basket, alloy carrier, chainguard, kickstand, bell	-	-	-

Specification are subject to change without notice.



JUNIOR

	JUNIOR				
	NAGA 90	NAGA 80	NAGA 70	MARC 90	MARC 70
FRAME	Kellys Aluminium alloy MTB 26	Kellys Aluminium alloy MTB 26	Kellys Aluminium alloy MTB 26	Kellys Alutec RRC MTB 24 - Race Ready Concept	Kellys Alutec RRC Junior plus Race Ready Concept
FRAME SIZE	340mm	340mm	NEON LIME 340mm PURPLE 340mm	315mm	315mm
FORK	Aluminium alloy	SR Suntour M3010 (26) 63mm, coil spring	SR Suntour M3010 (26) 63mm, coil spring	SR Suntour XCT (24) 50mm, coil spring	Aluminium alloy (cr-mo steerer, post mount disc brake)
HEAD PARTS	semi-integrated	threadless a-head	threadless a-head	semi-integrated	semi-integrated
B.B.PARTS	cartridge (113mm)	cartridge (120mm)	cartridge (120mm)	cartridge (118mm)	cartridge (126mm)
CRANKSET	Prowheel (30T) length 155mm	Prowheel (42x34x24T) length 152mm	Prowheel (42x34x24T) length 152mm	SR Suntour XCT (42x32x22T) length 160mm	Prowheel (36T) length 152mm
SHIFTERS	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 Revoshift	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus
F/DERAILLEUR	chain guide	Shimano TY500 (31.8mm)	Shimano TY500 (31.8mm)	Shimano TY710 (31.8mm)	-
R/DERAILLEUR	Shimano Deore M6000 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano Altus M310 (direct mount)	Shimano TX800 (direct mount)
SPEED	10	21	21	24	7
FREEWHEEL	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)
CHAIN	KMC X10 EL (108 links)	KMC Z7 (106 links)	KMC Z7 (106 links)	KMC Z8 (104 links)	KMC Z7 (102 links)
BRAKES	Tektro V-brake	Tektro V-brake	Tektro V-brake	Tektro Hydraulic Disc	Tektro Hydraulic Disc
BRAKE ROTORS	-	-	-	160mm / 160mm	160mm / 160mm
BRAKE LEVERS	Apse	Shimano ST-EF41-7 EZ-fire Plus	Apse	Tektro	Tektro
HUBS	alloy / Shimano T3000 (32 holes)	Shimano Dynamo Nexus C3000 / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	KLS Firework Disc (32 holes)	KT Disc (32 holes)
RIMS	KLS Draft 559x19 (32 holes)	KLS Draft 559x19 (32 holes)	KLS Draft 559x19 (32 holes)	KLS Draft Disc 507x19 (32 holes)	KLS Brave Disc 507x23 (32 holes)
SPOKES	steel black	steel black	steel black	steel black	steel black
TYRES	Schwalbe CX Comp, K-Guard 50-559 (26x2.0)	Innova 54-559 (26x2.0)	Innova 54-559 (26x2.0)	Mitas Winner 50-507 (24x1.95)	Innova 58-507 (24x2.35)
STEM	Promax diam 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Promax diam 31.8mm / length 45mm	Promax diam 31.8mm / length 45mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm
GRIPS	kraton 2Density	kraton 2Density	kraton 2Density	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm
SADDLE	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
PEDALS	plastic	plastic	plastic	plastic	plastic
FRONT LIGHT	-	Büchel Urban Halogen	-	-	-
REAR LIGHT	-	Büchel Champs Elysees LED Standlight	-	-	-
FENDERS	-	SKS	-	-	-
ACCESSORIES	-	alloy carrier, kickstand, bell	-	-	-

Specification are subject to change without notice.

JUNIOR

JUNIOR

	MARC 50	KITER 90	KITER 70	KITER 50	KITER 30
FRAME	Kellys Alutec RRC MTB 24 - Race Ready Concept	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24
FRAME SIZE	315mm	280mm	280mm	TURQUOISE 280mm NEON YELLOW 280mm TITANIUM BLUE 280mm RED 280mm	TURQUOISE 280mm NEON ORANGE 280mm WHITE 280mm PURPLE 280mm
FORK	SR Suntour XCT (24) 50mm, coil spring	Aluminium alloy	SR Suntour M3010 (24) 50mm, coil spring	SR Suntour M3010 (24) 50mm, coil spring	hi-ten steel unicrown
HEAD PARTS	semi-integrated	threadless a-head	threadless a-head	threadless a-head	threadless a-head
B.B.PARTS	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)	cartridge (120mm)	cartridge (126mm)
CRANKSET	Prowheel (36T) length 152mm	Prowheel (32T) length 152mm	Prowheel (32T) length 152mm	Prowheel (42x34x24T) length 152mm	Prowheel (32T) length 152mm
SHIFTERS	Shimano SL-M310 Rapidfire Plus	Shimano Altus SL-M370 Rapidfire Plus	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift
F/DERAILLEUR	-	-	-	Shimano TY500 (31.8mm)	-
R/DERAILLEUR	Shimano TX800 (direct mount)	Shimano Altus M370 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)
SPEED	7	9	7	21	7
FREEWHEEL	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano MF-TZ21-7 (14-28T)
CHAIN	KMC Z7 (102 links)	KMC X9 (106 links)	KMC Z7 (102 links)	KMC Z7 (102 links)	KMC Z7 (102 links)
BRAKES	C-Star CX7 Mechanical Disc	Tektro V-brake	Tektro V-brake	Tektro V-brake	Tektro V-brake
BRAKE ROTORS	160mm / 160mm	-	-	-	-
BRAKE LEVERS	Apse	Apse	Apse	Apse	Apse
HUBS	KT Disc (32 holes)	alloy / Shimano TX500-8 (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	alloy (32 holes)	alloy (32 holes)
RIMS	KLS Draft Disc 507x19 (32 holes)	KLS Waspier 507x19 (32 holes)	KLS Waspier 507x19 (32 holes)	KLS Waspier 507x19 (32 holes)	KLS Waspier 507x19 (32 holes)
SPOKES	steel black	steel black	steel black	steel black	steel black
TYRES	Mitas Winner 50-507 (24x1.95)	Schwalbe CX Comp, K-Guard 47-507 (24x1.75)	Mitas Winner 50-507 (24x1.95)	Mitas Winner 50-507 (24x1.95)	Mitas Winner 50-507 (24x1.95)
STEM	Promax diam 31.8mm / length 45mm	Promax diam 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm
GRIPS	KLS Advancer	kraton 2Density	kraton 2Density	kraton 2Density	kraton
SEAT POST	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm
SADDLE	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
PEDALS	plastic	plastic	plastic	plastic	plastic
FRONT LIGHT	-	-	Büchel Urban Halogen	-	-
REAR LIGHT	-	-	Büchel Champs Elysees LED Standlight	-	-
FENDERS	-	-	RPZ	-	-
ACCESSORIES	-	-	alloy carrier, kickstand, bell	-	-

Specification are subject to change without notice.



JUNIOR


	JUNIOR				
	LUMI 90	LUMI 70	LUMI 50	LUMI 30	MAGGIE
FRAME	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy monotube 24
FRAME SIZE	255mm	255mm	PINK BLUE 255mm GREEN 255mm	NEON YELLOW 255mm WHITE 255mm RED 255mm PURPLE 255mm	355mm
FORK	Aluminium alloy	hi-ten steel unicrown	SR Suntour M3010 (20) 40mm, coil spring	hi-ten steel unicrown	hi-ten steel unicrown (threaded steerer)
HEAD PARTS	threadless a-head	threadless a-head	threadless a-head	threadless a-head	threaded
B.B.PARTS	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)	cartridge (117.5mm)
CRANKSET	Prowheel (32T) length 140mm	Prowheel (32T) length 140mm	Prowheel (32T) length 140mm	Prowheel (32T) length 140mm	Prowheel (38T) length 152mm
SHIFTERS	Shimano SL-RS45-8 Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-6 Revoshift	Shimano Nexus SL-3S41E Revoshift
F/DERAILLEUR	-	-	-	-	-
R/DERAILLEUR	Shimano Altus M310 (direct mount)	-	Shimano TY300 (direct mount)	Shimano TY21 (direct mount)	-
SPEED	8	3	7	6	3
FREEWHEEL	Shimano CS-HG31-8 (11-32T)	Shimano for internal hub 21T	Shimano CS-HG200-7 (12-32T)	Shimano MF-TZ20-6 (14-28T)	Shimano for internal hub 20T
CHAIN	KMC Z8 (102 links)	KMC Z1 (84 links)	KMC Z7 (96 links)	KMC Z6 (96 links)	KMC Z6 (94 links)
BRAKES	Tektro V-brake	Tektro V-brake / Shimano coaster brake	Tektro V-brake	Tektro V-brake	Tektro V-brake / Shimano coaster brake
BRAKE ROTORS	-	-	-	-	-
BRAKE LEVERS	Apse	Apse	Apse	Apse	Apse
HUBS	Shimano TX500-8 (32 holes)	Shimano Dynamo Nexus C3000 / Shimano Nexus 3C41 Inter-3 (32 holes)	alloy (28 holes)	alloy (28 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)
RIMS	KLS 406x21 (32 holes)	KLS 406x21 (32 holes)	KLS 406x21 (28 holes)	KLS 406x21 (28 holes)	KLS Wasper 507x19 (36 holes)
SPOKES	steel black	steel black	steel black	steel black	steel
TIRES	Schwalbe CX Comp, K-Guard 47-406 (20x1.75)	Mitas Winner 50-406 (20x1.90)	Mitas Winner 50-406 (20x1.90)	Mitas Winner 50-406 (20x1.90)	Mitas Walrus 47-507 (24x1.75x2) ReflectiveLine
STEM	Promax diam 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	alloy diam 22.2mm / 30° / length 40mm
HANDLEBAR	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 550mm	steel RiseBar diam 25.4mm / width 550mm	steel RiseBar diam 25.4mm / width 550mm	steel diam 25.4mm / width 660mm
GRIPS	kraton	kraton	kraton	kraton	3Density ergonomic
SEAT POST	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	steel diam 27.2mm / length 300mm
SADDLE	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
PEDALS	plastic	plastic	plastic	plastic	NonSlip - plastic
FRONT LIGHT	-	Büchel Urban Halogen	-	-	-
REAR LIGHT	-	Büchel Champs Elysees LED Standlight	-	-	-
FENDERS	-	RPZ	-	-	RPZ
ACCESSORIES	-	alloy carrier, kickstand, bell	-	-	kickstand, bell

Specification are subject to change without notice.

JUNIOR

	JUNIOR		
	CINDY	WASPER	EMMA
FRAME	Kellys Aluminium alloy monotube 20	Kellys Aluminium alloy MTB 16	Kellys Aluminium alloy monotube 16
FRAME SIZE	295mm	RED 245mm YELLOW 245mm BLUE 245mm	PINK 245mm MENTHOL 245mm
FORK	hi-ten steel unicrown (threaded steerer)	hi-ten unicrown	hi-ten unicrown
HEAD PARTS	threaded	threaded	threaded
B.B.PARTS	cartridge (118mm)		-
CRANKSET	Prowheel (36T) length 140mm	steel chainwheel (32T)	steel chainwheel (32T)
SHIFTERS	-	-	-
F/DERAILLEUR	-	-	-
R/DERAILLEUR	-	-	-
SPEED	1	1	1
FREEWHEEL	single 18T sprocket	single 16T sprocket	single 16T sprocket
CHAIN	KMC Z1 (84 links)		-
BRAKES	Tektro V-brake / coaster brake	V-brake / coaster brake	V-brake / coaster brake
BRAKE ROTORS	-	-	-
BRAKE LEVERS	Apse	plastic	plastic
HUBS	alloy / coaster brake hub (28 holes)	steel / coaster brake hub	steel / coaster brake hub
RIMS	KLS 406x21 (28 holes)	305x20 (20 holes)	305x20 (20 holes)
SPOKES	steel	steel	steel
TYRES	Mitas Walrus 47-406 (20x1.75x2)	nylon 47-305 (16x1.75)	nylon 47-305 (16x1.75)
STEM	alloy diam 22.2mm / 30° / length 40mm	steel	steel
HANDLEBAR	steel diam 25.4mm / width 610mm	steel RiseBar	steel RiseBar
GRIPS	3Density ergonomic	PVC plastic	PVC plastic
SEAT POST	steel diam 27.2mm / length 260mm	steel	steel
SADDLE	KLS Junior	KLS Junior	KLS Junior
PEDALS	NonSlip - plastic	plastic	plastic
FRONT LIGHT	-	-	-
REAR LIGHT	-	-	-
FENDERS	RPZ	plastic	plastic
ACCESSORIES	kickstand, bell	h/bar & stem pads, training wheels, bell	h/bar & stem pads, training wheels, bell


Specification are subject to change without notice.



E-BIKES: THEOS i90, THEOS i70, THEOS i50

Kellys e-Frame 27.5, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	599	440	592	110	73°	66.5°	8	445	1165
M	420	619	460	592	110	73°	66.5°	8	445	1185
L	460	641	480	601	120	73°	66.5°	8	445	1210
XL	500	664	500	610	130	73°	66.5°	8	445	1234



E-BIKES: TAYEN 50 [29], TAYEN 20 [29]

Kellys e-Frame KLC 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	425	560	415	644	130	74°	68.5°	48	440	1145
L	470	617	430	654	140	74°	68.5°	48	440	1163

E-BIKES: TAYEN 50 [27.5], TAYEN 20 [27.5]

Kellys e-Frame KLC 27.5, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	380	577	400	617	120	74°	68°	48	430	1109
M	405	585	405	629	130	74°	68.5°	48	430	1113

E-BIKES: TAYEN 30 [29]

Kellys e-Frame KLC 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	425	600	415	644	130	74°	68.5°	48	445	1150
L	470	617	430	654	140	74°	68.5°	48	445	1168

E-BIKES: TAYEN 10 [29]


Kellys e-Frame KLC 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623	440	639	130	74°	67.5°	48	445	1185
L	490	651	465	648	140	74°	67.5°	48	445	1214

E-BIKES: TAYEN 10 [27.5]

Kellys e-Frame KLC 27.5, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	395	586	410	614	120	74°	67.5°	48	435	1135



E-BIKES: TYGON 70 [29], TYGON 50 [29], TYGON 20 [29]

Kellys e-Frame 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623	440	639	130	74°	67.5°	48	440	1180
L	490	651	465	648	140	74°	67.5°	48	440	1209
XL	520	674	485	658	150	74°	67.5°	48	440	1233

E-BIKES: TYGON 70 [27.5], TYGON 50 [27.5]

Kellys e-Frame 27.5, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	395	586	410	614	120	74°	67.5°	48	430	1124
M	420	604	425	624	130	74°	67.5°	48	430	1143
L	455	631	450	633	140	74°	67.5°	48	430	1172

E-BIKES: TYGON 30 [29]


Kellys e-Frame 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623	440	639	130	74°	67.5°	48	445	1185
L	490	651	465	648	140	74°	67.5°	48	445	1214
XL	520	674	485	658	150	74°	67.5°	48	445	1238

E-BIKES: TYGON 10 [29]

Kellys e-Frame 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623	440	639	130	74°	67.5°	48	445	1185
L	490	651	465	648	140	74°	67.5°	48	445	1214
XL	520	674	485	658	150	74°	67.5°	48	445	1238



MOUNTAIN - DOWNHILL: NOID 90 [29]

Kellys Gravity DH 29

VARIO GEOMETRY SYSTEM SETUP #1 (BB POSITION: HIGH/ CHAINSTAY: SHORT)

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
L	380	623	471	615	120	76°	63°	-2	853	448	1301

VARIO GEOMETRY SYSTEM SETUP #2 (BB POSITION: LOW/ CHAINSTAY: SHORT)

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
L	380	628	460	608	120	75°	62°	-17	853	450	1303

VARIO GEOMETRY SYSTEM SETUP #3 (BB POSITION: HIGH/ CHAINSTAY: LONG)

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
L	380	623	470	614	120	76°	62.5°	-3	853	468	1321

VARIO GEOMETRY SYSTEM SETUP #4 (BB POSITION: LOW/ CHAINSTAY: LONG)

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
L	380	631	460	608	120	74.5°	61.5°	-17	853	470	1323

MOUNTAIN - DOWNHILL: NOID 90 [27.5], NOID 70 [27.5]

Kellys Gravity DH 27.5

VARIO GEOMETRY SYSTEM SETUP #1 (BB POSITION: HIGH/ CHAINSTAY: SHORT)

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	546	416	608	120	77.5°	63°	10	775	422	1197
L	380	590	461	606	120	77.5°	63°	10	820	422	1242
XL	380	616	486	606	120	77.5°	63°	10	845	422	1267

VARIO GEOMETRY SYSTEM SETUP #2 (BB POSITION: LOW/ CHAINSTAY: SHORT)


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	552	405	600	120	76.5°	62°	-1	775	424	1199
L	380	597	451	600	120	76.5°	62°	-1	820	424	1244
XL	380	622	476	600	120	76.5°	62°	-1	845	424	1269

VARIO GEOMETRY SYSTEM SETUP #3 (BB POSITION: HIGH/ CHAINSTAY: LONG)

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	546	415	605	120	77.5°	63°	10	775	442	1217
L	380	591	460	605	120	77.5°	63°	10	820	442	1262
XL	380	616	485	605	120	77.5°	63°	10	845	442	1287

VARIO GEOMETRY SYSTEM SETUP #4 (BB POSITION: LOW/ CHAINSTAY: LONG)


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	553	404	599	120	76°	62°	-2	775	444	1219
L	380	598	450	599	120	76°	62°	-3	820	444	1264
XL	380	623	475	599	120	76°	62°	-3	845	444	1289



MOUNTAIN - ENDURO: SWAG 50, SWAG 30, SWAG 10

Kellys Enduro 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	551	439	573	105	79°	66°	-10	418	1163
M	425	585	470	582	115	79°	66°	-10	418	1198
L	480	603	486	591	125	79°	66°	-10	418	1218



MOUNTAIN - TRAIL: THORX 50 [29], THORX 30 [29], THORX 10 [29]


Kellys Allmountain 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	607	471	601	115	77°	67°	5	429	1208
L	500	625	487	610	125	77°	67°	5	429	1227

MOUNTAIN - TRAIL: THORX 30 [27.5], THORX 10 [27.5]

Kellys Allmountain 27.5


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	563	442	561	105	78°	67°	-9	418	1148
M	425	597	473	571	115	78°	67°	-9	418	1183



MOUNTAIN - TRAIL: GIBON 70, GIBON 50, GIBON 30

Kellys Dynamic Trail 27.5


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	590	412	601	105	73.5°	67°	44	430	1126
M	445	615	434	611	115	73.5°	67°	44	430	1152
L	490	635	451	620	125	73.5°	67°	44	430	1174



MOUNTAIN - MTB-XC: GATE 90, GATE 70, GATE 50, GATE 30

Kellys Dynamic RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	420	580	401	605	100	73.5°	69.5°	52	435	1089
M	470	610	428	614	110	73.5°	69.5°	52	435	1119
L	520	640	455	623	120	73.5°	69.5°	52	435	1150



MOUNTAIN - MTB-XC: SPIDER 90 [27.5], SPIDER 70 [27.5], SPIDER 50 [29], SPIDER 30 [27.5], SPIDER 10 [27.5]


Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	375	580	398	594	105	73°	70°	45	430	1070
S	425	600	416	600	110	73°	70°	45	430	1090
M	475	620	434	604	115	73°	70°	45	430	1110
L	525	650	461	613	125	73°	70°	45	430	1140

MOUNTAIN - MTB-XC: SPIDER 60 [27.5]

Kellys Alutec RRC 27.5


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	425	600	416	600	110	73°	70°	45	440	1100
M	475	620	434	604	115	73°	70°	45	440	1120
L	525	650	461	613	125	73°	70°	45	440	1150



MOUNTAIN - MTB-XC: HACKER 90, HACKER 70, HACKER 50, HACKER 30

Kellys iCAD Carbon Pro 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	419	590	420	546	95	74°	69°	48	420	1098
M	462	612	439	555	105	74°	69°	48	420	1121
L	526	640	463	569	120	74°	69°	48	420	1151



MOUNTAIN - MTB-XC: SPIDER 90 [29], SPIDER 70 [29], SPIDER 50 [29], SPIDER 30 [29], SPIDER 10 [29]


Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	600	415	624	105	73.5°	70°	55	440	1107
M	480	620	433	629	110	73.5°	70°	55	440	1127
L	530	640	451	633	115	73.5°	70°	55	440	1147
XL	580	660	468	643	125	73.5°	70°	55	440	1167

MOUNTAIN - MTB-XC: SPIDER 60 [29]

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	433	629	110	73.5°	70°	55	455	1142
L	530	640	451	633	115	73.5°	70°	55	455	1162



MOUNTAIN - MTB-XC: MADMAN 60 [29]

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	430	641	110	73.5°	70°	55	455	1144
L	530	640	449	646	115	73.5°	70°	55	455	1164

MOUNTAIN - MTB-XC: MADMAN 60 [27.5]

Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	395	560	372	616	115	73°	70°	45	440	1052
S	445	580	390	620	120	73°	70°	42	440	1072
M	495	600	406	635	135	73°	70°	42	440	1093

MOUNTAIN - MTB-XC: MADMAN 50 [29], MADMAN 30 [29]

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	433	632	110	73.5°	70°	55	450	1138
L	530	640	451	637	115	73.5°	70°	55	450	1159

MOUNTAIN - MTB-XC: MADMAN 50 [27.5], MADMAN 30 [27.5]

Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	395	560	376	601	115	73°	70°	45	430	1052
S	445	580	395	606	120	73°	70°	42	430	1072
M	495	600	410	620	135	73°	70°	42	430	1093

MOUNTAIN - MTB-XC: MADMAN 30 [26]

Kellys Alutec RRC 26

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XXS	345	540	358	577	115	72.5°	70°	32	420	1018
XS	395	560	378	577	115	72.5°	70°	32	420	1038
S	445	580	397	582	120	72.5°	70°	32	420	1058

MOUNTAIN - MTB-XC: MADMAN 10 [29]

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	439	611	110	73.5°	70°	55	450	1137
L	530	640	458	616	115	73.5°	70°	55	450	1157

MOUNTAIN - MTB-XC: MADMAN 10 [27.5]


Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	445	580	397	592	120	73°	70°	42	430	1071
M	495	600	415	606	135	73°	70°	42	430	1093

MOUNTAIN - MTB-XC: MADMAN 10 [26]

Kellys Alutec RRC 26


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XXS	345	540	362	565	115	72.5°	70°	32	420	1017
XS	395	560	378	565	115	72.5°	70°	32	420	1037
S	445	580	400	570	120	72.5°	70°	32	420	1057



MOUNTAIN - MTB-XC WOMEN: DESIRE 90, DESIRE 70, DESIRE 50, DESIRE 30

Kellys Dynamic KLC Lite 29 LSG

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	380	552	370	614	90	73.5°	70.5°	63.5	442	1051
M	432	574	389	625	100	73.5°	71°	63.5	442	1068
L	483	594	404	640	115	73.5°	71°	63.5	442	1088



MOUNTAIN - MTB-XC WOMEN: VANITY 70 [29], VANITY 50 [29], VANITY 30 [29]

Kellys KLC LITE 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	430	580	387	632	110	73°	69.5°	63	440	1084
L	480	610	414	642	120	73°	69.5°	63	440	1115

MOUNTAIN - MTB-XC WOMEN: VANITY 70 [27.5], VANITY 50 [27.5], VANITY 30 [27.5]

Kellys KLC LITE 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	365	604	120	73°	69.5°	42	430	1048
M	425	570	381	620	135	73°	70°	42	430	1063
L	475	590	398	629	145	73°	70°	42	430	1084

MOUNTAIN - MTB-XC WOMEN: VANITY 40 [27.5]

Kellys KLC LITE 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	365	604	120	73°	69.5°	42	440	1058
M	425	570	381	620	135	73°	70°	42	440	1073
L	475	590	398	629	145	73°	70°	42	440	1094

MOUNTAIN - MTB-XC WOMEN: VANITY 20 [27.5], VANITY 10 [27.5]


Kellys KLC LITE 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	370	590	120	73°	69.5°	42	430	1047
M	425	570	385	606	135	73°	70°	42	430	1063
L	475	590	402	615	145	73°	70°	42	430	1083

MOUNTAIN - MTB-XC WOMEN: VANITY 20 [26], VANITY 10 [26]

Kellys KLC LITE 26

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	343	526	363	550	100	73.5°	69.5°	30	405	1004
S	375	545	361	583	120	72.5°	70.5°	40	425	1019



MOUNTAIN - DIRT: WHIP 70, WHIP 30


Kellys Dirt 26

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	320	581	390	555	120	71°	70°	5	403	1036
L	320	606	415	555	120	71°	70°	5	403	1061

MOUNTAIN - DIRT: WHIP 50, WHIP 10

Kellys Dirt 26


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	340	570	400	556	120	73°	68°	15	405	1066
L	340	590	420	556	120	73°	68°	15	405	1087



ROAD - GRAVEL: SOOT 70, SOOT 50, SOOT 30

Kellys Gravel Concept - Aluminium alloy


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	490	536	372	552	130	73.5°	70.5°	70	48	430	1016
M	515	552	377	571	150	73°	70.5°	70	48	430	1027
L	540	568	386	594	170	73°	71.5°	70	48	430	1034



ROAD - RACING: URC 90, URC 70, URC 50, URC 30

Kellys iCAD RC Carbon Composite


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	475	540	392	517	120	74°	71°	70	43	405	990
M	520	563	403	540	140	73.5°	72°	70	43	405	1000
L	565	588	414	567	165	73°	73°	70	43	405	1010



ROAD - RACING: ARC 50, ARC 30, ARC 10

Kellys Endurance Concept - Aluminium alloy


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	500	536	373	549	150	73.5°	71.5°	72.5	42	415	986
M	532	547	379	567	170	73.5°	72.0°	71.5	42	415	993
L	559	560	386	588	190	73.5°	72.5°	71.5	42	415	1001



TOUR - CROSS: PHANATIC 90, PHANATIC 70, PHANATIC 50, PHANATIC 40, PHANATIC 30, PHANATIC 10

Kellys Crossforce Lite - Sport Cross Geometry


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	570	384	610	120	73°	70.5°	57	445	1063
M	480	590	403	617	130	73°	70.5°	57	445	1084
L	530	610	418	626	140	73°	70.5°	57	445	1104
XL	580	630	435	636	150	73°	70.5°	57	445	1124



TOUR - CROSS: PHEEBE 90, PHEEBE 30, PHEEBE 10

Kellys Crossforce Lady Lite - Sport Cross Geometry


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	570	384	608	120	73°	70.5°	57	445	1063
M	480	590	399	627	140	73°	70.5°	57	445	1083



TOUR - CROSS: CLIFF 90, CLIFF 70, CLIFF 30, CLIFF 10

Kellys Crosslite


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	580	396	603	120	73°	70.5°	53.5	445	1077
M	480	590	403	612	130	73°	70.5°	53.5	445	1087
L	530	605	415	622	140	73°	70.5°	53.5	445	1102
XL	580	620	427	631	150	73°	70.5°	53.5	445	1118



TOUR - CROSS: CLEA 90, CLEA 70, CLEA 30, CLEA 10

Kellys Crosslite Lady


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	568	381	612	120	73°	70.5°	53.5	445	1065
M	480	583	396	612	130	73°	70.5°	53.5	445	1080



TOUR - TREKKING: CARSON 70, CARSON 60, CARSON 50, CARSON 40, CARSON 30, CARSON 10

Kellys Tour Profile


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	558	373	605	120	73°	70°	60	445	1057
M	480	569	381	616	130	73°	70.5°	60	445	1063
L	530	583	388	637	150	73°	71°	60	445	1072
XL	580	598	397	656	170	73°	71°	60	445	1088



TOUR - TREKKING: CRISTY 70, CRISTY 50, CRISTY 40, CRISTY 30, CRISTY 10

Kellys Tour Profile Lady

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	410	563	369	635	150	73°	70.5°	60	445	1058
M	460	578	383	637	150	73°	71°	60	445	1067



URBAN - CITY: AVENUE 90


Aluminum alloy monotube 28

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	606	165	70°	71°	55	455	1074
480mm	480	634	190	68.5°	71°	55	455	1079

URBAN - CITY: AVENUE 70

Aluminum alloy monotube 28


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	584	165	72°	71°	55	455	1074
480mm	480	588	190	72°	71°	55	455	1079



URBAN - CITY: AVENUE 30, AVENUE 10

Aluminum alloy monotube 26


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	432	599	140	69.5°	71°	35	430	1048



URBAN - CITY: AVENUE 50, AVENUE 20

Aluminum alloy monotube 28


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	606	165	70°	71°	55	455	1074
480mm	480	630	190	68.5°	71°	55	455	1079



URBAN - CLASSIC: ROYAL DUTCH, ARWEN DUTCH, CLASSIC DUTCH

van Kellys Dutch - Aluminum alloy 28

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
460mm	460	618	173	69.5°	69°	65	460	1102



URBAN - FITNESS: PHYSIO 50, PHYSIO 30, PHYSIO 10

Kellys Urban Move Concept - Aluminium alloy

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	FO (mm)	WB (mm)
S	460	575	406	553	145	73°	71°	55	430	43.5	1050
M	510	595	420	572	165	73°	71°	55	430	45	1072
L	560	615	435	591	185	73°	71°	55	430	45	1093



EVERY BIKE
HAS A MISSION

AUSTRALIA

Ride Sports ANZ Pty Ltd
East Building 6,
605 Zillmere Road
4034 Aspley, Queensland
Tel.: +61 1800 888 898
Email: info@ridesports.com.au

AUSTRIA

KELLYS BICYCLES s.r.o.
SLNECNA CESTA 374
922 01 VELKE ORVISTE
tel.: +421 333 213 140
fax: +421 333 213 199
e-mail: vladimir.skarka@kellysbike.com

BAHRAIN

Sabeel Trading S.P.C
Shop No 2209, Road 90, Block 1014
1014 Hamala
Phone Number: +973 17 612 995
Email: Sabeelbikeshop@gmail.com

BELARUS

VeloDrive
Papernyansky village council,
N9037, 15/3
220030 Minsk
Tel.: +375 29 683 39 33
e-mail: bonviko@mail.ru

BULGARIA

VELOZONA LTD
25 OTEC PAISIY STREET
5100 GORNA ORHOVITSA
tel.: +359 887 800 104
e-mail: velozona@abv.bg

CROATIA

L. K. D. D.O.O. KUTINA
A.G. MATOSA 12
KUTINA
tel. / fax: +385 (0)44 683 504
e-mail: mbjelajac@inet.hr
www.bikeshop.hr

CYPRUS

TASOS ALETRAS Ltd.
266 TSERIOU AVENUE
2044 NICOSIA STROVOLOS
tel.: +35 722 321015
fax: +35 722 321731
e-mail: info@aletras-megabike.com
www.aletras-megabike.com

CZECH REPUBLIC

KELLYS BICYCLES CZECH REPUBLIC s.r.o.
HAVLÍČKOVA 426
753 01 HRANICE
tel.: +420 581 698 810
e-mail: infocz@kellysbike.com

ESTONIA

VELOPLUS
SAKU 3
11314 TALLINN
tel.: +372 6 556 977
fax: +372 6 556 308
e-mail: veloplus@veloplus.ee
www.veloplus.ee

FINLAND

Kuopion pyöräkauppa bikemania oy
Puijonkatu 28
70100 KUOPIO
Tel.: +358 442 303 867
e-mail: posti@bikemania.fi

FRANCE

EUROTOP - SAICO SA,
213 ROUTE DE ROUFFACH LES
ERLENS
68920 WETTOLSHEIM
tel.: +33 389 203 322
e-mail: eurotop@saico.fr

GEORGIA

LTD Freeriders
Shatberashvili street #2 Apartment #55
0179 Tbilisi
Tel.: +995 574 944 555
e-mail: infogeoriders@gmail.com

GERMANY

KELLYS BICYCLES DEUTSCHLAND
AM WALDBERG 15
12683 BERLIN
tel.: +49 (0)30 510 61 837
fax: +49 (0)30 510 61 838
e-mail: kellysdeutschland@kellysbike.com

HUNGARY

KELLYS BICYCLES s.r.o.
1051 Budapest,
Arany Janos u. 15.
tel: +36 20 975 5732
e-mail: Infohu@kellysbike.com

ITALY

MODULO ITALIA SRLS
VIA VENZONE 17
21028 VAZZOLA TV
tel.: +39 327 566 3036
tel.: +39 348 778 2801
e-mail: serena@modulo.com
e-mail: pietro.caschera@gmail.com

IRELAND

A.B. CYCLE FACTORS Ltd.
14A SOUTH SUMMER STREET
DUBLIN 8
tel.: +353 1 4532777
fax: +353 1 4544793
email: abcycles@eircom.net

LATVIA

SIA AQUA PRO
GAROŽES 1
LV-1004 RIGA
tel.: +371 762 6025
fax: +371 789 2053
e-mail: jurism@fans.lv

LITHUANIA

UAB Laktopolis
Raudondvario pl. 164
LT-51229, Kaunas
Tel.: +370 607 253 31
e-mail: aistis@laktopolis.lt

NORWAY

TEMPO AS
TORVLIA 14
1739 BORGENHAUGEN
tel: +47 69 100 570
fax: +47 69 166 252
e-mail: john@tempoas.no
www.tempoas.no

OMAN

Muscat Bike Shop
Boushar-Muscat,
Near Muscat Private Hospital,
114, Oman
Tel.: +968 9663 5991
e-mail: muscatbikeshop@gmail.com

POLAND

KELLYS Sp. z o.o.
UL. E. KWIATKOWSKIEGO 24
55-011 SIECHNICE K. WROCŁAWIA
tel.: +48 71 318 88 77
fax: +48 71 318 88 99
e-mail: infopl@kellysbike.com

PORTUGAL

ALEXANDRE DIAS Lda
AV. VILLAGARCIA DE AROSA, 1060
4450-300 MATOSINHOS
tel.: +351 229 398 990
fax: +351 229 398 993
e-mail: alex.dias@mail.telepac.pt
www.alexandredias.net

RUSSIA

VELOOLIMP
MOSCOW, UL. ELEKTRODNAYA, DOM 2
tel./fax: +7 [495] 788 19 52
e-mail: mail@veloolimp.ru
www.kellys-russia.ru

SERBIA

IVA D.O.O.
TOLSTOJEVA 14
210 00 NOVI SAD
tel.: +381 215 422 16
e-mail: iva@iva.co.rs
www.iva.co.rs

SEYCHELLES

Maria Store,
La passe, La Digue,
Seychelles.
Tel.: +2482546196
Email: maria94@seychelles.net

SLOVAKIA

KELLYS BICYCLES s.r.o.
SLNECNÁ CESTA 374
922 01 VELKÉ ORVIŠTE
tel.: +421 333 213 111
fax: +421 333 213 199
e-mail: infosk@kellysbike.com

SLOVENIA

PE BIKE CENTER
ERJAVCEVA ULICA 5
SI-2000 MARIBOR
tel.: +386 242 018 36
e-mail: info@bike-center.si
www.bike-center.si

SWEDEN

JAMTLANDS CYKELFABRIK
KYRGATAN 27
S-83131 ÖSTERSUND
tel./fax: +46 63 12 72 22
e-mail: info@jamtlandscykelfabrik.se

SWITZERLAND

Bikedeal.ch AG
Chemin de vau de cour 7
1789 Lugnorre / FR
Switzerland
+41 79 137 91 95
e-mail: info@bikedeal.ch

TAIWAN

UNI-VICTOR INT'L CORP.
NO. 1, RENHUAGONG 10th RD., DALI DIST.,
TAICHUNG 41278
TAIWAN
tel.: +886 4 249 16 008
fax: +886 4 249 16 007
e-mail: infotw@kellysbike.com

U.A.E

Asia Technics Limited
SD-7, Blue Shed
Jebel Ali Free Zone,
61207 Dubai,
United Arab Emirates
tel.: +97150 5505442
+9714 8833013
e-mail: arjun@asiatechnics.com

UKRAINE

VELOPORTAL LLC
49/2 Peremohy avenue, build. L.
03057 KIEV
tel./fax: +380 44 331 9050
e-mail: info@veloport.com.ua
www.kellys.com.ua
www.klsparts.com.ua

_JOIN US



INSTAGRAM.COM/KELLYSBIKES



FACEBOOK.COM/KELLYSBICYCLES



YOUTUBE.COM/USER/KELLYSBICYCLES



KELLYSBIKE.COM



**EVERY BIKE
HAS A MISSION**