





**RIDE  
YOUR  
LIFE**

# CATALOGUE CONTENT



## **005** TECHSIGNATION

### **012** FULLIES

KJU:, ORC, RABBLE, SLASH, TYKE, FOLLY, BLOG, WANDAL, BEAST

### **020** HARDTAIL

SABOTAGE, HACKER, RAPTOR, MOBSTER, MYSTERY, THORX 90, THORX 80, THORX 70, THORX 50, THORX 30, THORX 10, COOL TOOL MASTER, COOL TOOL EXPERT, COOL TOOL, MAGNUS, MAGIC MASTER, MAGIC EXPERT, MAGIC, SALAMANDER, OXYGEN EXPERT, OXYGEN AZURE, OXYGEN SHADOW GOLD, QUARTZ WHITE, QUARTZ VAMP, SPIDER TURQUOISE, SPIDER LIME ACCENT, SCARPE RACE RED, SCARPE MELBOURNE, VIPER 60 NIGHT, VIPER 60 DARK LIME, VIPER 50 BLUE ACCENT, VIPER 50 TITANIUM, VIPER 40 WHITE, VIPER 40 BLACK, VIPER 30 RACE BLACK, VIPER 30 SHADOW GOLD, VIPER 20 DARK LIME, VIPER 20 TURQUOISE, VIPER 10 DARK ORANGE, VIPER 10 PHOENIX RED

### **046** HARDTAIL 29

TNT 90, TNT 70, TNT 50, TNT 30, TNT 20, TNT 10

### **051** KLC KELLYS LADY CONCEPT

JOYCE, JANE, ANN, BELLE, SUE, COLIBREE WHITE STONE, COLIBREE TIFFANY

### **056** DIRT

BLUFF 50, BLUFF 30, BLUFF 10 PURPLE, BLUFF 10 BLACK

### **060** ROAD

URC 9.0, URC 7.0, URC 5.0, URC 3.0, ARC 5.0, ARC 3.0, ARC 1.0

### **066** FITNESS

PHYSIO 50, PHYSIO 30, PHYSIO 10

### **070** CROSS

DEFINITE, PHANATIC, MASH, EVOX, EXQUISITE, PENELOPE, CLIFF, CLEA, NEOS VAMP, NEOS PHOENIX RED, TINA DARK TITANIUM, TINA PHOENIX RED, AXELL, AGNES, COBE NIGHT, COBE TURQUOISE, GRACE NIGHT, GRACE TURQUOISE, AXIS DARK LIME, AXIS TITANIUM, OMEGA DARK LIME, OMEGA TITANIUM, SAPHIX DARK MANGO, SAPHIX DARK AZURE, GAMMA DARK MANGO, GAMMA DARK AZURE, COACH HELIX, COACH MOONLIGHT, FLASH HELIX, FLASH PURPLE NIGHT, STYLUS WHITE, STYLUS VAMP, KAPPA PHOENIX RED, KAPPA IVORY

### **089** TOUR

AERON, MISTY, WALKER, CHELSEA, LAGOON BLACK, LAGOON WHITE, VISAGE BLACK, VISAGE WHITE, CARTER, CRISTY, ATHOS, ATHENA, YORK, ESTIMA, AVENUE, AMBIENTE, MASCARENA, DOWNTOWN, HARMONY, TWIST, SEASON

### **101** JUNIOR

MARC 1, MARC 2, MARC 3, MARC 4, MARC 5, MARC 6, MAGGIE, MIA, CINDY, EMMA

### **106** SPECIFICATIONS / GEOMETRIES

### **129** CONTACTS

# IN THE BEGINNING THERE WAS A VISION. **WE'VE DREAMT OF HAVING** OUR OWN FRAME DESIGN. NOW WE'RE LIVING IT TO ITS FULLEST.

Most of our designs begin as hand-drawn sketches. The ones we select become the future shape of a creative design, which is then 3D visualized and afterwards becomes a real 1:1 scale model. That's the way to keep the innovation and creative process under control. Detailed understanding and knowledge about the characteristics of the material we use combined with a wide range of experience in how to apply them.



SCATCHES  
**No.1**

## **CHALLENGE + RESPONSIBILITY**

At Kellys, we know how important it is to listen to what our customers want. Building our own design means most of all responsibility - responsibility in correctly predicting trends, mastering technology and applying innovation in the entire process of creating new products. We are proud to see the dream of producing our own industrial design come true and today we are living this dream to its fullest. From the very beginning, we have set new and more challenging goals. The feeling of happiness we experience when everything goes well and we are holding a new model, study and concept in our hands. We are happy when the results of our work bring not only benefits, but also enthusiasm from the design. To put the customer on top, our objectives and targets are becoming more and more challenging. Because your satisfaction is our top priority.

**01**

# OUR BICYCLE DESIGN IS ONE OF THE KELLYS BRAND'S KEY VALUES.

KELLYS INNOVATIVE TEAM





# 3D Visual No.2



Our bicycle frame design is one of the KELLYS brand's key values. The bicycles we create reflect the passion, courage and teamwork of our Development Department of designers, engineers and innovators. Each model that passes through our hands is crafted to the last detail.

# **3D** FULL SUSPENSION FUTURISTIC CONCEPT


# TECHSIGNATION ROAD & HARDTAIL CARBON

## Technology is our mantra.

It's a prayer we say over and over again. It's the Alpha and Omega of our work and the cornerstone of our success at Kellys bicycles. We use the latest construction processes and materials combining ultimate components into perfect end products, staying true to our only goal - to make you feel comfortable, safe and unbeatable on the trail.

## Innovation is our engine.

Surviving 20 years in an industry as dynamic as producing bicycles can only be done through continual development of new, original methods and solutions, and that's the reason behind our constant effort to change and improve everything we created so far. We look out for all the latest technological advances and implement them into our own development program. This is the only way to offer you new and unique Kellys bicycles every year. At this very moment as you read our catalogue, we are developing products for the 2013 season.







**iCAD**<sup>™</sup>  
**CARBON**  
INNOVATIVE CARBON  
ADVANCED DESIGN

## Technology & Design

Our Road & HardTail models are designed for extreme performance, so we developed new frames made from black carbon composite fibre with iCAD (Innovative Carbon Advanced Design) technology. We perfected the aerodynamics while increasing frame strength, necessary when sprinting or climbing hills.





**RIDE  
YOUR  
LIFE**



# SERIES FULLIES

## Full Power Ahead

Even a trail biker has a right to be Mr. Comfortable. You don't have to pay for extreme performance at an all-day marathon with shaken joints and back-ache. Fullies combines absolute frame rigidity and top suspension that harmonize with each other. On fast downhill runs, these machines offer confident and secure bicycle control, even at high speeds, with optimal shock absorption, "ironing away" uneven terrain. On technically demanding runs they hug the terrain so you expend energy efficiently. Safe, a solid footprint and no pain. Even after a whole day spent on the trail, nothing should be hurting you. Well, maybe your calves



## ORC

**FRAME** Kellys SXC High-Modulus Carbon monocoque / 110mm rear travel **FORK** Rock Shox SID RLT, 100mm, Dual Air / Motion Control DNA / PushLoc Remote Lockout **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano SLX SL-M660-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Shimano Deore M596 Hydraulic Disc **WHEELSET** Mavic Crossride CL 2 **TIRES** Schwalbe 2.1 Rocket Ron Performance folding



## KJU:

**FRAME** Kellys SXC High-Modulus Carbon monocoque / 110mm rear travel **FORK** Fox 32 Float Factory FIT CTD Remote - Kashima Coat, 100mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout **REAR SHOCK** Fox Float Factory CTD - Kashima Coat, air / Climb-Trail-Descend **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano Deore XT SL-M870-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Shimano Deore XT M785 Hydraulic Disc **WHEELSET** Crank Brothers Cobalt 2 **TIRES** Schwalbe 2.1 Rocket Ron Performance folding

## RABBLE



**FRAME** Kellys SXC High-Modulus Carbon monocoque / 110mm rear travel **FORK** Rock Shox Recon Gold TK Solo Air, 100mm, Solo Air / PushLoc Remote Lockout **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Lockout **CRANKSET** Shimano M552 **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** Kellys Helix 7 Hydraulic Disc **HUBS** Shimano Deore M525 Disc **RIMS** KLS WMX Disc **TIRES** Schwalbe 2.1 Rocket Ron Performance folding



## SLASH

**FRAME** Kellys SFS Superlite SDWT 3ple butted / 115mm rear travel **FORK** Fox 32 Float Factory FIT CTD Remote, 120mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout **REAR SHOCK** Fox Float Performance CTD BV, air / Climb-Trail-Descend **CRANKSET** Shimano M552 **SHIFTERS** Shimano SLX SL-M670-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Hayes Prime Sport Hydraulic Disc **WHEELSET** Mavic Crossride **TIRES** Schwalbe 2.25 Rocket Ron Performance folding





## TYKE

**FRAME** Kellys SFS Superlite SDWT 3ple butted / 115mm rear travel **FORK** Fox 32 Float Evolution O/C CTD, 120mm, air / Open Cartridge / Climb-Trail-Descend / Lockout **REAR SHOCK** Fox Float Evolution CTD, air / Climb-Trail-Descend **CRANKSET** Shimano M552 **SHIFTERS** Shimano SLX SL-M670-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Hayes Prime Sport Hydraulic Disc **HUBS** Shimano Deore M525 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance folding



## FOLLY

**FRAME** Kellys SFS Superlite SDWT 3ple butted / 115mm rear travel **FORK** Rock Shox Sektor TK Solo Air - Maxle Lite 15mm axle, 130mm, Solo Air / PushLoc Remote Lockout **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Lockout **CRANKSET** Sram X5 GXP **SHIFTERS** Sram X.7 Trigger, 30-speed **F/R DERAILLEUR** Sram X7 / Sram X9 **BRAKES** Avid Elixir 3 Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc (15mm front thru axle) / Shimano Deore M525 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance folding

## BLOG

**FRAME** Kellys SFS Superlite SDWT 3ple butted / 115mm rear travel **FORK** Rock Shox Recon Silver TK Solo Air, 120mm, Solo Air / PopLoc Remote Lockout **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Lockout **CRANKSET** KLS Race integrated **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance







## WANDAL

**FRAME** Kellys SFS Superlite SDWT 3ple butted / 115mm rear travel **FORK** SR Suntour Raidon RL, 120mm, air / Remote Speed Lockout **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Lockout **CRANKSET** Shimano M522 Hollowtech Octalink **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance

## BEAST

**FRAME** Kellys SFS Superlite SDWT 3ple butted / 115mm rear travel **FORK** SR Suntour Raidon RL, 120mm, air / Remote Speed Lockout **REAR SHOCK** Rock Shox Monarch R, Solo Air / Rebound **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILEUR** Shimano Alivio / Deore **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance





# SERIES HARDTAIL

## The Hard Side of Life

Do you prefer the classics? There has to be something about hardtails as they were the first mountain bikes ever made. And in technology our bikes are today many, many steps ahead. Strong, extremely lightweight carbon composites are used in the frames of our high-end models while our remaining models are composed of high-grade aluminium alloys. For your trip to be full of energy and momentum we've chosen components from renowned manufacturers and increased frame strength, while dropping weight down to the very minimum. You only have to focus on performance. There's still something to be said about the good old classics. Just remember, there's nothing like hardtails.



**RIDE  
YOUR  
LIFE**



## SABOTAGE

**FRAME** Kellys iCAD HT Carbon Composite **FORK** Fox 32 Float Factory FIT CTD Remote - Kashima Coat, 100mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout **CRANKSET** Shimano XTR M985 Hollowtech II (44x30) **SHIFTERS** Shimano XTR SL-M980 Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano XTR **BRAKES** Shimano XTR M985 Hydraulic Disc **WHEELSET** Crank Brothers Cobalt 2 **TIRES** Maxxis 2.0 Maxxlite 285 folding

Sabotage is not available in Germany



## HACKER

**FRAME** Kellys iCAD HT Carbon Composite **FORK** Rock Shox SID RLT, 100mm, Dual Air / Motion Control DNA / PushLoc Remote Lockout **CRANKSET** Truvativ X0 GXP **SHIFTERS** Sram X0 Trigger, 30-speed **F/R DERAILEUR** Sram X9 / Sram X0 **BRAKES** Avid X0 Hydraulic Disc **WHEELSET** Crank Brothers Cobalt 2 **TIRES** Maxxis 2.0 Maxxlite 285 folding



## RAPTOR

**FRAME** Kellys iCAD HT Carbon Composite **FORK** Fox 32 Float Factory FIT CTD Remote, 100mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano Deore XT SL-M780-10 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore XT / XTR **BRAKES** Hayes Prime Sport Hydraulic Disc **WHEELSET** Mavic Crossride **TIRES** Schwalbe 2.10 Rocket Ron Performance folding



HARDTAIL  
**CARBON**  
MOBSTER

**DEVELOPED  
WITH A PASSION  
FOR DETAIL**

We're excited and literally fascinated with design. It's our daily passion. We live the dream every day and find it immensely fun.





## Technology & Design

Our HardTail models are designed for extreme performance, so we developed new frames made from black carbon composite fibre with iCAD (Innovative Carbon Advanced Design) technology. We perfected the aerodynamics while increasing frame strength, necessary when sprinting or climbing hills.



## MOBSTER

**FRAME** Kellys iCAD HT Carbon Composite **FORK** Rock Shox Reba Solo Air RL, 100mm, Solo Air / Motion Control / PushLoc Remote Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano SLX SL-M660-10 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore XT **BRAKES** Hayes Prime Sport Hydraulic Disc **HUBS** Shimano Deore M525 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rocket Ron Performance folding



## MYSTERY

**FRAME** Kellys iCAD HT Carbon Composite **FORK** Rock Shox Recon Gold TK Solo Air, 100mm, Solo Air / PushLoc Remote Lockout **CRANKSET** Shimano M552 **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore / Deore XT **BRAKES** Avid Elixir 3 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rocket Ron Performance folding





## THORX 90

**FRAME** Kellys 6BOX SWT 3ple butted - Race Geometry **FORK** Fox 32 Float Factory FIT CTD Remote, 100mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano Deore XT SL-M780-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Shimano Deore XT M785 Hydraulic Disc **HUBS** Shimano Deore XT M785 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rocket Ron Performance folding



## THORX 80

**FRAME** Kellys 6BOX SWT 3ple butted - Race Geometry **FORK** Rock Shox Reba Solo Air RL, 100mm, Solo Air / Motion Control / PushLoc Remote Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano Deore XT SL-M780-10 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore XT **BRAKES** Shimano Deore XT M785 Hydraulic Disc **HUBS** Shimano Deore XT M785 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rocket Ron Performance folding



## THORX 50

**FRAME** Kellys 6BOX SWT 3ple butted - Race Geometry **FORK** Rock Shox Reba Solo Air RL, 100mm, Solo Air / Motion Control / PushLoc Remote Lockout **CRANKSET** Shimano M552 **SHIFTERS** Sram X9 Trigger, 30-speed **F/R DERAILEUR** Shimano Deore XT / Sram X9 **BRAKES** Avid Elixir 9 Hydraulic Disc **HUBS** Shimano Deore M525 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rocket Ron Performance folding



## THORX 70

**FRAME** Kellys 6BOX SWT 3ple butted - Race Geometry **FORK** Fox 32 Float Factory FIT CTD Remote, 100mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano Deore XT SL-M780-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Avid Elixir 5 Hydraulic Disc **HUBS** Shimano Deore M525 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## THORX 30

**FRAME** Kellys 6BOX SWT 3ple butted - Race Geometry **FORK** Rock Shox Recon Silver TK Solo Air, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** Shimano M552 **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## THORX 10

**FRAME** Kellys 6BOX SWT 3ple butted - Race Geometry **FORK** Rock Shox Recon Silver TK Solo Air, 100mm, Solo Air / TurnKey Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## COOL TOOL MASTER

**FRAME** Kellys LiteTrail Superlite SDWT 3ple butted - Trail Geometry **FORK** Rock Shox Recon Silver TK Solo Air, 120mm, Solo Air / PopLoc Remote Lockout **CRANKSET** KLS Race integrated **SHIFTERS** Shimano Deore SL-M590 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## COOL TOOL EXPERT

**FRAME** Kellys LiteTrail Superlite SDWT 3ple butted - Trail Geometry **FORK** SR Suntour Raidon RL, 120mm, air / Remote Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## COOL TOOL

**FRAME** Kellys LiteTrail Superlite SDWT 3ple butted - Trail Geometry **FORK** SR Suntour XCR RL, 120mm, coil / Remote Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Acera **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Schwalbe 2.25 Rocket Ron Performance



## MAGNUS

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** Rock Shox Recon Silver TK Solo Air, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** Shimano M522 Hollowtech Octalink **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## MAGIC MASTER

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour Raidon RL, 100mm, air / Remote Speed Lockout **CRANKSET** Shimano KLS Race Pro integrated **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## MAGIC EXPERT

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** Rock Shox XC 32 TK, 100mm, coil / TurnKey Lockout **CRANKSET** Sram X5 GXP **SHIFTERS** Sram X5 Trigger, 30-speed **F/R DERAILLEUR** Sram X5 / Sram X7 **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## MAGIC

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** Rock Shox XC 32 TK, 100mm, coil / TurnKey Lockout **CRANKSET** KLS Race integrated **SHIFTERS** Shimano Deore SL-M590 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance



## SALAMANDER

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** Rock Shox XC 32 TK, 100mm, coil / TurnKey Lockout **CRANKSET** KLS Race integrated **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance





## OXYGEN EXPERT

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** Rock Shox XC 32 TK, 100mm, coil / TurnKey Lockout **CRANKSET** KLS Master **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rocket Ron Performance





## OXYGEN AZURE

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCR LO, 100mm, coil / Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera / Deore **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob



## OXYGEN SHADOW GOLD

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCR LO, 100mm, coil / Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera / Deore **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob



## QUARTZ VAMP

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCR RL, 100mm, coil / Remote Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Schwalbe 2.10 Rapid Rob



## QUARTZ WHITE

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCR RL, 100mm, coil / Remote Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Schwalbe 2.10 Rapid Rob



## SPIDER TURQUOISE

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Shimano Acera **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano Altus / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob



## SPIDER LIME ACCENT

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Shimano Acera **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano Altus / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob



## SCARPE RACE RED

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## SCARPE MELBOURNE

**FRAME** Kellys Alutec Avant - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 60 DARK LIME

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT MLO, 100mm, coil / Mechanical Lockout **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Alivio **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.10 Kinetics



## VIPER 60 NIGHT

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT MLO, 100mm, coil / Mechanical Lockout **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Alivio **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.10 Kinetics



## VIPER 50 BLUE ACCENT

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Alivio **BRAKES** Tektro Novela Mechanical Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.10 Kinetics



## VIPER 50 TITANIUM

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Alivio **BRAKES** Tektro Novela Mechanical Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.10 Kinetics



## VIPER 40 WHITE

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Alivio **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 40 BLACK

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Alivio **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra





## VIPER 30 RACE BLACK

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY10 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 30 SHADOW GOLD

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY10 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 20 DARK LIME

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY10 / Acera **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 20 TURQUOISE

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY10 / Acera **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 10 DARK ORANGE

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour M3020-A, 63mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY10 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## VIPER 10 PHOENIX RED

**FRAME** Kellys Alutec Lite - RRC Geometry (Race Ready Concept) **FORK** SR Suntour M3020-A, 63mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY10 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



**RIDE  
YOUR  
LIFE**



# SERIES HARDTAIL 29

## New Passion for Riding

Are you looking for something new and special? Kellys Twenty-Niners bring a new passion for riding. Twenty-Niners are mountain bikes with wheels 3-inch larger in diameter. 29-inch bicycles were born at the beginning of the new millennium, but their popularity has been growing only in recent years. Their large wheels give this bike more speed and better stability in cornering, while more easily conquering off-road obstacles. Fat tyres provide a greater contact area and soften uneven terrain, thus offering greater riding comfort. Cornering and mainly technical runs are the right discipline for these

29-inch bicycles. The lower positioning of the b.b. shell to the wheels do make lifting the front wheel or quick "bunny hops" somewhat more difficult, but such geometry certainly works fantastically on steep slopes, where 29ers allow much more confidence. So the benefits are clear. More inches, more comfort, more action, more fun. You'll be trendy and cool riding on big wheels.



## TNT 90

**FRAME** Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** Rock Shox Reba RL 29 Solo Air, 100mm, Solo Air / PushLoc Remote Lockout **CRANKSET** Shimano Deore XT Hollowtech II **SHIFTERS** Shimano SLX SL-M670-10 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore XT **BRAKES** Hayes Stroker Ryde Comp Hydraulic Disc **HUBS** Shimano M525 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob



## TNT 70

**FRAME** Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** Rock Shox Recon Gold TK 29 Solo Air, 100mm, Solo Air / PushLoc Remote Lockout **CRANKSET** Shimano M552 **SHIFTERS** Shimano SLX SL-M670-10 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore XT **BRAKES** Hayes Stroker Ryde Comp Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob



## TNT 50

**FRAME** Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** Rock Shox Recon Silver TK 29 Solo Air, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** Shimano M522 Hollowtech Octalink **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob



## TNT 30

**FRAME** Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** Rock Shox XC 32 TK 29, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** Shimano M522 Hollowtech Octalink **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore / SLX **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob



## TNT 20

**FRAME** Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCR RL 29, 100mm, coil / Remote Speed Lockout **CRANKSET** KLS Race integrated **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob



## TNT 10

**FRAME** Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** SR Suntour XCMHLO29, 100mm, coil / Speed Lockout **CRANKSET** KLS Master **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera / Alivio **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob





# SERIES KLC

## Kellys Lady Concept

A woman's world is different from a man's. And any aesthete will tell you the female body is something else entirely. That's why we created our women's optimized bikes, and for touring and racing, too. We've designed frames for the ladies that geometrically fit the feminine form. Lady Sport Geometry frames allow women to use their maximum energy. To achieve perfection and harmony these bikes have been fitted with the highest-quality components. We want the ladies to keep their mystique even when they're playing sports. We know what women desire.





## JOYCE

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** Rock Shox Recon Silver TK Solo Air, 100mm, Solo Air / PopLoc Remote Lockout  
**CRANKSET** KLS Race integrated **SHIFTERS** Shimano Deore SL-M590 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7L Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob





## JANE

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** SR Suntour Raidon RL, 100mm, air / Remote Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / SLX **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob



## ANN

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** SR Suntour XCR LO, 100mm, coil / Speed Lockout **CRANKSET** Shimano Acera **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano Altus / Alivio **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kellys 2.0 Cobra



## BELLE

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kellys 2.0 Cobra



## SUE

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Altus **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra



## COLIBREE WHITE STONE

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M190 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra

## COLIBREE TIFFANY

**FRAME** Kellys WLC Lite 3ple butted - LSG (Lady Sport Geometry) **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M190 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys 2.0 Cobra





# SERIES DIRT

## 100% FUN 0% TRUBBLES

Dirt is a FreeRide Life style.

Kellys Dirt Bikes give you absolute freedom.

Powerful, reinforced frames keep you in the seat over the most daring patches, jumps and free falls.

Our **Bluff** models are built to be bold, for crazy ideas and just unbridled riding! Let's Go Out!




THROW NEW TRICKS  
AND PUSH YOUR LIMITS

DIRT SERIES



RIDE  
YOUR  
LIFE



## BLUFF 50

**FRAME** Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** SR Suntour Duro DJ D 20Qloc - thru axle, 100mm, coil spring / hydraulic damping **CRANKSET** Truvativ Ruktion 1.0 **R/SHIFTER** Sram X5 Trigger, 9-speed **R/DERAILLEUR** Sram X5 **BRAKES** Avid Elixir 1 Hydraulic Disc **HUBS** KLS D20 Disc (20mm front thru axle) **RIMS** KLS Brave Disc **TIRES** Kenda 2.35 Kinetics



## BLUFF 30

**FRAME** Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** RST Dirt T, 100mm, coil spring **CRANKSET** Truvativ Ruktion 1.0 **R/SHIFTER** Shimano Acera SL-M390 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Brave Disc **TIRES** Kenda 2.35 Kinetics





## BLUFF 10 PURPLE

**FRAME** Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano Altus / Acera **BRAKES** Tektro Novela Mechanical Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.35 Kinetics



## BLUFF 10 BLACK

**FRAME** Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano Altus / Acera **BRAKES** Tektro Novela Mechanical Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.35 Kinetics



# SERIES ROAD

**iCAD**<sup>™</sup>  
**CARBON**  
INNOVATIVE CARBON  
ADVANCED DESIGN

**Technology  
& Design**

Do you want to wear the yellow jersey as the fastest rider? Road bikes are the “cheetahs” in our line. Lightweight, sleek and built for speed, they are special machines for special purposes. Our Road model line is designed for extreme performance, so we developed new frames made from black carbon composite fibre with iCAD (Innovative Carbon Advanced Design) technology. We perfected the aerodynamics while increasing frame strength, necessary when sprinting or climbing hills. Models made from either carbon or light aluminium alloys are equipped with the best components the bicycle industry has to offer. Carbon forks are the norm for all models. Take a closer look and see clean energy materialize.





**RIDE  
YOUR  
LIFE**



## URC 9.0

**FRAME** Kellys iCAD RC Carbon Composite **FORK** Kellys Carbon monocoque 1.5 TS  
**CRANKSET** Shimano Dura-Ace 9000 Hollowtech II (53x39) **SHIFTERS** Shimano Dura-Ace  
ST-9000 Dual Control, 22-speed **F/R DERAILLEUR** Shimano Dura-Ace 9000 **BRAKES**  
Shimano Dura-Ace 9000 **WHEELSET** Mavic Ksyrium Elite **TIRES** Schwalbe Ultramo ZX  
folding



## URC 7.0

**FRAME** Kellys iCAD RC Carbon Composite **FORK** Kellys Carbon monoque 1.5 TS **CRANKSET** Shimano Ultegra 6750 Hollowtech II compact (50x34) **SHIFTERS** Shimano Ultegra ST-6700 Dual Control, 20-speed **F/R DERAILLEUR** Shimano Ultegra 6700 **BRAKES** Shimano Ultegra 6700 **WHEELSET** Mavic Aksium **TIRES** Schwalbe Ultramo ZX folding



## URC 5.0

**FRAME** Kellys iCAD RC Carbon Composite **FORK** Kellys Carbon monoque 1.5 TS **CRANKSET** Shimano 105 Hollowtech II compact (50x34) **SHIFTERS** Shimano 105 ST-5700 Dual Control, 20-speed **F/R DERAILLEUR** Shimano 105 **BRAKES** Shimano 105 **WHEELSET** Shimano WH-R510 **TIRES** Schwalbe Ultramo ZX folding



## URC 3.0

**FRAME** Kellys iCAD RC Carbon Composite **FORK** Kellys Dynamic Carbon 1.5 TS **CRANKSET** Shimano Tiagra compact (50x34) **SHIFTERS** Shimano Tiagra ST-4600 Dual Control, 20-speed **F/R DERAILLEUR** Shimano Tiagra **BRAKES** Shimano Tiagra **HUBS** Shimano Tiagra **RIMS** Kellys Spark **TIRES** Schwalbe Lugano



## ARC 5.0

**FRAME** Aluminum alloy 3ple butted **FORK** Kellys Carbon **CRANKSET** Shimano 105 Hollowtech II compact (50x34) **SHIFTERS** Shimano 105 ST-5700 Dual Control, 20-speed **F/R DERAILLEUR** Shimano 105 **BRAKES** Shimano 105 **HUBS** Shimano 105 **RIMS** Kellys Spark **TIRES** Schwalbe Lugano



## ARC 3.0

**FRAME** Aluminum alloy 3ple butted **FORK** Kellys Carbon **CRANKSET** Shimano Tiagra compact (50x34) **SHIFTERS** Shimano Tiagra ST-4600 Dual Control, 20-speed **F/R DERAILEUR** Shimano Tiagra **BRAKES** Shimano Tiagra **HUBS** Shimano Tiagra **RIMS** Kellys Spark **TIRES** Schwalbe Lugano



## ARC 1.0

**FRAME** Aluminum alloy 3ple butted **FORK** Kellys Carbon **CRANKSET** Shimano 2350 compact (50x34) **SHIFTERS** Shimano ST-2300 Dual Control, 16-speed **F/R DERAILEUR** Shimano 2300 **BRAKES** Shimano Sora **HUBS** Shimano 2200 **RIMS** Kellys Spark **TIRES** Schwalbe Lugano

A man with a beard and sunglasses, wearing a blue and white plaid shirt and blue jeans, is sitting on a black bicycle. He is looking down at a smartphone in his hands. The bicycle has "KELLYS" written on the frame and "PHYSIO 30" on the top tube. The background is a blurred outdoor setting with green trees and a building. A blue diagonal graphic element is in the bottom left corner.

**RIDE  
YOUR  
LIFE**





# SERIES FITNESS

## **URBANMOVE** **Feel good for life**

When you say FITNESS, most usually imagine exercising on different weight machines or exercise bicycles in air-conditioned fitness centers. Yet nothing can be more natural and enjoyable than moving about in the fresh air. Our new universal fitness bicycles bring together the unique combined features of a road bike and the comfort of a Citybike.

Urban Move Fitness bicycles are designed especially for active riding with a sporting image in an urban environment.

Get yourself fit and ride a bike to work or school, on a trip or even just to have a coffee with friends...



## PHYSIO 30

**FRAME** Aluminum alloy 3ple butted - Urban Move Concept **FORK** Aluminum alloy **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera / Alivio **BRAKES** Avid Single Digit 3 **HUBS** Shimano 2200 **RIMS** Kellys Spark **TIRES** Schwalbe Spicer 30C - ReflectiveLine



## PHYSIO 50

**FRAME** Aluminum alloy 3ple butted - Urban Move Concept **FORK** Aluminum alloy **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Deore SL-M590 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Deore **BRAKES** Avid Single Digit 3 **HUBS** Shimano Tiagra **RIMS** Kellys Spark **TIRES** Schwalbe Spicer 30C - ReflectiveLine



## PHYSIO 10

**FRAME** Aluminum alloy 3ple butted - Urban Move Concept **FORK** Aluminum alloy **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Tektro **HUBS** Shimano 2200 **RIMS** Kellys Spark **TIRES** Schwalbe Spicer 30C - ReflectiveLine



# SERIES CROSS

## Life is a Journey

Are sports fun for you? Do you ride mainly for the joy of being in motion? Then you need a versatile sport bike. That's why we created our Cross bikes. These "universal soldiers" will always be your reliable partners on any surface. Take them on hills or plains, meadow paths or narrow asphalt roads. Sport Cross Geometry frames are constructed so you never feel tired on long trails. Always looking after your comfort is a suspension fork, comfortable seat, plenty of gears and user-friendly handling. Ease in riding is guaranteed by tyres with low rolling resistance. Ideal for Sunday rides and short tours. Just pick the right direction to go because life is a journey.



**RIDE  
YOUR  
LIFE**



## DEFINITE

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-E RL Lite, 63mm / 75mm, air / Remote Speed Lockout **CRANKSET** Shimano T551 **SHIFTERS** Shimano SLX SL-M670-10 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Hayes Prime Sport Hydraulic Disc **HUBS** Shimano Deore M525 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine



## PHANATIC

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-E RL Lite, 63mm / 75mm, air / Remote Speed Lockout **CRANKSET** SR Suntour XCR V2 integrated **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine



## MASH

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-E LO Lite, 63mm / 75mm, air / Speed Lockout **CRANKSET** SR Suntour XCR V2 integrated **SHIFTERS** Shimano Deore SL-M591 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore / Deore XT **BRAKES** Tektro **HUBS** Shimano Alivio **RIMS** KLS Draft **TIRES** Schwalbe CX Comp - ReflectiveLine



## EVOX

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-D LO Lite, 63mm / 75mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Deore SL-M590 Rapidfire Plus, 27-speed **F/R DERAILEUR** Shimano Alivio / Deore XT **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine



## EXQUISITE

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry)  
**FORK** SR Suntour NCX-D LO Lite, 63mm / 75mm, coil / Speed Lockout  
**CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore XT **BRAKES** Tektro **HUBS** Shimano RM70 **RIMS** KLS Draft **TIRES** Schwalbe CX Comp - ReflectiveLine



## PENELOPE

**FRAME** Kellys Crossforce Lady Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-D LO Lite, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore XT **BRAKES** Tektro **HUBS** Shimano RM70 **RIMS** KLS Draft **TIRES** Schwalbe CX Comp - ReflectiveLine





## CLIFF

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine



## CLEA

**FRAME** Kellys Crossforce Lady Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio SL-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** KLS Helix 7 Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine



## NEOS VAMP

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry)  
**FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed  
**F/R DERAILLEUR** Shimano M191 / Deore **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## NEOS PHOENIX RED

**FRAME** Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR  
**SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Deore **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## TINA DARK TITANIUM

**FRAME** Kellys Crossforce Lady Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Deore **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## TINA PHOENIX RED

**FRAME** Kellys Crossforce Lady Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Deore **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## AXELL

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / SLX **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## AGNES

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Alivio ST-M430 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / SLX **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## COBE NIGHT

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kellys Softline - ReflectiveLine



## COBE TURQUOISE

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kellys Softline - ReflectiveLine



## GRACE NIGHT

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kellys Softline - ReflectiveLine



## GRACE TURQUOISE

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Hayes Dyno Sport Hydraulic Disc **HUBS** Sram MTH-306 Disc **RIMS** KLS Draft Disc **TIRES** Kellys Softline - ReflectiveLine



## AXIS DARK LIME

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## AXIS TITANIUM

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## OMEGA DARK LIME

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine



## OMEGA TITANIUM

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline - ReflectiveLine





## SAPHIX DARK MANGO

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX MLO, 63mm, coil / Mechanical Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## SAPHIX DARK AZURE

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX MLO, 63mm, coil / Mechanical Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## GAMMA DARK MANGO

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX MLO, 63mm, coil / Mechanical Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## GAMMA DARK AZURE

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX MLO, 63mm, coil / Mechanical Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## COACH HELIX

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## COACH MOONLIGHT

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## FLASH HELIX

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## FLASH PURPLE NIGHT

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Apse **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Softline



## STYLUS WHITE

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILEUR** Shimano TX51 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Softline



## STYLUS VAMP

**FRAME** Kellys Crosslite alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILEUR** Shimano TX51 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Softline



## KAPPA PHOENIX RED

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TX51 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Softline



## KAPPA IVORY

**FRAME** Kellys Crosslite alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TX51 / Altus **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Softline



# SERIES TOUR

## An Alternative to Cars

Bicycles were invented mainly to serve you. To get you from Point A to Point B. Today this idea is reaching new – green – dimensions, where bikes are becoming in many cities an alternative to cars. And this has been incorporated into our Tour model line. We have constructed a solid means of transport for any occasion, regardless of weather or lighting conditions. Reliable and convenient, these bikes will not only get you through the urban jungle but also take you along rural roads. We've put great emphasis on ride comfort, easy handling, safety and minimal maintenance. Accessories include fenders, rack, kickstand and lights, while some models include an internal gearbox in the rear hub. An ideal addition for city intersections is a dynamo with a battery in the front hub that keeps the lights on even after you stop. Kellys Tour Bicycles will reliably work for you.





## AERON

**FRAME** Aeroprofile alloy **FORK** SR Suntour NCX-D LO Lite, 63mm, coil / Speed Lockout **CRANKSET** Shimano Deore **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Deore LX **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Alivio **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## MISTY

**FRAME** Aeroprofile alloy lady's **FORK** SR Suntour NCX-D LO Lite, 63mm, coil / Speed Lockout **CRANKSET** Shimano Deore **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Deore LX **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Alivio **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED





## WALKER

**FRAME** Aeroprofile alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## CHELSEA

**FRAME** Aeroprofile alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## LAGOON BLACK

**FRAME** Aeroprofile alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Alivio **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## LAGOON WHITE

**FRAME** Aeroprofile alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Alivio **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## VISAGE BLACK

**FRAME** Aeroprofile alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## VISAGE WHITE

**FRAME** Aeroprofile alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## CARTER

**FRAME** Aeroprofile alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILEUR** Shimano M191 / Altus **BRAKES** Apse **HUBS** Shimano Dynamo hub 3N20 / alloy **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## CRISTY

**FRAME** Aeroprofile alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILEUR** Shimano M191 / Altus **BRAKES** Apse **HUBS** Shimano Dynamo hub 3N20 / alloy **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## ATHOS

**FRAME** hi-ten **FORK** hi-ten unicrown **CRANKSET** Shimano M131 **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TZ31 / TX35 **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Halogen / Büchel Champs Elysees LED

## ATHENA

**FRAME** hi-ten lady's **FORK** hi-ten unicrown **CRANKSET** Shimano M131 **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TZ31 / TX35 **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Busch+Müller Lumotec Halogen / Büchel Champs Elysees LED





## YORK

**FRAME** Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Prowheel  
**SHIFTERS** Shimano Nexus SL-8S20 Revoshift, 8-speed **BRAKES** Tektro / Shimano coaster brake **HUBS**  
Shimano Dynamo hub 3N20 / Nexus 8C31 internal geared hub **RIMS** KLS Draft **TIRES** Rubena Flash 28 x 1.75  
ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## ESTIMA

**FRAME** Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** SR Suntour XCR **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILEUR** Shimano M191 / Acera **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM70 **RIMS** KLS Draft **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED

## AVENUE

**FRAME** Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Shimano M131 **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Acera **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED





## AMBIENTE

**FRAME** Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-8S20 Revoshift, 8-speed **BRAKES** Tektro **HUBS** Shimano Dynamo hub 3N20 / Nexus 8R31 internal geared hub **RIMS** KLS Draft **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED



## MASCARENA

**FRAME** Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Apse / Shimano coaster brake **HUBS** Shimano Dynamo hub 3N20 / Nexus 7C30 Inter-7 internal geared hub **RIMS** KLS Draft **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED





## DOWNTOWN

**FRAME** Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse / Shimano coaster brake **HUBS** Shimano Dynamo hub 3N20 / Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys City **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED

## HARMONY

**FRAME** Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys City **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Busch+Müller Lumotec Halogen / Büchel Champs Elysees LED





## TWIST

**FRAME** Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Apse / Shimano coaster brake **HUBS** Shimano Dynamo hub 3N20 / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys City **TIRES** Rubena Cobra 26 x 1.90 **LIGHTING** Busch+Müller Lumotec Senso Plus / Büchel Champs Elysees LED

## SEASON

**FRAME** Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Apse / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys City **TIRES** Rubena Cobra 26 x 1.90 **LIGHTING** Busch+Müller Lumotec Halogen / Büchel Champs Elysees LED





# SERIES **JUNIOR**

## **Dreams Do Come True**

Remember when you were a kid? What was it like when you got your first bicycle? What would you say now about some of today's Junior bicycles? Oh, they'd make your eyes shine! A bicycle is a great gift for Christmas, birthdays or even just bringing home a good report card. And children's bicycles don't just sit at the edge of our concern. Kellys Junior models have everything adult bicycles have. Children likewise get the benefit of our experience in other categories, so we have created versatile bikes that are safe, easy to handle and not a challenge to maintain. They have a design children love and are ergonomically fitted to different age groups – from the smallest children to teenagers. Childhood à la Junior is really swell.

*Ride  
your  
life!*





## MARC 1

**FRAME** Kellys Hydroforming Aluminum alloy 3ple butted MTB 24" **FORK** RST Capa ML, 50mm, coil / MCU / Mechanical Lockout **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano Altus / Acera **BRAKES** Tektro **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TIRES** CST 24 x 1.95

## MARC 2

**FRAME** Kellys Aluminum alloy MTB 24" **FORK** RST Capa T8, 50mm, coil / MCU **CRANKSET** Prowheel **SHIFTERS** Shimano RS36-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano M190 / Acera **BRAKES** Apse **HUBS** alloy **RIMS** KLS Draft **TIRES** Rubena Winner 24 x 1.90





## MARC 3

**FRAME** Kellys Aluminum alloy MTB 24" **FORK** hi-ten unicrown  
**CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 18-speed **F/R DERAILEUR** Shimano TZ20 / TZ50 **BRAKES** Apse **HUBS** alloy **RIMS** Kellys Waspier **TIRES** Rubena Winner 24 x 1.90

## MARC 4

**FRAME** Kellys Aluminum alloy MTB 20" **FORK** RST Capa C8 T20, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 6-speed **R/DERAILEUR** Shimano FT30 **BRAKES** Apse **HUBS** alloy **RIMS** Remerx RMX21 **TIRES** Rubena Winner 20 x 1.90



## MARC 5

**FRAME** Kellys Aluminum alloy BMX 20" **FORK** BMX hi-ten unicrown  
**CRANKSET** Prowheel, 1-speed chainwheel **BRAKES** Apse / coaster brake **HUBS** alloy / coaster brake hub **RIMS** Remerx RMX21 **TIRES** Rubena Bicross 20 x 1.75 x 2



## MARC 6

**FRAME** Kellys Aluminum alloy MTB 16" **FORK** hi-ten unicrown  
**CRANKSET** 1-speed chainwheel **BRAKES** Apse / coaster brake  
**HUBS** steel / coaster brake hub **RIMS** Remerx RMX20 **TIRES**  
Rubena Winner 16 x 1.75 x 2



## MAGGIE

**FRAME** Kellys Aluminum alloy monotube 24" **FORK** hi-ten unicrown  
**CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed  
**BRAKES** Tektro / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3  
internal geared hub **RIMS** Kellys Wasper **TIRES** Rubena Walrus  
24 x 1.75 x 2 ReflectiveLine



## MIA

**FRAME** Kellys Aluminum alloy monotube 24" **FORK** hi-ten unicrown  
**CRANKSET** Prowheel **SHIFTERS** Shimano SL-RS35-6 Revoshift, 6-speed  
**R/DERAILLEUR** Shimano TZ50 **BRAKES** Tektro **HUBS** alloy **RIMS** Kellys Wasper **TIRES** Rubena Walrus  
24 x 1.75 x 2





## CINDY

**FRAME** Kellys Aluminum alloy monotube 20" **FORK** hi-ten unicrown  
**CRANKSET** Prowheel, 1-speed chainwheel **BRAKES** Tektro / coaster  
 brake **HUBS** alloy / coaster brake hub **RIMS** Remerx RMX21 **TIRES**  
 Rubena Walrus 20 x 1.75 x 2

## EMMA


**FRAME** Kellys Aluminum alloy monotube 16" **FORK** hi-ten  
 unicrown **CRANKSET** 1-speed chainwheel **BRAKES** Apse /  
 coaster brake **HUBS** steel / coaster brake hub **RIMS** Remerx  
 RMX20 **TIRES** Rubena Walrus 16 x 1.75 x 2



series  
**FULLIES**

	KJU:	ORC	RABBLE	SLASH	TYKE
<b>FRAME</b>	Kellys SXC High-Modulus Carbon monocoque / 110mm rear travel	Kellys SXC High-Modulus Carbon monocoque / 110mm rear travel	Kellys SXC High-Modulus Carbon monocoque / 110mm rear travel	Kellys SFS Superlite SDWT 7005 3ple butted / 115mm rear travel	Kellys SFS Superlite SDWT 7005 3ple butted / 115mm rear travel
<b>FRAME SIZE</b>	450mm (17.5") / 490mm (19.5") / 530mm (21")	450mm (17.5") / 490mm (19.5") / 530mm (21")	450mm (17.5") / 490mm (19.5") / 530mm (21")	440mm (17.5") / 490mm (19.5") / 540mm (21.5")	440mm (17.5") / 490mm (19.5") / 540mm (21.5")
<b>FORK</b>	Fox 32 Float Factory FIT CTD Remote Kashima Coat 100mm, air / FIT Damper Technology / CTD 3 / Remote Lockout	Rock Shox SID RL 100mm, Dual Air / Motion Control DNA / PushLoc Remote Lockout	Rock Shox Recon Gold TK Solo Air 100mm, Solo Air / PushLoc Remote Lockout	Fox 32 Float Factory FIT CTD Remote 120mm, air / FIT Damper Technology / CTD 3 / Remote Lockout	Fox 32 Float Evolution O/C CTD 120mm, air / Open Cartridge / CTD 3 / Lockout
<b>HEAD PARTS</b>	KLS Master integrated	KLS Master integrated	KLS Master integrated	KLS Master integrated	KLS Master integrated
<b>B.B.PARTS</b>	-	-	-	-	-
<b>CRANKSET</b>	Shimano Deore XT M780 Hollowtech II (42x32x24)	Shimano Deore XT M780 Hollowtech II (42x32x24)	Shimano M552 (42x32x24)	Shimano M552 (42x32x24)	Shimano M552 (42x32x24)
<b>SHIFTERS</b>	Shimano Deore XT SL-M780-10 Rapidfire Plus	Shimano SLX SL-M670-10 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano SLX (13) SL-M670-10 Rapidfire Plus	Shimano SLX (13) SL-M670-10 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore XT M781 (34.9mm)	Shimano Deore XT M781 (34.9mm)	Shimano Deore M591-10 (34.9mm)	Shimano Deore XT M781 (34.9mm)	Shimano Deore XT M781 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M780	Shimano Deore XT M780	Shimano Deore XT M780	Shimano Deore XT M780	Shimano Deore XT M780
<b>SPEED</b>	30	30	30	30	30
<b>FREEWHEEL</b>	Shimano SLX CS-HG81-10 (11-34)	Shimano SLX CS-HG81-10 (11-34)	Sram PG-1030-10 (11-36)	Sram PG-1050-10 (12-36)	Sram PG-1050-10 (12-36)
<b>CHAIN</b>	Shimano CN-HG74 (108 links)	Shimano CN-HG74 (108 links)	KMC X10 (108 links)	Shimano CN-HG74 (108 links)	Shimano CN-HG74 (108 links)
<b>BRAKES</b>	Shimano Deore XT M785 Hydraulic Disc	Shimano Deore M596 Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Hayes Prime Sport Hydraulic Disc	Hayes Prime Sport Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore XT M785	Shimano Deore M596	KLS Helix 7	Hayes Prime Sport	Hayes Prime Sport
<b>HUBS</b>	-	-	Shimano Deore M525 Disc (32 holes)	-	Shimano Deore M525 Disc (32 holes)
<b>RIMS / WHEELSET</b>	Crank Brothers Cobalt 2 wheel set	Mavic Crossride CL wheel set	KLS WMX Disc 559 x 16.5 (32 holes / eyelets)	Mavic Crossride wheel set	KLS MadMax Disc 559 x 19 (32 holes)
<b>SPOKES</b>	-	-	Sapim - stainless steel black	-	Sapim - stainless steel black
<b>TIRES</b>	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25) folding	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25) folding
<b>STEM</b>	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Race RiseBar (31.8mm)	KLS Race RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)
<b>GRIPS</b>	Kellys LockOn gel	Kellys LockOn gel	Kellys Codex 2Density	Kellys LockOn gel	Kellys LockOn gel
<b>SEAT POST</b>	KLS Race (diam 31.6mm)	KLS Race (diam 31.6mm)	KLS Master (diam 31.6mm)	KLS Master (diam 31.6mm)	KLS Master (diam 31.6mm)
<b>SADDLE</b>	fi'zi:k Gobi XM Mg	fi'zi:k Nisene Mg	fi'zi:k Nisene Mg	fi'zi:k Nisene Mg	fi'zi:k Nisene Mg
<b>PEDALS</b>	Shimano M520 SPD	Shimano M520 SPD	Shimano M505 SPD	Shimano M520 SPD	Shimano M520 SPD
<b>REAR SHOCK</b>	Fox Float Factory CTD - Kashima Coat air / Climb-Trail-Descend (size 165mm)	Rock Shox Monarch RL Solo Air / Lockout (size 165mm)	Rock Shox Monarch RL Solo Air / Lockout (size 165mm)	Fox Float Performance CTD BV air / Climb-Trail-Descend (size 165mm)	Fox Float Evolution CTD air / Climb-Trail-Descend (size 165mm)

Specifications are subject to change without notice.



**FULLIES: Kellys SXC High-Modulus Carbon monocoque**

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
450mm (17.5")	450	592	120	73.5°	69°	10	430	1107.8
490mm (19.5")	490	617	140	73.5°	69°	10	430	1134.5
530mm (21")	530	640	160	73.5°	69°	10	430	1159.1


model: Kju., Orc, Rabble



	<b>FOLLY</b>	<b>BLOG</b>	<b>WANDAL</b>	<b>BEAST</b>	<b>SABOTAGE *</b>
<b>FRAME</b>	Kellys SFS Superlite SDWT 7005 3ple butted / 115mm rear travel	Kellys SFS Superlite SDWT 7005 3ple butted / 115mm rear travel	Kellys SFS Superlite SDWT 7005 3ple butted / 115mm rear travel	Kellys SFS Superlite SDWT 7005 3ple butted / 115mm rear travel	Kellys iCAD HT Carbon Composite
<b>FRAME SIZE</b>	440mm (17.5") / 490mm (19.5") / 540mm (21.5")	440mm (17.5") / 490mm (19.5") / 540mm (21.5")	440mm (17.5") / 490mm (19.5") / 540mm (21.5")	440mm (17.5") / 490mm (19.5") / 540mm (21.5")	S / M / L
<b>FORK</b>	Rock Shox Sektor TK Solo Air - Maxle Lite 15mm axle 130mm, Solo Air / PushLoc Remote Lockout	Rock Shox Recon Silver TK Solo Air 120mm, Solo Air / PopLoc Remote Lockout	SR Suntour Raidon RL 120mm, air / Remote Speed Lockout	SR Suntour Raidon RL 120mm, air / Remote Speed Lockout	Fox 32 Float Factory FIT CTD Remote Kashima Coat 100mm, air / FIT Damper Technology / CTD 3 / Remote Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Race integrated
<b>B.B.PARTS</b>	-	-	Shimano Octalink cartridge (113mm)	VP cartridge (126mm)	-
<b>CRANKSET</b>	Sram X5 GXP (44x3x22)	KLS Race integrated (44x3x22)	Shimano M522 Hollowtech Octalink (44x3x24)	Shimano Acera M391 (44x3x22)	Shimano XTR M985 Hollowtech II (44x30)
<b>SHIFTERS</b>	Sram X7 10-speed Trigger	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano XTR SL-M980 Rapidfire Plus
<b>F/DERAILLEUR</b>	Sram X7 10-speed (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Deore M591-10 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano XTR M986 (34.9mm)
<b>R/DERAILLEUR</b>	Sram X9 10-speed	Shimano Deore XT M772	Shimano Deore M593	Shimano Deore M591	Shimano XTR M980
<b>SPEED</b>	30	27	30	27	20
<b>FREEWHEEL</b>	Sram PG-1030-10 (11-36)	Sram PG-950-9 (11-34)	Sram PG-1030-10 (11-36)	Shimano CS-HG20-9 (11-34)	Shimano Deore XT CS-M771-10 (11-36)
<b>CHAIN</b>	KMC X10 (110 links)	KMC Z99 (110 links)	KMC X10 (110 links)	KMC Z99 (110 links)	Shimano CN-HG74 (110 links)
<b>BRAKES</b>	Avid Elixir 3 Hydraulic Disc	KLS Helix 7L Hydraulic Disc	KLS Helix 7 Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Shimano XTR M985 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Avid Elixir 3	KLS Helix 7L	KLS Helix 7	KLS Helix 7	Shimano XTR M988
<b>HUBS</b>	Kellys Stormer 15DH-FR Disc (15mm thru axle) / Shimano Deore M525 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	-
<b>RIMS / WHEELSET</b>	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	Crank Brothers Cobalt 2 wheel set
<b>SPOKES</b>	Sapim - stainless steel black	stainless steel black	stainless steel black	stainless steel black	-
<b>TIRES</b>	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25) folding	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Maxxis Maxxliite 285 50-559 (26 x 2.0) folding
<b>STEM</b>	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS RacePro Carbon (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS RacePro Carbon (31.8mm)
<b>GRIPS</b>	Kellys LockOn gel	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	KLS foam
<b>SEAT POST</b>	KLS Master (diam 31.6mm)	KLS Master (diam 31.6mm)	KLS Expert (diam 31.6mm)	KLS Expert (diam 31.6mm)	KLS RacePro Carbon (diam 31.6mm)
<b>SADDLE</b>	fi'zi:k Nisene Mg	Selle Royal Mach	Selle Royal Mach	Selle Royal Mach	fi'zi:k Gobi XM Mg
<b>PEDALS</b>	Shimano M505 SPD	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	Shimano M520 SPD
<b>REAR SHOCK</b>	Rock Shox Monarch RL Solo Air / Lockout (size 165mm)	Rock Shox Monarch RL Solo Air / Lockout (size 165mm)	Rock Shox Monarch RL Solo Air / Lockout (size 165mm)	Rock Shox Monarch R Solo Air / Rebound (size 165mm)	-

Specifications are subject to change without notice.

\*Sabotage is not available in Germany



**FULLIES:** Kellys SFS Superlite SDWT 7005 triple butted


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
440mm (17.5")	440	595	120	73°	69°	10	425	1102.1
490mm (19.5")	490	620	130	73°	69°	10	425	1127.9
540mm (21.5")	540	650	140	73°	69°	10	425	1158.6

model: Slash, Tyke, Folly, Blog, Wandal, Beast

series  
**HARDTAIL**

	HACKER	RAPTOR	MOBSTER	MYSTERY	THORX 90
<b>FRAME</b>	Kellys iCAD HT Carbon Composite	Kellys iCAD HT Carbon Composite	Kellys iCAD HT Carbon Composite	Kellys iCAD HT Carbon Composite	Kellys 6BOX SWT 6061 3ple butted - Race Geometry
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Rock Shox SID RLT 100mm, Dual Air / Motion Control DNA / PushLoc Remote Lockout	Fox 32 Float Factory FIT CTD Remote 100mm, air / FIT Damper Technology / CTD 3 / Remote Lockout	Rock Shox Reba Solo Air RL 100mm, Solo Air / Motion Control / PushLoc Remote Lockout	Rock Shox Recon Gold TK Solo Air 100mm, Solo Air / PushLoc Remote Lockout	Fox 32 Float Factory FIT CTD Remote 100mm, air / FIT Damper Technology / CTD 3 / Remote Lockout
<b>HEAD PARTS</b>	KLS Race integrated	KLS Race integrated	KLS Master integrated	KLS Master integrated	KLS Master integrated
<b>B.B.PARTS</b>	-	-	-	-	-
<b>CRANKSET</b>	Truvativ X0 GXP (44x33x22)	Shimano Deore XT M780 Hollowtech II (42x32x24)	Shimano Deore XT M780 Hollowtech II (42x32x24)	Shimano M552 (42x32x24)	Shimano Deore XT M780 Hollowtech II (42x32x24)
<b>SHIFTERS</b>	Sram X0 10-speed Trigger	Shimano Deore XT SL-M780-10 Rapidfire Plus	Shimano SLX (13) SL-M670-10 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano Deore XT SL-M780-10 Rapidfire Plus
<b>F/DERAILLEUR</b>	Sram X9 10-speed (34.9mm)	Shimano Deore XT M781 (34.9mm)	Shimano Deore XT M781 (34.9mm)	Shimano Deore M591-10 (34.9mm)	Shimano Deore XT M781 (34.9mm)
<b>R/DERAILLEUR</b>	Sram X0 10-speed	Shimano XTR M980	Shimano Deore XT M780	Shimano Deore XT M780	Shimano Deore XT M780
<b>SPEED</b>	30	30	30	30	30
<b>FREEWHEEL</b>	Sram PG-1050-10 (11-32)	Shimano Deore XT CS-M771-10 (11-34)	Sram PG-1030-10 (11-36)	Sram PG-1030-10 (11-36)	Sram PG-1050-10 (12-36)
<b>CHAIN</b>	KMC X10 (108 links)	Shimano CN-HG74 (108 links)	KMC X10 (108 links)	KMC X10 (108 links)	Shimano CN-HG74 (108 links)
<b>BRAKES</b>	Avid X0 Hydraulic Disc	Hayes Prime Sport Hydraulic Disc	Hayes Prime Sport Hydraulic Disc	Avid Elixir 3 Hydraulic Disc	Shimano Deore XT M785 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Avid X0	Hayes Prime Sport	Hayes Prime Sport	Avid Elixir 3	Shimano Deore XT M785
<b>HUBS</b>	-	-	Shimano Deore M525 Disc (32 holes)	Shimano M475 Disc (32 holes)	Shimano Deore XT M785 Disc Center Lock (32 holes)
<b>RIMS / WHEELSET</b>	Crank Brothers Cobalt 2 wheel set	Mavic Crossride wheel set	KLS MadMax Disc 559 x 19 (32 holes)	KLS MadMax Disc 559 x 19 (32 holes)	KLS MadMax Disc 559 x 19 (32 holes)
<b>SPOKES</b>	-	-	Sapim - stainless steel black	Sapim - stainless steel black	Sapim - stainless steel black
<b>TIRES</b>	Maxxis Maxxlite 285 50-559 (26 x 2.0) folding	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding
<b>STEM</b>	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Race (31.8mm)	KLS Race (31.8mm)	KLS Race (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)
<b>GRIPS</b>	KLS foam	Kellys LockOn gel	Kellys LockOn gel	Kellys LockOn gel	KLS foam
<b>SEAT POST</b>	KLS Race (diam 31.6mm)	KLS Race (diam 31.6mm)	KLS Race (diam 31.6mm)	KLS Master (diam 31.6mm)	KLS Master (diam 31.6mm)
<b>SADDLE</b>	fi'zi:k Gobi XM Mg	fi'zi:k Gobi XM Mg	fi'zi:k Nisene Mg	fi'zi:k Nisene Mg	fi'zi:k Nisene Mg
<b>PEDALS</b>	Shimano M520 SPD	Shimano M520 SPD	Shimano M520 SPD	Shimano M520 SPD	Shimano M520 SPD

Specifications are subject to change without notice.



**HARDTAIL:** Kellys iCAD HT Carbon Composite


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
S	430	574.3	115	73°	71°	38	425	1052.1
M	460	590	130	73°	71°	38	425	1068.3
L	500	605	155	74°	71°	38	425	1095.9

model: Sabotage, Hacker, Raptor, Mobster, Mystery

series  
**HARDTAIL**

	THORX 80	THORX 70	THORX 50	THORX 30	THORX 10
<b>FRAME</b>	Kellys 6BOX SWT 6061 3ple butted - Race Geometry	Kellys 6BOX SWT 6061 3ple butted - Race Geometry	Kellys 6BOX SWT 6061 3ple butted - Race Geometry	Kellys 6BOX SWT 6061 3ple butted - Race Geometry	Kellys 6BOX SWT 6061 3ple butted - Race Geometry
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Rock Shox Reba Solo Air RL 100mm, Solo Air / Motion Control / PushLoc Remote Lockout	Fox 32 Float Factory FIT CTD Remote 100mm, air / FIT Damper Technology / CTD 3 / Remote Lockout	Rock Shox Reba Solo Air RL 100mm, Solo Air / Motion Control / PushLoc Remote Lockout	Rock Shox Recon Silver TK Solo Air 100mm, Solo Air / PopLoc Remote Lockout	Rock Shox Recon Silver TK Solo Air, 100mm, Solo Air / TurnKey Lockout
<b>HEAD PARTS</b>	KLS Master integrated	KLS Master integrated	KLS Master integrated	KLS Expert integrated	KLS Master integrated
<b>B.B.PARTS</b>	-	-	-	-	-
<b>CRANKSET</b>	Shimano Deore XT M780 Hollowtech II (42x32x24)	Shimano Deore XT M780 Hollowtech II (42x32x24)	Shimano M552 (42x32x24)	Shimano M552 (42x32x24)	Shimano Deore XT M780 Hollowtech II (42x32x24)
<b>SHIFTERS</b>	Shimano Deore XT SL-M780-10 Rapidfire Plus	Shimano Deore XT SL-M780-10 Rapidfire Plus	Sram X9 10-speed Trigger	Shimano Deore SL-M591 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore XT M781 (34.9mm)	Shimano Deore XT M781 (34.9mm)	Shimano Deore XT M781 (31.8mm)	Shimano Deore M591-10 (34.9mm)	Shimano Deore M591-10 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M780	Shimano Deore XT M780	Sram X9 10-speed	Shimano Deore XT M780	Shimano Deore XT M780
<b>SPEED</b>	30	30	30	30	30
<b>FREEWHEEL</b>	Sram PG-1050-10 (12-36)	Sram PG-1030-10 (11-36)	Sram PG-1050-10 (12-36)	Sram PG-1030-10 (11-36)	Sram PG-1030-10 (11-36)
<b>CHAIN</b>	Shimano CN-HG74 (108 links)	KMC X10 (108 links)	Shimano CN-HG74 (108 links)	KMC X10 (108 links)	KMC X10 (108 links)
<b>BRAKES</b>	Shimano Deore XT M785 Hydraulic Disc	Avid Elixir 5 Hydraulic Disc	Avid Elixir 9 (13) Hydraulic Disc	KLS Helix 7L Hydraulic Disc	KLS Helix 7L Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore XT M785	Avid Elixir 5	Avid Elixir 9 (13)	KLS Helix 7L	KLS Helix 7L
<b>HUBS</b>	Shimano Deore XT M785 Disc Center Lock (32 holes)	Shimano Deore M525 Disc (32 holes)	Shimano Deore M525 Disc (32 holes)	Shimano M475 Disc (32 holes)	Sram MTH-306 Disc (32 holes)
<b>RIMS</b>	KLS MadMax Disc 559 x 19 (32 holes)	KLS MadMax Disc 559 x 19 (32 holes)	KLS MadMax Disc 559 x 19 (32 holes)	KLS MadMax Disc 559 x 19 (32 holes)	KLS MadMax Disc 559 x 19 (32 holes)
<b>SPOKES</b>	Sapim - stainless steel black	Sapim - stainless steel black	Sapim - stainless steel black	Sapim - stainless steel black	stainless steel black
<b>TIRES</b>	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 54-559 (26 x 2.10) folding	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)
<b>STEM</b>	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
<b>GRIPS</b>	Kellys LockOn gel	Kellys LockOn gel	Kellys LockOn gel	Kellys Codex 2Density	Kellys Codex 2Density
<b>SEAT POST</b>	KLS Master (diam 31.6mm)	KLS Expert (diam 31.6mm)	KLS Master (diam 31.6mm)	KLS Expert (diam 31.6mm)	KLS Expert (diam 31.6mm)
<b>SADDLE</b>	fi'zi:k Nisene Mg	KLS Falcon	KLS Falcon	KLS Falcon	KLS Falcon
<b>PEDALS</b>	Shimano M505 SPD	Shimano M505 SPD	Shimano M505 SPD	KLS Master - alloy	Shimano M505 SPD

Specifications are subject to change without notice.



**HARDTAIL:** Kellys 6Box SWT 6061 triple butted - Race Geometry


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
S	415	580	110	72.5°	71°	31	425	1051.0
M	465	600	120	72.5°	71°	31	425	1071.5
L	515	620	140	72.5°	71°	31	425	1093.0

model: Thorx 90, Thorx 80, Thorx 70, Thorx 50, Thorx 30, Thorx 10

series  
**HARDTAIL**

	COOL TOOL MASTER	COOL TOOL EXPERT	COOL TOOL	MAGNUS	MAGIC MASTER
<b>FRAME</b>	Kellys LiteTrail Superlite SDWT 7005 3ple butted - Trail Geometry	Kellys LiteTrail Superlite SDWT 7005 3ple butted - Trail Geometry	Kellys LiteTrail Superlite SDWT 7005 3ple butted - Trail Geometry	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)
<b>FRAME SIZE</b>	440mm (17.5") / 490mm (19.5") / 530mm (21")	440mm (17.5") / 490mm (19.5") / 530mm (21")	440mm (17.5") / 490mm (19.5") / 530mm (21")	445mm (17.5") / 495mm (19.5") / 545mm (21.5")	445mm (17.5") / 495mm (19.5") / 545mm (21.5")
<b>FORK</b>	Rock Shox Recon Silver TK Solo Air 120mm, Solo Air / PopLoc Remote Lockout	SR Suntour Raidon RL 120mm, air / Remote Speed Lockout	SR Suntour XCR RL 120mm, coil / Remote Speed Lockout	Rock Shox Recon Silver TK Solo Air 100mm, Solo Air / PopLoc Remote Lockout	SR Suntour Raidon RL 100mm, air / Remote Speed Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	-	VP cartridge (126mm)	VP cartridge (126mm)	Shimano Octalink cartridge (113mm)	Shimano Octalink cartridge (113mm)
<b>CRANKSET</b>	KLS Race integrated (44x32x22)	Shimano Acera M391 (44x32x22)	Shimano Acera M391 (44x32x22)	Shimano M522 Hollowtech Octalink (44x32x24)	Shimano M522 Hollowtech Octalink (44x32x24)
<b>SHIFTERS</b>	Shimano Deore SL-M590 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Alivio M431 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Deore M591-10 (34.9mm)	Shimano Deore M591-10 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M772	Shimano Deore M591	Shimano Acera M390	Shimano Deore XT M780	Shimano Deore XT M780
<b>SPEED</b>	27	27	27	30	30
<b>FREEWHEEL</b>	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Shimano CS-HG20-9 (11-34)	Sram PG-1030-10 (11-36)	Sram PG-1030-10 (11-36)
<b>CHAIN</b>	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC X10 (108 links)	KMC X10 (108 links)
<b>BRAKES</b>	KLS Helix 7L Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Tektro	KLS Helix 7L Hydraulic Disc	KLS Helix 7 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	-	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	KLS Helix 7L	KLS Helix 7	Tektro	KLS Helix 7L	KLS Helix 7
<b>BRAKE INNER WIRE</b>	-	-	Driving Force SCS (SlickCableSystem)	-	-
<b>HUBS</b>	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	alloy / Shimano RM30 (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel	stainless steel black	stainless steel black
<b>TIRES</b>	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)
<b>STEM</b>	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
<b>GRIPS</b>	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys LockOn gel	Kellys Codex 2Density
<b>SEAT POST</b>	KLS Master (diam 31.6mm)	KLS Expert (diam 31.6mm)	KLS Expert (diam 31.6mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)
<b>SADDLE</b>	fi'zi:k Nisene Mg	fi'zi:k Nisene Mg	Selle Royal Mach	KLS Apex	KLS Apex
<b>PEDALS</b>	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy

Specifications are subject to change without notice.



**HARDTAIL:** Kellys LiteTrail Superlite SDWT 7005 triple butted - Trail Geometry


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
440mm (17.5")	440	595	120	72.5°	69°	25	425	1091.4
490mm (19.5")	490	620	130	72.5°	69°	25	425	1117.0
530mm (21")	530	650	140	72.5°	69°	25	425	1147.7

model: Cool Tool Master, Cool Tool Expert, Cool Tool

series  
**HARDTAIL**

	MAGIC EXPERT	MAGIC	SALAMANDER	OXYGEN EXPERT	OXYGEN
<b>FRAME</b>	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)
<b>FRAME SIZE</b>	445mm (17.5") / 495mm (19.5") / 545mm (21.5")	445mm (17.5") / 495mm (19.5") / 545mm (21.5")	395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	445mm (17.5") / 495mm (19.5") / 545mm (21.5")	AZURE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") SHADOW GOLD 445mm (17.5") / 495mm (19.5") / 545mm (21.5") / 580mm (23")
<b>FORK</b>	Rock Shox XC 32 TK 100mm, coil / TurnKey Lockout	Rock Shox XC 32 TK 100mm, coil / TurnKey Lockout	Rock Shox XC 32 TK 100mm, coil / TurnKey Lockout	Rock Shox XC 32 TK 100mm, coil / TurnKey Lockout	SR Suntour XCR LO 100mm, coil / Speed Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	-	-	-	VP cartridge (116mm)	VP cartridge (126mm)
<b>CRANKSET</b>	Sram X5 GXP (44x32x22)	KLS Race integrated (44x32x22)	KLS Race integrated (44x32x22)	KLS Master (44x32x22)	Shimano Acera M391 (44x32x22)
<b>SHIFTERS</b>	Sram X5 Trigger	Shimano Deore SL-M590 Rapidfire Plus	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus
<b>F/DERAILLEUR</b>	Sram X5 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Acera M390 (34.9mm)
<b>R/DERAILLEUR</b>	Sram X7 10-speed	Shimano Deore M591	Shimano Deore M591	Shimano Deore M591	Shimano Deore M591
<b>SPEED</b>	30	27	27	27	27
<b>FREEWHEEL</b>	Sram PG-1030-10 (11-36)	Sram PG-950-9 (11-34)	Shimano CS-HG20-9 (11-34)	Shimano CS-HG20-9 (11-34)	Shimano CS-HG20-9 (11-34)
<b>CHAIN</b>	KMC X10 (108 links)	KMC X9 (108 links)	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC Z99 (108 links)
<b>BRAKES</b>	KLS Helix 7 Hydraulic Disc	KLS Helix 7L Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	KLS Helix 7	KLS Helix 7L	KLS Helix 7	Hayes Dyno Sport	Hayes Dyno Sport
<b>BRAKE INNER WIRE</b>	-	-	-	-	-
<b>HUBS</b>	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TIRES</b>	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rocket Ron Performance 57-559 (26 x 2.25)	Schwalbe Rapid Rob 54-559 (26 x 2.10)
<b>STEM</b>	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
<b>GRIPS</b>	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density
<b>SEAT POST</b>	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)
<b>SADDLE</b>	KLS Apex	KLS Apex	KLS Apex	KLS Apex	KLS Apex
<b>PEDALS</b>	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy

Specifications are subject to change without notice.



**HARDTAIL:** Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
395mm (15.5")	395	560	100	72.5°	70°	32	420	1037.1
445mm (17.5")	445	580	110	72.5°	70°	32	420	1057.6
495mm (19.5")	495	600	120	72.5°	70°	32	420	1078.1
545mm (21.5")	545	620	140	72.5°	70°	32	420	1099.0
580mm (23")	580	640	160	72.5°	70°	32	420	1119.9

model: Magnus, Magic Master, Magic Expert, Magic, Salamander, Oxygen Expert, Oxygen, Quartz, Spider, Scarpe

series  
**HARDTAIL**

	QUARTZ	SPIDER	SCARPE	VIPER 60	VIPER 50
<b>FRAME</b>	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)
<b>FRAME SIZE</b>	VAMP 445mm (17.5") / 495mm (19.5") / 545mm (21.5") WHITE 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	TURQUOISE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") LIME ACCENT 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	RACE RED 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") / 580mm (23") MELBOURNE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	NIGHT 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") DARK LIME 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	BLUE ACCENT 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") TITANIUM 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")
<b>FORK</b>	SR Suntour XCR RL 100mm, coil / Remote Speed Lockout	SR Suntour XCT 100mm, coil spring	SR Suntour XCM HLO 100mm, coil / Speed Lockout	SR Suntour XCT MLO 100mm, coil / Mechanical Lockout	SR Suntour XCT 100mm, coil spring
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	VP cartridge (126mm)	VP cartridge (126mm)	VP cartridge (126mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)
<b>CRANKSET</b>	Shimano Acera M391 (44x32x22)	Shimano Acera M361 (42x32x22)	Shimano Acera M391 (44x32x22)	SR Suntour XCT (42x32x22)	SR Suntour XCT (42x32x22)
<b>SHIFTERS</b>	Shimano Alivio SL-M430 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF51-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano Alivio M431 (34.9mm)	Shimano Altus M311 (34.9mm)	Shimano Acera M390 (34.9mm)	Shimano M190 (31.8mm)	Shimano M190 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Deore M591	Shimano Acera M390	Shimano Acera M390	Shimano Alivio M430	Shimano Alivio M430
<b>SPEED</b>	27	24	27	24	24
<b>FREEWHEEL</b>	Shimano CS-HG20-9 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG20-9 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)
<b>CHAIN</b>	KMC Z99 (108 links)	KMC Z7 (108 links)	KMC Z99 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
<b>BRAKES</b>	Tektro	Hayes Dyno Sport Hydraulic Disc	Tektro	Hayes Dyno Sport Hydraulic Disc	Tektro Novela Mechanical Disc
<b>BRAKE ROTORS</b>	-	160mm front / 160mm rear	-	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Tektro	Hayes Dyno Sport	Tektro	Hayes Dyno Sport	Shimano ST-EF51-8 EZ-fire Plus
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	-	Driving Force SCS (SlickCableSystem)	-	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	alloy / Shimano RM30 (32 holes)	Sram MTH-306 Disc (32 holes)	alloy / Shimano RM30 (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)
<b>RIMS</b>	KLS Draft 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)
<b>SPOKES</b>	stainless steel	stainless steel black	stainless steel	stainless steel	stainless steel
<b>TIRES</b>	Schwalbe Rapid Rob 54-559 (26 x 2.10)	Schwalbe Rapid Rob 54-559 (26 x 2.10)	Kellys Cobra 50-559 (26 x 2.0)	Kenda Kinetics 54-559 (26 x 2.10)	Kenda Kinetics 54-559 (26 x 2.10)
<b>STEM</b>	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	Kalloy (diam 28.6mm / 15°)	Kalloy (diam 28.6mm / 15°)
<b>HANDLEBAR</b>	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)
<b>GRIPS</b>	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density
<b>SEAT POST</b>	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)
<b>SADDLE</b>	KLS Apex	KLS Apex	KLS Apex	KLS DriveLine	KLS DriveLine
<b>PEDALS</b>	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	plastic	plastic

Specifications are subject to change without notice.



**HARDTAIL: Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)**

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
395mm (15.5")	395	560	100	72.5°	70°	32	420	1037.1
445mm (17.5")	445	580	110	72.5°	70°	32	420	1057.6
495mm (19.5")	495	600	120	72.5°	70°	32	420	1078.0
545mm (21.5")	545	620	140	72.5°	70°	32	420	1098.9

model: Viper 60, Viper 50, Viper 40, Viper 30, Viper 20, Viper 10


	VIPER 40	VIPER 30	VIPER 20	VIPER 10	TNT 90
<b>FRAME</b>	Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)	Kellys Alutec Lite 6061 - RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted - RRC Geometry (Race Ready Concept)
<b>FRAME SIZE</b>	WHITE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") BLACK 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	RACE BLACK 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") SHADOW GOLD 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	DARK LIME 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") TURQUOISE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	DARK ORANGE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") PHOENIX RED 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	430mm (17") / 480mm (19") / 530mm (21")
<b>FORK</b>	SR Suntour XCT 100mm, coil spring	SR Suntour XCT 100mm, coil spring	SR Suntour XCT 100mm, coil spring	SR Suntour M3020-A 63mm, coil spring	Rock Shox Reba 29 Solo Air RL 100mm, Solo Air / PushLoc Remote Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	KLS Master integrated
<b>B.B.PARTS</b>	SR Suntour cartridge (113mm)	VP cartridge (120mm)	VP cartridge (120mm)	VP cartridge (120mm)	-
<b>CRANKSET</b>	SR Suntour XCT (42x32x22)	Prowheel (42x34x24)	Prowheel (42x34x24)	Prowheel (42x34x24)	Shimano Deore XT M780 Hollowtech II (42x32x24)
<b>SHIFTERS</b>	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano SLX (13) SL-M670-10 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano M190 (31.8mm)	Shimano TY10 (31.8mm)	Shimano TY10 (31.8mm)	Shimano TY10 (31.8mm)	Shimano Deore XT M781 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M430	Shimano Acera M360	Shimano Acera M360	Shimano Altus M280	Shimano Deore XT M780
<b>SPEED</b>	24	24	21	21	30
<b>FREEWHEEL</b>	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano MF-TZ21 (14-28)	Shimano MF-TZ21 (14-28)	Sram PG-1030-10 (11-36)
<b>CHAIN</b>	KMC Z7 (108 links)	KMC Z7 (108 links)	KMC Z51 (108 links)	KMC Z51 (108 links)	KMC X10 (112 links)
<b>BRAKES</b>	Tektro	Apse	Apse	Apse	Hayes Stroker Ryde Comp Hydraulic Disc
<b>BRAKE ROTORS</b>	-	-	-	-	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Hayes Stroker Ryde Comp
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	-
<b>HUBS</b>	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)	alloy (32 holes)	alloy (32 holes)	Shimano M525 Disc (32 holes)
<b>RIMS</b>	KLS Draft 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)
<b>SPOKES</b>	stainless steel	stainless steel	steel U.C.P.	steel U.C.P.	Sapim - stainless steel black
<b>TIRES</b>	Kellys Cobra 50-559 (26 x 2.0)	Kellys Cobra 50-559 (26 x 2.0)	Kellys Cobra 50-559 (26 x 2.0)	Kellys Cobra 50-559 (26 x 2.0)	Schwalbe Rapid Rob 57-622 (29 x 2.25)
<b>STEM</b>	Kalloy (diam 28.6mm / 15°)	Kalloy (diam 28.6mm / 15°)	Kalloy (diam 28.6mm / 15°)	Kalloy (diam 28.6mm / 15°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	KLS Race RiseBar (31.8mm)
<b>GRIPS</b>	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys LockOn gel
<b>SEAT POST</b>	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)	KLS Race (diam 30.9mm)
<b>SADDLE</b>	KLS DriveLine	KLS DriveLine	KLS DriveLine	KLS DriveLine	fi'zi:k Nisene Mg
<b>PEDALS</b>	plastic	plastic	plastic	plastic	KLS Master - alloy

Specifications are subject to change without notice.

series  
**HARDTAIL 29**

	TNT 70	TNT 50	TNT 30	TNT 20	TNT 10
<b>FRAME</b>	Kellys RideLite Premium 29 6061 3ple butted - RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted - RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted - RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted - RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted - RRC Geometry (Race Ready Concept)
<b>FRAME SIZE</b>	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")
<b>FORK</b>	Rock Shox Recon Gold TK 29 Solo Air 100mm, Solo Air / PushLoc Remote Lockout	Rock Shox Recon Silver TK 29 Solo Air 100mm, Solo Air / PopLoc Remote Lockout	Rock Shox XC 32 TK 29 100mm, Solo Air / PopLoc Remote Lockout	SR Suntour XCR RL 29 100mm, coil / Remote Speed Lockout	SR Suntour XCM HLD 29 100mm, coil / Speed Lockout
<b>HEAD PARTS</b>	KLS Master integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	-	Shimano Octalink cartridge (113mm)	Shimano Octalink cartridge (113mm)	-	VP cartridge (116mm)
<b>CRANKSET</b>	Shimano M552 (42x32x24)	Shimano M522 Hollowtech Octalink (44x32x24)	Shimano M522 Hollowtech Octalink (44x32x24)	KLS Race integrated (44x32x22)	KLS Master (44x32x22)
<b>SHIFTERS</b>	Shimano SLX (13) SL-M670-10 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore XT M781 (34.9mm)	Shimano Deore M591-10 (34.9mm)	Shimano Deore M591-10 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Acera M390 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M780	Shimano Deore XT M780	Shimano SLX (13) M670	Shimano Deore M591	Shimano Alivio M430
<b>SPEED</b>	30	30	30	27	27
<b>FREEWHEEL</b>	Sram PG-1030-10 (11-36)	Sram PG-1030-10 (11-36)	Sram PG-1030-10 (11-36)	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)
<b>CHAIN</b>	KMC X10 (112 links)	KMC X10 (114 links)	KMC X10 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)
<b>BRAKES</b>	Hayes Stroker Ryde Comp Hydraulic Disc	KLS Helix 7L Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Hayes Stroker Ryde Comp	KLS Helix 7L	KLS Helix 7	Hayes Dyno Sport	Hayes Dyno Sport
<b>BRAKE INNER WIRE</b>	-	-	-	-	-
<b>HUBS</b>	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)
<b>SPOKES</b>	Sapim - stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TIRES</b>	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)
<b>STEM</b>	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
<b>GRIPS</b>	Kellys LockOn gel	Kellys LockOn gel	Kellys LockOn gel	Kellys Codex 2Density	Kellys Codex 2Density
<b>SEAT POST</b>	KLS Master (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)
<b>SADDLE</b>	fi'zi:k Nisene Mg	Selle Royal Mach	Selle Royal Mach	Selle Royal Mach	Selle Royal Mach
<b>PEDALS</b>	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy

Specifications are subject to change without notice.



**HARDTAIL 29:** Kellys RideLite Premium 29 6061 triple butted - RRC Geometry (Race Ready Concept)

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	600	100	72.5°	70°	53	450	1106.0
480mm (19")	480	620	110	72.5°	70°	53	450	1126.4
530mm (21")	530	640	120	72.5°	70°	53	450	1147.0


model: TNT 90, TNT 70, TNT 50, TNT 30, TNT 20, TNT 10



series  
**KLC KELLYS LADY CONCEPT**

	JOYCE	JANE	ANN	BELLE	SUE
<b>FRAME</b>	Kellys WLC Lite 6061 3ple butted - LSG (Lady Sport Geometry)	Kellys WLC Lite 6061 3ple butted - LSG (Lady Sport Geometry)	Kellys WLC Lite 6061 3ple butted - LSG (Lady Sport Geometry)	Kellys WLC Lite 6061 3ple butted - LSG (Lady Sport Geometry)	Kellys WLC Lite 6061 3ple butted - LSG (Lady Sport Geometry)
<b>FRAME SIZE</b>	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")
<b>FORK</b>	Rock Shox Recon Silver TK Solo Air 100mm, Solo Air / PopLoc Remote Lockout	SR Suntour Raidon RL 100mm, air / Remote Speed Lockout	SR Suntour XCR LO 100mm, coil / Speed Lockout	SR Suntour XCM HLO 100mm, coil / Speed Lockout	SR Suntour XCM HLO 100mm, coil / Speed Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	-	VP cartridge (126mm)	VP cartridge (126mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)
<b>CRANKSET</b>	KLS Race integrated (44x32x22)	Shimano Acera M391 (44x32x22)	Shimano Acera M361 (42x32x22)	SR Suntour XCT (42x32x22)	SR Suntour XCT (42x32x22)
<b>SHIFTERS</b>	Shimano Deore SL-M590 Rapidfire Plus	Shimano Alivio SL-M430 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF51-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano Deore M591-10 (34.9mm)	Shimano Alivio M431 (34.9mm)	Shimano Altus M311 (34.9mm)	Shimano M190 (34.9mm)	Shimano M190 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M772	Shimano SLX (13) M670	Shimano Alivio M430	Shimano Acera M360	Shimano Altus M310
<b>SPEED</b>	27	27	24	24	24
<b>FREEWHEEL</b>	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)
<b>CHAIN</b>	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
<b>BRAKES</b>	KLS Helix 7L Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc	Tektro
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	-
<b>BRAKE LEVERS</b>	KLS Helix 7L	KLS Helix 7	Hayes Dyno Sport	Hayes Dyno Sport	Shimano ST-EF51-8 EZ-fire Plus
<b>BRAKE INNER WIRE</b>	-	-	-	-	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	alloy / Shimano RM30 (32 holes)
<b>RIMS</b>	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel
<b>TIRES</b>	Schwalbe Rapid Rob 54-559 (26 x 2.10)	Schwalbe Rapid Rob 54-559 (26 x 2.10)	Kellys Cobra 50-559 (26 x 2.0)	Kellys Cobra 50-559 (26 x 2.0)	Kellys Cobra 50-559 (26 x 2.0)
<b>STEM</b>	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
<b>GRIPS</b>	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density	Kellys Codex 2Density
<b>SEAT POST</b>	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)
<b>SADDLE</b>	KLS Mirage Lady	KLS Mirage Lady	KLS Mirage Lady	KLS Mirage Lady	KLS Mirage Lady
<b>PEDALS</b>	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy

Specifications are subject to change without notice.



**KLC:** Kellys WLC Lite 6061 triple butted - LSG (Lady Sport Geometry)

size	S/T (mm)	L (mm)	H/T (mm)	± S/T	± H/T	BB (mm)	RC (mm)	WB (mm)
375mm (15")	375	545	120	72.5°	70.5°	40	425	1019.4
425mm (17")	425	565	135	72.5°	70.5°	40	425	1039.9
475mm (19")	475	585	145	72.5°	70.5°	40	425	1060.3

model: Joyce, Jane, Ann, Belle, Sue, Coilbree


series  
**KLC**

series  
**DIRT**

series  
**ROAD**

	<b>COLIBREE</b>	<b>BLUFF 50</b>	<b>BLUFF 30</b>	<b>BLUFF 10</b>	<b>URC 9.0</b>
<b>FRAME</b>	Kellys WLC Lite 6061 3ple butted - LSG (Lady Sport Geometry)	Kellys Dirt Proven 6061 double butted Dirt Series Geometry	Kellys Dirt Proven 6061 double butted Dirt Series Geometry	Kellys Dirt Proven 6061 double butted Dirt Series Geometry	Kellys iCAD RC Carbon Composite
<b>FRAME SIZE</b>	WHITE STONE 375mm (15") / 425mm (17") / 475mm (19") TIFFANY 375mm (15") / 425mm (17") / 475mm (19")	M / L	M / L	PURPLE M / L BLACK M / L	480mm (S) / 520mm (M) / 560mm (L)
<b>FORK</b>	SR Suntour XCT 100mm, coil spring	SR Suntour Duro DJ D 20QLoc - Thru Axle 100mm, coil spring / hydraulic	RST Dirt T 100mm, coil spring	SR Suntour XCT 100mm, coil spring	Kellys Carbon mono-coque 1.5 (tapered steerer)
<b>HEAD PARTS</b>	KLS Expert integrated	semi-integrated	semi-integrated	semi-integrated	Ritchey WCS Carbon Logic Zero integrated
<b>B.B.PARTS</b>	VP cartridge (120mm)	Truvativ Howitzer XR oversize cartridge	Truvativ Howitzer XR oversize cartridge	SR Suntour cartridge (113mm)	-
<b>CRANKSET</b>	Prowheel (42x34x24)	Truvativ Ruktion 1.0	Truvativ Ruktion 1.0	SR Suntour XCT (42x32x22)	Shimano Dura-Ace (13) 9000 Hollowtech II (53x39)
<b>SHIFTERS</b>	Shimano ST-EF51-7 EZ-fire Plus	Sram X5 Trigger rear	Shimano Acera SL-M390 Rapidfire Plus rear	Shimano ST-EF51-8 EZ-fire Plus	Shimano Dura-Ace (13) ST-9000 Dual Control
<b>F/DERAILLEUR</b>	Shimano M190 (34.9mm)	-	-	Shimano Altus M311 (34.9mm)	Shimano Dura-Ace (13) 9000 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Altus M280	Sram X5	Shimano Acera M390	Shimano Acera M390	Shimano Dura-Ace (13) 9000
<b>SPEED</b>	21	9	9	24	22
<b>FREEWHEEL</b>	Shimano MF-TZ31 (14-34)	Sram PG-950-9 (12-23)	Sram PG-950-9 (12-23)	Shimano CS-HG31-8 (11-34)	Shimano Dura-Ace (13) CS-9000-11 (11-23)
<b>CHAIN</b>	KMC Z51 (108 links)	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC Z7 (108 links)	Shimano Dura-Ace (13) CN-9000 (106 links)
<b>BRAKES</b>	Apse	Avid Elixir 1 Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc	Tektro Novela Mechanical Disc	Shimano Dura-Ace (13) 9000
<b>BRAKE ROTORS</b>	-	180mm front / 180mm rear	180mm front / 180mm rear	160mm front / 160mm rear	-
<b>BRAKE LEVERS</b>	Shimano ST-EF51-7 EZ-fire Plus	Avid Elixir 1	Hayes Dyno Sport	Shimano ST-EF51-8 EZ-fire Plus	Shimano Dura-Ace (13) ST-9000 Dual Control
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	-	-	Driving Force SCS (SlickCableSystem)	Jagwire stainless
<b>HUBS</b>	alloy (32 holes)	KLS D20 Disc (20mm front thru axle)	Shimano M475 Disc (36 holes)	Sram MTH-306 Disc (32 holes)	-
<b>RIMS / WHEELSET</b>	KLS Draft 559 x 19 (32 holes)	KLS Brave Disc 559 x 23 (36 holes)	KLS Brave Disc 559 x 23 (36 holes)	KLS Draft Disc 559 x 19 (32 holes)	Mavic Ksyrium Elite wheel set
<b>SPOKES</b>	steel U.C.P.	stainless steel black	stainless steel black	stainless steel black	-
<b>TIRES</b>	Kellys Cobra 50-559 (26 x 2.0)	Kenda Kinetics 60-559 (26 x 2.35)	Kenda Kinetics 60-559 (26 x 2.35)	Kenda Kinetics 60-559 (26 x 2.35)	Schwalbe Ultrero ZX - HD Speed Guard 23-622 (700 x 23C) folding
<b>STEM</b>	Kalloy Uno (diam 28.6mm / 30°)	Truvativ Hussefelt (diam 28.6mm / bar bore 31.8mm)	Truvativ Hussefelt (diam 28.6mm / bar bore 31.8mm)	Truvativ Hussefelt (diam 28.6mm / bar bore 31.8mm)	Ritchey WCS 4-Axis Matrix Carbonalloy (diam 28.6mm / bar bore 31.8mm / 6°)
<b>HANDLEBAR</b>	steel RiseBar (diam 25.4mm)	Truvativ Hussefelt Comp RiseBar (31.8mm)	Truvativ Hussefelt Comp RiseBar (31.8mm)	Truvativ Hussefelt Comp RiseBar (31.8mm)	Ritchey WCS Carbon Evo Curve (31.8mm)
<b>GRIPS</b>	Kellys Codex 2Density	Kellys LockOn gel	Kellys Codex	Kellys Codex 2Density	fi'zi:k Microtex bar tape - gel padding
<b>SEAT POST</b>	Kalloy Uno (diam 30.9mm)	Truvativ Hussefelt (diam 30.9mm)	KLS Expert (diam 30.9mm)	KLS Expert (diam 30.9mm)	Ritchey WCS Carbon 1-Bolt mono-coque (diam 31.6mm)
<b>SADDLE</b>	KLS Mirage Lady	KLS Whip	KLS Whip	Selle Royal Mach	fi'zi:k Arione CX K:iium
<b>PEDALS</b>	VP NonSlip - plastic	Wellgo - BMX alloy	HT Pedals - BMX nylon composite	HT Pedals - BMX nylon composite	-

Specifications are subject to change without notice.



**DIRT:** Kellys Dirt Proven 6061 double butted - Dirt Series Geometry


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
M	350	565	120	72°	69°	32	420	1048.4
L	390	580	120	72°	69°	32	420	1063.5

model: Bluff 50, Bluff 30, Bluff 10

series  
**ROAD**

	URC 7.0	URC 5.0	URC 3.0	ARC 5.0	ARC 3.0
<b>FRAME</b>	Kellys iCAD RC Carbon Composite	Kellys iCAD RC Carbon Composite	Kellys iCAD RC Carbon Composite	Aluminum alloy 6061 3ple butted	Aluminum alloy 6061 3ple butted
<b>FRAME SIZE</b>	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	500mm (S) / 530mm (M) / 550mm (L)	500mm (S) / 530mm (M) / 550mm (L)
<b>FORK</b>	Kellys Carbon monocoque 1.5 (tapered steerer)	Kellys Carbon monocoque 1.5 (tapered steerer)	Kellys Dynamic Carbon 1.5 (alloy tapered steerer)	Kellys Carbon (alloy steerer 28.6mm)	Kellys Carbon (alloy steerer 28.6mm)
<b>HEAD PARTS</b>	Ritchey Pro Logic Zero integrated	Ritchey Pro Logic Zero integrated	Ritchey Pro Logic Zero integrated	Ritchey Comp Logic Zero integrated	Ritchey Logic Zero integrated
<b>B.B.PARTS</b>	-	-	-	-	-
<b>CRANKSET</b>	Shimano Ultegra 6750-G Hollowtech II compact (50x34)	Shimano 105 5750 Hollowtech II compact (50x34)	Shimano Tiagra 4650 compact (50x34)	Shimano 105 5750 Hollowtech II compact (50x34)	Shimano Tiagra 4650 compact (50x34)
<b>SHIFTERS</b>	Shimano Ultegra ST-6700 Dual Control	Shimano 105 ST-5700 Dual Control	Shimano Tiagra ST-4600 Dual Control	Shimano 105 ST-5700 Dual Control	Shimano Tiagra ST-4600 Dual Control
<b>F/DERAILLEUR</b>	Shimano Ultegra 6700-G (34.9mm)	Shimano 105 5700 (34.9mm)	Shimano Tiagra 4600 (34.9mm)	Shimano 105 5700 (31.8mm)	Shimano Tiagra 4600 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Ultegra 6700-G	Shimano 105 5700	Shimano Tiagra 4600	Shimano 105 5700	Shimano Tiagra 4600
<b>SPEED</b>	20	20	20	20	20
<b>FREEWHEEL</b>	Shimano 105 CS-5700-10 (11-25)	Shimano 105 CS-5700-10 (11-25)	Shimano Tiagra CS-4600-10 (11-25)	Shimano 105 CS-5700-10 (11-25)	Shimano Tiagra CS-4600-10 (11-25)
<b>CHAIN</b>	Shimano Ultegra CN-6600 (106 links)	Shimano CN-4601 (106 links)	KMC X10 (106 links)	KMC X10 (104 links)	KMC X10 (104 links)
<b>BRAKES</b>	Shimano Ultegra 6700-G	Shimano 105 5700	Shimano Tiagra 4600	Shimano 105 5700	Shimano Tiagra 4600
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Shimano Ultegra ST-6700 Dual Control	Shimano 105 ST-5700 Dual Control	Shimano Tiagra ST-4600 Dual Control	Shimano 105 ST-5700 Dual Control	Shimano Tiagra ST-4600 Dual Control
<b>BRAKE INNER WIRE</b>	Jagwire stainless	Jagwire stainless	Jagwire stainless	Jagwire stainless	Jagwire stainless
<b>HUBS</b>	-	-	Shimano Tiagra 4600 (32 holes)	Shimano 105 5700 (32 holes)	Shimano Tiagra 4600 (32 holes)
<b>RIMS / WHEELSET</b>	Mavic Aksium wheel set	Shimano WH-RS10 wheel set	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)
<b>SPOKES</b>	-	-	stainless steel black	stainless steel black	stainless steel
<b>TIRES</b>	Schwalbe Ultrero ZX - HD Speed Guard 23-622 (700 x 23C) folding	Schwalbe Ultrero ZX - HD Speed Guard 23-622 (700 x 23C) folding	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)
<b>STEM</b>	Ritchey WCS 4-Axis Matrix Carbonalloy (diam 28.6mm / bar bore 31.8mm / 6°)	Ritchey WCS 4-Axis (diam 28.6mm / bar bore 31.8mm / 6°)	Ritchey Pro 4-Axis (diam 28.6mm / bar bore 31.8mm / 6°)	Ritchey Comp 4-Axis (diam 28.6mm / bar bore 31.8mm / 6°)	Ritchey Comp 4-Axis (diam 28.6mm / bar bore 31.8mm / 6°)
<b>HANDLEBAR</b>	Ritchey WCS Carbon Evo Curve (31.8mm)	Ritchey Comp Logic II (31.8mm)	Ritchey Comp Logic II (31.8mm)	Ritchey Comp Logic II (31.8mm)	Ritchey Comp Logic II (31.8mm)
<b>GRIPS</b>	fi'zi:k Microtex bar tape - gel padding	fi'zi:k Microtex bar tape - gel padding	Kellys bar tape - gel padding	Kellys bar tape - gel padding	Kellys bar tape - gel padding
<b>SEAT POST</b>	Ritchey WCS Carbon 1-Bolt monocoque (diam 31.6mm)	Ritchey Pro (diam 31.6mm)	Ritchey (diam 31.6mm)	Ritchey (diam 27.2mm)	Ritchey (diam 27.2mm)
<b>SADDLE</b>	fi'zi:k Arione CX K:iium	fi'zi:k Ardea	fi'zi:k Ardea	fi'zi:k Ardea	KLS SlipStream
<b>PEDALS</b>	-	-	-	-	-

Specifications are subject to change without notice.



**ROAD:** Kellys iCAD RC Carbon Composite


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	FO (mm)	RC (mm)	WB (mm)
480mm (S)	480	545	145	73.5°	72.5°	68	43	408	981.3
520mm (M)	520	570	165	73°	73°	68	43	408	996.5
560mm (L)	560	595	190	72°	74°	68	43	408	1005.1

model: URC 9.0, URC 7.0, URC 5.0, URC 3.0

**ROAD:** Aluminum alloy 6061 triple butted

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	FO (mm)	RC (mm)	WB (mm)
500mm (S)	500	545	145	73.5°	73°	69	43	405	972.8
530mm (M)	530	560	165	73.5°	73°	69	43	405	988.0
550mm (L)	550	575	185	73°	73.5°	67	43	405	994.2

model: ARC 5.0, ARC 3.0, ARC 1.0




series  
**ROAD**

series  
**FITNESS**

series  
**CROSS**

	ARC 1.0	PHYSIO 50	PHYSIO 30	PHYSIO 10	DEFINITE
<b>FRAME</b>	Aluminum alloy 6061 3ple butted	Aluminum alloy 6061 3ple butted Urban Move Concept	Aluminum alloy 6061 3ple butted Urban Move Concept	Aluminum alloy 6061 3ple butted Urban Move Concept	Kellys Crossforce Lite 6061 3ple butted -SCG (Sport Cross Geometry)
<b>FRAME SIZE</b>	500mm (S) / 530mm (M) / 550mm (L)	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	430mm (17") / 480mm (19") / 530mm (21")
<b>FORK</b>	Kellys Carbon (alloy steerer 28.6mm)	Aluminum alloy	Aluminum alloy	Aluminum alloy	SR Suntour NCX-E RL Lite 63mm (17") / 75mm (19"-21") air / Remote Speed Lockout
<b>HEAD PARTS</b>	Ritchey Logic Zero integrated	Ritchey Logic Zero semi-integrated	Ritchey Logic Zero semi-integrated	Ritchey Logic Zero semi-integrated	KLS Expert integrated
<b>B.B.PARTS</b>	Shimano cartridge (110mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	-
<b>CRANKSET</b>	Shimano 2350 compact (50x34)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCT (48x38x28)	Shimano 1551 (48x36x26)
<b>SHIFTERS</b>	Shimano ST-2300 Dual Control	Shimano Deore SL-M590 Rapidfire Plus	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano SLX (13) SL-M670-10 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano 2300 (31.8mm)	Shimano Deore M590 (31.8mm)	Shimano Acera M390 (31.8mm)	Shimano M191 (31.8mm)	Shimano Deore XT M781 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano 2300	Shimano Deore M591	Shimano Alivio M430	Shimano Acera M390	Shimano Deore XT M780
<b>SPEED</b>	16	27	27	27	30
<b>FREEWHEEL</b>	Shimano CS-HG50-8 (11-28)	Sram PG-950-9 (12-23)	Sram PG-950-9 (12-23)	Sram PG-950-9 (12-23)	Sram PG-1030-10 (11-36)
<b>CHAIN</b>	KMC Z7 (104 links)	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC Z99 (108 links)	KMC X10 (114 links)
<b>BRAKES</b>	Shimano Sora 3500	Avid Single Digit 3	Avid Single Digit 3	Tektro	Hayes Prime Sport Hydraulic Disc
<b>BRAKE ROTORS</b>	-	-	-	-	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano ST-2300 Dual Control	Avid FR-5	Avid FR-5	Tektro	Hayes Prime Sport
<b>BRAKE INNER WIRE</b>	Jagwire stainless	Jagwire stainless	Jagwire stainless	Jagwire stainless	-
<b>HUBS</b>	Shimano 2200 (32 holes)	Shimano Tiagra (32 holes)	Shimano 2200 (32 holes)	Shimano 2200 (32 holes)	Shimano Deore M525 Disc (32 holes)
<b>RIMS</b>	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	KLS Draft Disc 622 x 19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TIRES</b>	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)	Schwalbe Spicer 30-622 (700 x 30C) ReflectiveLine	Schwalbe Spicer 30-622 (700 x 30C) ReflectiveLine	Schwalbe Spicer 30-622 (700 x 30C) ReflectiveLine	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine
<b>STEM</b>	Ritchey Comp 4-Axis (diam 28.6mm / bar bore 31.8mm / 6°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	Ritchey Comp Logic II (31.8mm)	KLS Master FlatBar (31.8mm)	KLS Expert FlatBar (31.8mm)	KLS Expert FlatBar (31.8mm)	KLS Race FlatBar (31.8mm)
<b>GRIPS</b>	Kellys bar tape - gel padding	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam
<b>SEAT POST</b>	Ritchey (diam 27.2mm)	KLS Master (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Race (diam 27.2mm)
<b>SADDLE</b>	KLS SlipStream	KLS Mirage	KLS Mirage	KLS Mirage	Selle Royal LookIn Sport Men Visual Royalgel
<b>PEDALS</b>	-	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	VP-X93 Clip-in

Specifications are subject to change without notice.



**FITNESS:** Aluminum alloy 6061 tripple butted - Urban Move Concept


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	FO (mm)	RC (mm)	WB (mm)
480mm (S)	480	560	145	73.5°	72°	65	45	430	1026.0
520mm (M)	520	575	165	73.5°	72°	65	45	430	1041.5
560mm (L)	560	590	185	73°	72.5°	65	45	430	1047.1

model: Physio 50, Physio 30, Physio 10

series  
**CROSS**

	PHANATIC	MASH	EVOX	EXQUISITE	PENELOPE
<b>FRAME</b>	Kellys Crossforce Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lady Lite 6061 3ple butted - SCG (Sport Cross Geometry)
<b>FRAME SIZE</b>	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21") / 580mm (23")	432mm (17") / 480mm (19")
<b>FORK</b>	SR Suntour NCX-E RL Lite 63mm (17") / 75mm (19"-21") air / Remote Speed Lockout	SR Suntour NCX-E LO Lite 63mm (17") / 75mm (19"-21") air / Speed Lockout	SR Suntour NCX-D LO Lite 63mm (17") / 75mm (19"-21") coil / Speed Lockout	SR Suntour NCX-D LO Lite 63mm (17") / 75mm (19"-23") coil / Speed Lockout	SR Suntour NCX-D LO Lite 63mm coil / Speed Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	-	-	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)
<b>CRANKSET</b>	SR Suntour XCR V2 integrated (48x36x26)	SR Suntour XCR V2 integrated (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)
<b>SHIFTERS</b>	Shimano Deore SL-M591 Rapidfire Plus	Shimano Deore SL-M591 Rapidfire Plus	Shimano Deore SL-M590 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore M591-10 (31.8mm)	Shimano Deore M591-10 (31.8mm)	Shimano Alivio M431 (31.8mm)	Shimano Alivio M431 (31.8mm)	Shimano Alivio M431 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M780	Shimano Deore XT M780	Shimano Deore XT M772	Shimano Deore XT M772	Shimano Deore XT M772
<b>SPEED</b>	30	30	27	27	27
<b>FREEWHEEL</b>	Sram PG-1030-10 (11-36)	Sram PG-1030-10 (11-36)	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)
<b>CHAIN</b>	KMC X10 (114 links)	KMC X10 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)
<b>BRAKES</b>	KLS Helix 7 Hydraulic Disc	Tektro	KLS Helix 7 Hydraulic Disc	Tektro	Tektro
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	-	160mm front / 160mm rear	-	-
<b>BRAKE LEVERS</b>	KLS Helix 7	Tektro	KLS Helix 7	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus
<b>BRAKE INNER WIRE</b>	-	Driving Force SCS (SlickCableSystem)	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	Shimano M475 Disc (32 holes)	Shimano Alivio M430 (32 holes)	Sram MTH-306 Disc (32 holes)	Shimano RM70 (32 holes)	Shimano RM70 (32 holes)
<b>RIMS</b>	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel	stainless steel black	stainless steel	stainless steel
<b>TIRES</b>	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine
<b>STEM</b>	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
<b>HANDLEBAR</b>	KLS Expert FlatBar (25.4mm)	KLS Master (31.8mm)	KLS Cross RiseBar (25.4mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
<b>GRIPS</b>	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam
<b>SEAT POST</b>	KLS Expert (diam 27.2mm)	KLS Master (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Master (diam 27.2mm)	KLS Master (diam 27.2mm)
<b>SADDLE</b>	Selle Royal Lookin Sport Men Visual Royalgel	Selle Royal Lookin Sport Men Visual Royalgel	Selle Royal Lookin Sport Men Visual Royalgel	KLS Mirage	KLS Mirage Women
<b>PEDALS</b>	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy

Specifications are subject to change without notice.



**CROSS:** Kellys Crossforce Lite 6061 triple butted - SCG (Sport Cross Geometry)


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	570	120	73°	70.5°	53,6	440	1061.1
480mm (19")	480	580	120	73°	70.5°	53,6	440	1071.5
530mm (21")	530	595	130	73°	70.5°	53,6	440	1087.0
580mm (23")	580	610	130	73°	70.5°	53,6	440	1102.0

model: Definite, Phanatic, Mash, Evox, Exquisite, Cliff, Neos

series  
**CROSS**

	CLIFF	CLEA	NEOS	TINA	AXELL
<b>FRAME</b>	Kellys Crossforce Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lady Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crossforce Lady Lite 6061 3ple butted - SCG (Sport Cross Geometry)	Kellys Crosslite 6061 alloy
<b>FRAME SIZE</b>	430mm (17") / 480mm (19") / 530mm (21")	432mm (17") / 480mm (19")	VAMP 430mm (17") / 480mm (19") / 530mm (21") PHOENIX RED 430mm (17") / 480mm (19") / 530mm (21")	DARK TITANIUM 432mm (17") / 480mm (19") PHOENIX RED 432mm (17") / 480mm (19")	432mm (17") / 483mm (19") / 533mm (21") / 584mm (23")
<b>FORK</b>	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)
<b>CRANKSET</b>	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)
<b>SHIFTERS</b>	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Alivio SL-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M430	Shimano Alivio M430	Shimano Deore M591	Shimano Deore M591	Shimano SLX M662
<b>SPEED</b>	27	27	27	27	27
<b>FREEWHEEL</b>	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Shimano CS-HG20-9 (11-34)
<b>CHAIN</b>	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)
<b>BRAKES</b>	KLS Helix 7 Hydraulic Disc	KLS Helix 7 Hydraulic Disc	Tektro	Tektro	Tektro
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	-	-	-
<b>BRAKE LEVERS</b>	KLS Helix 7	KLS Helix 7	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Alivio ST-M430 Rapidfire Plus
<b>BRAKE INNER WIRE</b>	-	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)
<b>RIMS</b>	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel	stainless steel	stainless steel
<b>TIRES</b>	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp - Puncture Protection 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine
<b>STEM</b>	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)
<b>HANDLEBAR</b>	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Cross RiseBar (25.4mm)
<b>GRIPS</b>	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam	Kellys Exbone 2Density
<b>SEAT POST</b>	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)
<b>SADDLE</b>	KLS Mirage	KLS Mirage Women	KLS Mirage	KLS Mirage Women	KLS CrossLine
<b>PEDALS</b>	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy

Specifications are subject to change without notice.



**CROSS:** Kellys Crossforce Lady Lite 6061 triple butted - SCG (Sport Cross Geometry)


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
432mm (17")	432	555	130	72.5°	70.5°	49.8	440	1042.4
480mm (19")	480	570	150	72.5°	70.5°	49.8	440	1058.1

model: Penelope, Clea, Tina

series  
**CROSS**

	AGNES	COBE	GRACE	AXIS	OMEGA
<b>FRAME</b>	Kellys Crosslite 6061 alloy lady's	Kellys Crosslite 6061 alloy	Kellys Crosslite 6061 alloy lady's	Kellys Crosslite 6061 alloy	Kellys Crosslite 6061 alloy lady's
<b>FRAME SIZE</b>	432mm (17") / 483mm (19")	NIGHT 432mm (17") / 483mm (19") / 533mm (21") / 584mm (23") TURQUOISE 432mm (17") / 483mm (19") / 584mm (23") / 584mm (23")	NIGHT 432mm (17") / 483mm (19")	DARK LIME 432mm (17") / 483mm (19") / 533mm (21") / 584mm (23") TITANIUM 432mm (17") / 483mm (19") / 533mm (21")	DARK LIME 432mm (17") / 483mm (19")
<b>FORK</b>	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX 63mm, coil spring	SR Suntour NEX 63mm, coil spring	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)
<b>CRANKSET</b>	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)
<b>SHIFTERS</b>	Shimano Alivio ST-M430 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano SLX M662	Shimano Acera M390	Shimano Acera M390	Shimano Acera M390	Shimano Acera M390
<b>SPEED</b>	27	27	27	27	27
<b>FREEWHEEL</b>	Shimano CS-HG20-9 (11-34)	Shimano CS-HG20-9 (11-34)	Shimano CS-HG20-9 (11-34)	Shimano CS-HG20-9 (11-34)	Shimano CS-HG20-9 (11-34)
<b>CHAIN</b>	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)	KMC Z99 (114 links)
<b>BRAKES</b>	Tektro	Hayes Dyno Sport Hydraulic Disc	Hayes Dyno Sport Hydraulic Disc	Apse	Apse
<b>BRAKE ROTORS</b>	-	160mm front / 160mm rear	160mm front / 160mm rear	-	-
<b>BRAKE LEVERS</b>	Shimano Alivio ST-M430 Rapidfire Plus	Hayes Dyno Sport	Hayes Dyno Sport	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	-	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	alloy / Shimano RM30 (32 holes)	Sram MTH-306 Disc (32 holes)	Sram MTH-306 Disc (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)
<b>RIMS</b>	KLS Draft 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
<b>TIRES</b>	Kellys Softline 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine	Kellys Softline 40-622 (700 x 38C) ReflectiveLine
<b>STEM</b>	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	Kalloy Uno (diam 28.6mm / 15°)	Kalloy Uno (diam 28.6mm / 15°)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)
<b>HANDLEBAR</b>	KLS Cross RiseBar (25.4mm)	Kalloy Uno (25.4mm)	Kalloy Uno (25.4mm)	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)
<b>GRIPS</b>	Kellys Exbone 2Density	Kellys Exbone kraton	Kellys Exbone kraton	Kellys Exbone 2Density	Kellys Exbone 2Density
<b>SEAT POST</b>	KLS Expert (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)
<b>SADDLE</b>	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine
<b>PEDALS</b>	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy

Specifications are subject to change without notice.



**CROSS:** Kellys Crosslite 6061 alloy

size	S/T (mm)	L (mm)	H/T (mm)	∓ S/T	∓ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	580	90	73°	70°	53.5	445	1081.9
480mm (19")	480	590	100	73°	70.5°	53.5	445	1087.2
530mm (21")	530	605	110	73°	71°	53.5	445	1097.4
580mm (23")	580	620	120	73°	71°	53.5	445	1112.8

model: Axell, Cobe, Axis, Coach, Stylus

**CROSS:** Kellys Crosslite 6061 alloy


size	S/T (mm)	L (mm)	H/T (mm)	∓ S/T	∓ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	580	90	72°	70°	67.5	445	1064.5
480mm (19")	480	590	100	72°	70.5°	67.5	445	1069.7
530mm (21")	530	605	110	72°	71°	67.5	445	1079.6
580mm (23")	580	620	120	72°	71°	67.5	445	1086.2

model: Saphix

series  
**CROSS**

	SAPHIX	GAMMA	COACH	FLASH	STYLUS
<b>FRAME</b>	Kellys Crosslite 6061 alloy	Kellys Crosslite 6061 alloy lady's	Kellys Crosslite 6061 alloy	Kellys Crosslite 6061 alloy lady's	Kellys Crosslite 6061 alloy
<b>FRAME SIZE</b>	DARK MANGO 432mm (17") / 483mm (19") / 533mm (21") DARK AZURE 432mm (17") / 483mm (19") / 533mm (21") / 584mm (23")	DARK MANGO 432mm (17") / 483mm (19") DARK AZURE 432mm (17") / 483mm (19")	HELIX 432mm (17") / 483mm (19") / 533mm (21") MOONLIGHT 432mm (17") / 483mm (19") / 533mm (21")	HELIX 432mm (17") / 483mm (19") PURPLE NIGHT 432mm (17") / 483mm (19")	WHITE 483mm (19") / 533mm (21") VAMP 483mm (19") / 533mm (21")
<b>FORK</b>	SR Suntour NEX MLO, 63mm, coil / Mechanical Lockout	SR Suntour NEX MLO, 63mm, coil / Mechanical Lockout	SR Suntour NEX, 63mm, coil spring	SR Suntour NEX, 63mm, coil spring	SR Suntour NEX, 63mm, coil spring
<b>HEAD PARTS</b>	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated	KLS Expert integrated
<b>B.B.PARTS</b>	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)	VP cartridge (122.5mm)	VP cartridge (122.5mm)	VP cartridge (122.5mm)
<b>CRANKSET</b>	SR Suntour XCR (48x38x28)	SR Suntour XCR (48x38x28)	Shimano M131 (48x38x28)	Shimano M131 (48x38x28)	Shimano M131 (48x38x28)
<b>SHIFTERS</b>	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano TX51 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M430	Shimano Alivio M430	Shimano Acera M390	Shimano Acera M390	Shimano Altus M310
<b>SPEED</b>	24	24	24	24	21
<b>FREEWHEEL</b>	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano MF-TZ31-7 (14-34)
<b>CHAIN</b>	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z51 (114 links)
<b>BRAKES</b>	Apse	Apse	Apse	Apse	Apse
<b>BRAKE LEVERS</b>	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)	alloy (32 holes)
<b>RIMS</b>	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes)
<b>SPOKES</b>	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
<b>TIRES</b>	Kellys Softline 40-622 (700 x 38C)	Kellys Softline 40-622 (700 x 38C)	Kellys Softline 40-622 (700 x 38C)	Kellys Softline 40-622 (700 x 38C)	Kellys Softline 40-622 (700 x 38C)
<b>STEM</b>	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	Kalloy Uno (diam 28.6mm / 15°)	Kalloy Uno (diam 28.6mm / 15°)	Kalloy Uno (diam 28.6mm / 15°)
<b>HANDLEBAR</b>	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)	Kalloy Uno (25.4mm)	Kalloy Uno (25.4mm)	Kalloy Uno (25.4mm)
<b>GRIPS</b>	Kellys Exbone 2Density	Kellys Exbone 2Density	Kellys Exbone 2Density	Kellys Exbone 2Density	Kellys Exbone kraton
<b>SEAT POST</b>	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)
<b>SADDLE</b>	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	KLS CrossLine
<b>PEDALS</b>	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic
<b>FRONT LIGHT</b>	-	-	-	-	-
<b>REAR LIGHT</b>	-	-	-	-	-
<b>FENDERS</b>	-	-	-	-	-
<b>ACCESSORIES</b>	-	-	-	-	-

Specifications are subject to change without notice.



**CROSS:** Kellys Crosslite 6061 alloy lady's

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	567	130	73°	70°	53.5	445	1071.1
480mm (19")	480	582.5	130	73°	70.5°	53.5	445	1069.5

model: Agnes, Grace, Omega, Flash, Kappa

**CROSS:** Kellys Crosslite 6061 alloy lady's

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	567	130	72°	70°	67.5	445	1053.0
480mm (19")	480	582.5	130	72°	70.5°	67.5	445	1063.0

model: Gamma



series  
**CROSS**

series  
**TOUR**



	KAPPA	AERON	MISTY	WALKER	CHELSEA
<b>FRAME</b>	Kellys Crosslite 6061 alloy lady's	Aeroprofile alloy	Aeroprofile alloy lady's	Aeroprofile alloy	Aeroprofile alloy lady's
<b>FRAME SIZE</b>	PHOENIX RED 432mm (17") / 483mm (19")  IVORY 432mm (17") / 483mm (19")	483mm (19") / 533mm (21")	432mm (17") / 483mm (19")	483mm (19") / 533mm (21") / 580 (23")	432mm (17") / 483mm (19")
<b>FORK</b>	SR Suntour NEX, 63mm, coil spring	SR Suntour NCX-D LO Lite, 63mm, coil / Speed Lockout (threaded steerer 28.6mm)	SR Suntour NCX-D LO Lite, 63mm, coil / Speed Lockout (threaded steerer 28.6mm)	SR Suntour NEX HLO, 63mm, coil / Speed Lockout (threaded steerer 28.6mm)	SR Suntour NEX HLO, 63mm, coil / Speed Lockout (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	KLS Expert integrated	TH semi-integrated (threaded)	TH semi-integrated (threaded)	TH semi-integrated (threaded)	TH semi-integrated (threaded)
<b>B.B.PARTS</b>	VP cartridge (122.5mm)	-	-	SR Suntour cartridge (113mm)	SR Suntour cartridge (113mm)
<b>CRANKSET</b>	Shimano M131 (48x38x28)	Shimano Deore M591 (48x36x26)	Shimano Deore M591 (48x36x26)	SR Suntour XCR (48x36x26)	SR Suntour XCR (48x36x26)
<b>SHIFTERS</b>	Shimano ST-EF51-7 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TX51 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Altus M310	Shimano Deore LX T661	Shimano Deore LX T661	Shimano Alivio M430	Shimano Alivio M430
<b>SPEED</b>	21	27	27	27	27
<b>FREEWHEEL</b>	Shimano MF-T31-7 (14-34)	Sram PG-950-9 (11-34)	Sram PG-950-9 (11-34)	Shimano CS-H620-9 (11-34)	Shimano CS-H620-9 (11-34)
<b>CHAIN</b>	KMC Z51 (114 links)	KMC Z99 (112 links)	KMC Z99 (112 links)	KMC Z99 (114 links)	KMC Z99 (114 links)
<b>BRAKES</b>	Apse	Tektro	Tektro	Tektro	Tektro
<b>BRAKE LEVERS</b>	Shimano ST-EF51-7 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	alloy (32 holes)	Shimano Dynamo 3N20 / Shimano Alivio M430 (32 holes)	Shimano Dynamo 3N20 / Shimano Alivio M430 (32 holes)	Shimano Dynamo 3N20 / Shimano RM30 (32 holes)	Shimano Dynamo 3N20 / Shimano RM30 (32 holes)
<b>RIMS</b>	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
<b>TIRES</b>	Kellys Softline 40-622 (700 x 38C)	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine
<b>STEM</b>	Kalloy Uno (diam 28.6mm / 15°)	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)
<b>HANDLEBAR</b>	Kalloy Uno (25.4mm)	Kalloy (diam 25.4mm)	Kalloy (diam 25.4mm)	Kalloy (diam 25.4mm)	Kalloy (diam 25.4mm)
<b>GRIPS</b>	Kellys Exbone kraton	Velo 3Density ergonomic	Velo 3Density ergonomic	Velo 3Density ergonomic	Velo 3Density ergonomic
<b>SEAT POST</b>	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)
<b>SADDLE</b>	KLS ComfortLine	Selle Royal Lookin Men Visual Royalgel	Selle Royal Lookin Women Visual Royalgel	Selle Royal Lookin Men Visual Royalgel	Selle Royal Lookin Women Visual Royalgel
<b>PEDALS</b>	VP NonSlip - plastic	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy
<b>FRONT LIGHT</b>	-	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus
<b>REAR LIGHT</b>	-	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
<b>FENDERS</b>	-	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	-	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specifications are subject to change without notice.

**TOUR: Aeroprofile Aluminum 6061 alloy**

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
432mm (17")	432	590	120	72°	71°	54.3	445	1069.6
483mm (19")	483	600	120	72°	71°	54.3	445	1079.6
533mm (21")	533	610	120	72°	71°	54.3	445	1089.5
580mm (23")	580	620	120	72°	71°	54.3	445	1099.6

model: Aeron, Walker, Lagoon, Carter



**TOUR: Aeroprofile Aluminum 6061 alloy lady's**


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
432mm (17")	432	579.2	150	72°	71°	54.3	445	1059.4
483mm (19")	483	589.3	150	72°	71°	54.3	445	1069.4

model: Misty, Chelsea, Visage, Cristy

series  
**TOUR**

	LAGOON	VISAGE	CARTER	CRISTY	ATHOS
<b>FRAME</b>	Aeroprofile alloy	Aeroprofile alloy lady's	Aeroprofile alloy	Aeroprofile alloy	hi-ten
<b>FRAME SIZE</b>	BLACK 432mm (17") / 483mm (19") / 533mm (21") / 580mm (23") WHITE 432mm(17") / 483mm (19") / 533mm (21")	BLACK 432mm (17") / 483mm (19")  WHITE 432mm (17") / 483mm (19")	432mm (17") / 483mm (19") / 533mm (21")	432mm (17") / 483mm (19")	480mm (19") / 530mm (21")
<b>FORK</b>	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	TH semi-integrated (threaded)	TH semi-integrated (threaded)	TH semi-integrated (threaded)	TH semi-integrated (threaded)	VP (threaded)
<b>B.B.PARTS</b>	VP cartridge (118mm)	VP cartridge (118mm)	VP cartridge (122.5mm)	VP cartridge (122.5mm)	VP cartridge (122.5mm)
<b>CRANKSET</b>	Shimano M131 (48x38x28)	Shimano M131 (48x38x28)	Shimano M131 (48x38x28)	Shimano M131 (48x38x28)	Shimano M131 (48x38x28)
<b>SHIFTERS</b>	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift
<b>F/DERAILLEUR</b>	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano TZ31 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M410	Shimano Alivio M410	Shimano Altus M310	Shimano Altus M310	Shimano TX35
<b>SPEED</b>	24	24	21	21	21
<b>FREEWHEEL</b>	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano MF-TZ31-7 (14-34)	Shimano MF-TZ31-7 (14-34)	Shimano MF-TZ31-7 (14-34)
<b>CHAIN</b>	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z51 (116 links)	KMC Z51 (116 links)	KMC Z51 (116 links)
<b>BRAKES</b>	Tektro	Tektro	Apse	Apse	Apse
<b>BRAKE LEVERS</b>	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Apse	Apse	Apse
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	Shimano Dynamo 3N20 / Shimano RM30 (32 holes)	Shimano Dynamo 3N20 / Shimano RM30 (32 holes)	Shimano Dynamo 3N20 / alloy (32 holes)	Shimano Dynamo 3N20 / alloy (32 holes)	alloy (32 holes)
<b>RIMS</b>	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)
<b>SPOKES</b>	stainless steel	stainless steel	steel U.C.P.	steel U.C.P.	steel U.C.P.
<b>TIRES</b>	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine
<b>STEM</b>	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)
<b>HANDLEBAR</b>	Kalloy (diam 25.4mm)	Kalloy (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)
<b>GRIPS</b>	Velo 3Density ergonomic	Velo 3Density ergonomic	kraton 2Density	kraton 2Density	kraton 2Density
<b>SEAT POST</b>	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	steel (diam 27.2mm)	steel (diam 27.2mm)	steel (diam 28.6mm)
<b>SADDLE</b>	Selle Royal Lookin Men Visual Royalgel	Selle Royal Lookin Women Visual Royalgel	KLS CrossLine	KLS ComfortLine	KLS CrossLine
<b>PEDALS</b>	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic
<b>FRONT LIGHT</b>	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Halogen
<b>REAR LIGHT</b>	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell


Specifications are subject to change without notice.



**TOUR: hi-ten**

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
480mm (19")	480	590	120	72°	71°	39	450	1083.1
530mm (21")	530	605	120	72°	71°	39	450	1098.1

model: Athos



**TOUR: hi-ten lady's**


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	573.5	150	72°	71°	39	450	1067.1
480mm (19")	480	583.5	150	72°	71°	39	450	1077.1

model: Athena

series  
**TOUR**

	<b>ATHENA</b>	<b>YORK</b>	<b>ESTIMA</b>	<b>AVENUE</b>	<b>AMBIENTE</b>
<b>FRAME</b>	hi-ten lady's	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube
<b>FRAME SIZE</b>	430mm (17") / 480mm (19")	430mm / 480mm	430mm / 480mm	430mm / 480mm	430mm / 480mm
<b>FORK</b>	hi-ten unicrown (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	VP (threaded)	TH semi-integrated	TH semi-integrated	TH semi-integrated	TH semi-integrated
<b>B.B.PARTS</b>	VP cartridge (122.5mm)	VP cartridge (113mm)	SR Suntour cartridge (113mm)	VP cartridge (118mm)	VP cartridge (118mm)
<b>CRANKSET</b>	Shimano M131 (48x38x28)	Prowheel	SR Suntour XCR (48x36x26)	Shimano M131 (48x38x28)	Prowheel
<b>SHIFTERS</b>	Shimano SL-RS35-7 Revoshift	Shimano Nexus SL-8S20 Revoshift	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano Nexus SL-8S20 Revoshift
<b>F/DERAILLEUR</b>	Shimano TZ31 (31.8mm)	-	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	-
<b>R/DERAILLEUR</b>	Shimano TX35	-	Shimano Acera M390	Shimano Acera M390	-
<b>SPEED</b>	21	8	27	24	8
<b>FREEWHEEL</b>	Shimano MF-TZ31-7 (14-34)	Shimano for internal hub 21T	Shimano CS-HG20-9 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano for internal hub 21T
<b>CHAIN</b>	KMC Z51 (116 links)	KMC Z33 (102 links)	KMC Z99 (116 links)	KMC Z7 (114 links)	KMC Z33 (102 links)
<b>BRAKES</b>	Apse	Tektro / Shimano coasterbrake	Tektro	Tektro	Tektro
<b>BRAKE LEVERS</b>	Apse	Tektro	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Tektro
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	alloy (32 holes)	Shimano Dynamo 3N20 / Shimano Nexus 8C31 (36 holes)	Shimano Dynamo 3N20 / Shimano RM70 (32 holes)	Shimano Dynamo 3N20 / Shimano RM30 (32 holes)	Shimano Dynamo 3N20 / Shimano Nexus 8R31 (32 holes)
<b>RIMS</b>	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (36 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
<b>SPOKES</b>	steel U.C.P.	stainless steel	stainless steel	stainless steel	stainless steel
<b>TIRES</b>	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine
<b>STEM</b>	steel (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)
<b>HANDLEBAR</b>	steel (diam 25.4mm)	alloy (diam 25.4mm)	alloy (diam 25.4mm)	alloy (diam 25.4mm)	alloy (diam 25.4mm)
<b>GRIPS</b>	kraton 2Density	Velo 3Density ergonomic	Velo 3Density ergonomic	Velo 3Density ergonomic	Velo 3Density ergonomic
<b>SEAT POST</b>	steel (diam 28.6mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)
<b>SADDLE</b>	KLS ComfortLine	Selle Royal Freedom Visual Royalgel	Selle Royal Freedom Visual Royalgel	Selle Royal Freedom Visual Royalgel	Selle Royal Freedom Visual Royalgel
<b>PEDALS</b>	VP NonSlip - plastic	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy
<b>FRONT LIGHT</b>	Busch+Müller Lumotec Halogen	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus
<b>REAR LIGHT</b>	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	dynamo set, alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specifications are subject to change without notice.



**TOUR:** Aluminum alloy monotube

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm	430	613	165	69.5°	71°	55	455	1074.2
480mm	480	618.7	190	69.5°	71°	55	455	1079.3

model: York, Estima, Avenue

**TOUR:** Aluminum alloy monotube

size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm	430	606.8	165	70°	71°	55	455	1074.2
480mm	480	631.8	190	68.5°	71°	55	455	1079.3

model: Ambiente, Mascarena

**TOUR:** Aluminum alloy monotube


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm	430	605.8	165	70°	71°	55	455	1074.2
480mm	480	630	190	68.5°	71°	55	455	1079.3

model: Downtown, Harmony

series  
**TOUR**

	MASCARENA	DOWNTOWN	HARMONY	TWIST	SEASON
<b>FRAME</b>	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube
<b>FRAME SIZE</b>	430mm / 480mm	430mm / 480mm	430mm / 480mm	430mm	430mm
<b>FORK</b>	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	TH semi-integrated	TH semi-integrated	TH semi-integrated	TH semi-integrated	TH semi-integrated
<b>B.B.PARTS</b>	VP cartridge (118mm)	VP cartridge (118mm)	VP cartridge (118mm)	VP cartridge (118mm)	VP cartridge (118mm)
<b>CRANKSET</b>	Prowheel	Prowheel	Prowheel	Prowheel	Prowheel
<b>SHIFTERS</b>	Shimano Nexus SL-7S20 Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S41E Revoshift	Shimano Nexus SL-3S41E Revoshift
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	-	-	-	-	-
<b>SPEED</b>	7	3	3	3	3
<b>FREEWHEEL</b>	Shimano for internal hub 21T	Shimano for internal hub 21T	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 20T
<b>CHAIN</b>	KMC Z33 (102 links)	KMC Z33 (102 links)	KMC Z33 (102 links)	KMC Z33 (98 links)	KMC Z33 (98 links)
<b>BRAKES</b>	Apse / Shimano coaster brake	Apse / Shimano coaster brake	Apse / Shimano coaster brake	Apse / Shimano coaster brake	Apse / Shimano coaster brake
<b>BRAKE LEVERS</b>	Tektro	Tektro	Tektro	Tektro	Tektro
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	Shimano Dynamo 3N20 / Shimano Nexus 7C30 Inter-7 (36 holes)	Shimano Dynamo 3N20 / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	Shimano Dynamo 3N20 / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)
<b>RIMS</b>	KLS Draft 622 x 19 (36 holes / eyelets)	Kellys City 622 x 19 (36 holes)	Kellys City 622 x 19 (36 holes)	Kellys City 559 x 19 (36 holes)	Kellys City 559 x 19 (36 holes)
<b>SPOKES</b>	steel U.C.P.	steel U.C.P.	steel U.C.P.	steel U.C.P.	steel U.C.P.
<b>TIRES</b>	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Cobra 50-559 (26 x 1.90)	Rubena Cobra 50-559 (26 x 1.90)
<b>STEM</b>	Kalloy - adjustable (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)	Zoom (diam 25.4mm / 25°)	Kalloy - adjustable (diam 25.4mm)	Zoom (diam 25.4mm / 25°)
<b>HANDLEBAR</b>	alloy (diam 25.4mm)	alloy (diam 25.4mm)	alloy (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)
<b>GRIPS</b>	Velo 3Density ergonomic	Velo 3Density ergonomic	Velo 3Density ergonomic	2Density ergonomic	2Density ergonomic
<b>SEAT POST</b>	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)	Kalloy Uno (diam 27.2mm)
<b>SADDLE</b>	Selle Royal Freedom Visual Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel
<b>PEDALS</b>	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic
<b>FRONT LIGHT</b>	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Halogen	Busch+Müller Lumotec Senso Plus	Busch+Müller Lumotec Halogen
<b>REAR LIGHT</b>	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell

Specifications are subject to change without notice.



**TOUR:** Aluminum alloy monotube


size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
430mm	432	599.4	140	69.5°	71°	35	430	1047.6

model: Twist, Season

series  
**JUNIOR**

	MARC 1	MARC 2	MARC 3	MARC 4	MARC 5
<b>FRAME</b>	Kellys Hydroforming Aluminum alloy 3ple butted - MTB 24"	Kellys Aluminum alloy MTB 24"	Kellys Aluminum alloy MTB 24"	Kellys Aluminum alloy MTB 20"	Kellys Aluminum alloy BMX 20"
<b>FRAME SIZE</b>	320mm (12.5")	280mm (11")	280mm (11")	255mm (10")	255mm (10")
<b>FORK</b>	RST Capa ML, 50mm, coil / MCU / Mechanical Lockout	RST Capa T8, 50mm, coil / MCU	hi-ten unicrown (steerer 28.6mm)	RST Capa T20, 50mm, coil spring	BMX hi-ten unicrown (steerer 28.6mm)
<b>HEAD PARTS</b>	VP	VP	VP	VP	VP
<b>B.B.PARTS</b>	SR Sountour cartridge (118mm)	VP cartridge (120mm)	VP cartridge (118mm)	VP cartridge (115mm)	VP cartridge (126mm)
<b>CRANKSET</b>	SR Sountour XCT (42x32x22)	Prowheel (42x34x24)	Prowheel (42x34x24)	Prowheel (36T chainwheel)	Prowheel
<b>SHIFTERS</b>	Shimano SL-M310 Rapidfire Plus	Shimano SL-RS36-7 Revoshift	Shimano SL-RS35-6 Revoshift	Shimano SL-RS35-6 Revoshift	-
<b>F/DERAILLEUR</b>	Shimano Altus M311 (31.8mm)	Shimano M190 (31.8mm)	Shimano TZ20 (31.8mm)	-	-
<b>R/DERAILLEUR</b>	Shimano Acera M360	Shimano Acera M360	Shimano TZ50	Shimano FT30	-
<b>SPEED</b>	24	21	18	6	1
<b>FREEWHEEL</b>	Shimano CS-HG31-8 (11-32)	Shimano MF-TZ31 (14-34)	Shimano MF-TZ20-6 (14-28)	Shimano MF-TZ20-6 (14-28)	single 18T sprocket
<b>CHAIN</b>	KMC Z7 (102 links)	KMC Z51 (104 links)	KMC Z51 (102 links)	KMC Z51 (96 links)	KMC Z510 (84 links)
<b>BRAKES</b>	Tektro	Apse	Apse	Apse	Apse / coaster brake
<b>BRAKE LEVERS</b>	Tektro	Tektro	Tektro	Tektro	Apse
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	alloy / Shimano RM30 (32 holes)	alloy (32 holes)	alloy (36 holes)	alloy (28 holes)	alloy / coaster brake hub (28 holes)
<b>RIMS</b>	KLS Draft 507 x 19 (32 holes)	KLS Draft 507 x 19 (32 holes)	Kellys Wasper 507 x 19 (36 holes)	Remerx RMX 21 406 x 21 (28 holes)	Remerx RMX 21 406 x 21 (28 holes)
<b>SPOKES</b>	steel U.C.P.	steel U.C.P.	steel U.C.P.	steel U.C.P.	steel U.C.P.
<b>TIRES</b>	CST 53-507 (24 x 1.95)	Rubena Winner 50-507 (24 x 1.90)	Rubena Winner 50-507 (24 x 1.90)	Rubena Winner 50-406 (20 x 1.90)	Rubena Bicross 47-406 (20 x 1.75 x 2)
<b>STEM</b>	Kalloy (diam 28.6mm)	Kalloy (diam 28.6mm)	Kalloy (diam 28.6mm)	Kalloy (diam 28.6mm)	Promax BMX (diam 28.6mm)
<b>HANDLEBAR</b>	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	BMX steel (diam 22.2mm)
<b>GRIPS</b>	kraton 2Density	kraton 2Density	kraton 2Density	kraton	kraton
<b>SEAT POST</b>	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	Kalloy (diam 27.2mm)
<b>SADDLE</b>	KLS DriveLine Junior	Kellys Marc	Kellys Marc	Kellys Marc	KLS DriveLine Junior
<b>PEDALS</b>	VP plastic / steel	plastic	plastic	plastic	BMX plastic
<b>FRONT LIGHT</b>	-	-	-	-	-
<b>REAR LIGHT</b>	-	-	-	-	-
<b>FENDERS</b>	-	-	-	-	-
<b>ACCESSORIES</b>	-	-	-	-	h/bar & stem pads

Specifications are subject to change without notice.




**JUNIOR: boy's**

model	size	S/T (mm)	L (mm)	H/T (mm)	∠ S/T	∠ H/T	BB (mm)	RC (mm)	WB (mm)
MARC1	320mm (12.5")	318	500	90	73°	70°	35	400	954.3
MARC2	280mm (11")	279	500	100	73°	70°	35	400	954.8
MARC3	280mm (11")	279	500	100	73°	70°	35	400	961.3
MARC4	255mm (10")	254	470.5	100	73°	70°	5	370	908.8
MARC5	255mm (10")	254	450	80	73°	70°	5	370	877.5
MARC6	235mm (9.5")	235	360	80	73°	70°	5	310	714.1

series  
**JUNIOR**

	MARC 6	MAGGIE	MIA	CINDY	EMMA
<b>FRAME</b>	Kellys Aluminum alloy MTB 16"	Kellys Aluminum alloy monotube 24"	Kellys Aluminum alloy monotube 24"	Kellys Aluminum alloy monotube 20"	Kellys Aluminum alloy monotube 16"
<b>FRAME SIZE</b>	235mm (9.5")	355mm	355mm	295mm	240mm
<b>FORK</b>	hi-ten unicrown (steerer 28.6mm)	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown (threaded steerer 25.4mm)
<b>HEAD PARTS</b>	VP	TH	TH	TH	TH
<b>B.B.PARTS</b>	axle 120mm	VP cartridge (118mm)	VP cartridge (118mm)	VP cartridge (118mm)	axle 120mm
<b>CRANKSET</b>	steel (28T chainwheel)	Prowheel (38T chainwheel)	Prowheel (38T chainwheel)	Prowheel (36T chainwheel)	steel (28T chainwheel)
<b>SHIFTERS</b>	-	Shimano Nexus SL-3S41E Revoshift	Shimano SL-RS35-6 Revoshift	-	-
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	-	-	Shimano TZ50	-	-
<b>SPEED</b>	1	3	6	1	1
<b>FREEWHEEL</b>	single 18T sprocket	Shimano for internal hub 20T	Shimano MF-TZ20-6 (14-28)	single 18T sprocket	single 18T sprocket
<b>CHAIN</b>	KMC Z510 (72 links)	KMC Z33 (94 links)	KMC Z33 (102 links)	KMC Z510 (84 links)	KMC Z510 (74 links)
<b>BRAKES</b>	Apse / coaster brake	Tektro / Shimano coaster brake	Tektro	Tektro / coaster brake	Apse / coaster brake
<b>BRAKE LEVERS</b>	Apse	Tektro	Tektro	Tektro	Apse
<b>BRAKE INNER WIRE</b>	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
<b>HUBS</b>	steel / coaster brake hub (20 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy (36 holes)	alloy / coaster brake (28 holes)	steel / coaster brake hub (20 holes)
<b>RIMS</b>	Remerx RMX 20 305 x 20 (20 holes)	Kellys Wasper 507 x 19 (36 holes)	Kellys Wasper 507 x 19 (36 holes)	Remerx RMX 21 406 x 21 (28 holes)	Remerx RMX 20 305 x 20 (20 holes)
<b>SPOKES</b>	steel U.C.P.	steel U.C.P.	steel U.C.P.	steel U.C.P.	steel U.C.P.
<b>TIRES</b>	Rubena Winner 47-305 (16 x 1.75 x 2)	Rubena Walrus 47-507 (24 x 1.75 x 2) ReflectiveLine	Rubena Walrus 47-507 (24 x 1.75 x 2)	Rubena Walrus 47-406 (20 x 1.75 x 2)	Rubena Walrus 47-305 (16 x 1.75 x 2)
<b>STEM</b>	Promax (diam 28.6mm)	alloy (diam 22.2mm / 30°)	alloy (diam 22.2mm / 30°)	alloy (diam 22.2mm / 30°)	alloy (diam 22.2mm / 30°)
<b>HANDLEBAR</b>	BMX steel (diam 22.2mm)	steel (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)
<b>GRIPS</b>	kraton 2Density	Velo 3Density ergonomic	Velo 3Density ergonomic	Velo 3Density ergonomic	kraton
<b>SEAT POST</b>	Kalloy (diam 25.4mm)	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)	Kalloy (diam 27.2mm)
<b>SADDLE</b>	Kellys Marc	KLS DriveLine Junior	KLS DriveLine Junior	KLS DriveLine Junior	Kellys
<b>PEDALS</b>	BMX plastic	plastic	plastic	plastic	BMX plastic
<b>FENDERS</b>	plastic	RPZ	RPZ	RPZ	plastic
<b>ACCESSORIES</b>	h/bar & stem pads, training wheels	kickstand, bell	kickstand, bell	kickstand, bell	training wheels, bell

Specifications are subject to change without notice.



**JUNIOR: girl's**

model	size	S/T (mm)	L (mm)	H/T (mm)	∓ S/T	∓ H/T	BB (mm)	RC (mm)	WB (mm)
MAGGIE	355mm	355	550	100	69.5°	71°	35	410	980.4
MIA	355mm	355	550	100	69.5°	71°	35	400	970.4
CINDY	295mm	295	470	100	69.5°	71°	15	356	856.5
EMMA	240mm	240	400	100	69.8°	71°	10	320	763.2

## AUSTRIA

**KELLYS BICYCLES s.r.o.**  
SLNECNA 374  
922 01 VELKE ORVISTE  
tel.: +421 333 213 111  
fax: +421 333 213 199  
e-mail: kellys@kellysbike.com

## BELARUS

**VELLOLIMP**  
MOSCOW, UL. ELEKTRODNAYA, DOM 2  
tel./fax: +7 (495) 788 19 52  
e-mail: info@veloolimp.ru  
www.veloolimp.ru

## CROATIA

**L. K. D. D.O.O. KUTINA**  
A.G. MATOSA 12  
KUTINA  
tel. / fax: +385 (0)44 683 504  
e-mail: mbjelajac@inet.hr  
www.bikeshop.hr

## CYPRUS

**TASOS ALETRAS Ltd.**  
266 TSERIOU AVENUE  
2044 NICOSIA STROVOLOS  
tel.: +35 722 321015  
fax: +35 722 321731  
e-mail: info@aletras-megabike.com  
www.aletras-megabike.com

## CZECH REPUBLIC

**KELLYS BICYCLES CZECH REPUBLIC s.r.o.**  
HAVLÍČKOVA 426  
753 01 HRANICE  
tel.: +420 581 698 810  
fax: +420 581 698 819  
e-mail: infocz@kellysbike.com

## ESTONIA

**VELOPLUS**  
SAKU 3  
11314 TALLINN  
tel.: +372 6 556 977  
fax: +372 6 556 308  
e-mail: veloplus@veloplus.ee  
www.veloplus.ee

## FRANCE

**CYCLES CHRISTOPHA**  
100, RUE DE L' ILE NAPOLEON  
68170 RIXHEIM  
tel.: +33 (0)389619708  
fax: +33 (0)389618719

## GERMANY

**KELLYS BICYCLES DEUTSCHLAND**  
AM WALDBERG 15  
12683 BERLIN  
tel.: +49 (0)30 510 61 837  
fax: +49 (0)30 510 61 838  
e-mail: kellysdeutschland@kellysbike.com

## GREECE

**M BIKES SPORTS ON WHEELS**  
THESSALONIKI, P.SYNDIKA 59  
tel.: +30 2310 886 545  
fax: +30 2310 886 546  
e-mail: mbikes@mbikes.gr  
www.mbikes.gr

## HUNGARY

**KELLYS BICYCLES s.r.o.**  
SLNECNA 374  
922 01 VELKE ORVISTE  
SLOVAK REPUBLIC  
tel.: +36 20 9755 732  
fax: +421 333 213 199  
e-mail: infohu@kellysbike.com

## IRELAND

**A.B. CYCLE FACTORS Ltd.**  
14A SOUTH SUMMER STREET  
DUBLIN 8  
tel.: +353 1 4532777  
fax: +353 1 4544793  
email: abcycles@eircom.net

## ISRAEL

**MNM BIKE Ltd.**  
DAFNA 1539 STREET, P.O.B 303  
99875 ZUR-HADASSA  
ISRAEL  
tel: 972 54 224 22 54  
e-mail: sales@mnm-bikes.com

## ITALY

**ARC EN CIEL SRL**  
C.SO BRUNELLESCHI 81  
10141 TORINO  
ITALY  
tel.: +39 348 316 04 03  
page: www.arcenciel.it  
e-mail: info@arcenciel.it

## KAZAKHSTAN

**VELLOLIMP**  
MOSCOW, UL. ELEKTRODNAYA, DOM 2  
tel./fax: +7 (495) 788 19 52  
e-mail: info@veloolimp.ru  
www.veloolimp.ru

## LATVIA

**MULTISPORT Lda.**  
GAROZES 1  
LV-1004 RIGA  
tel.: +371 762 6025  
fax: +371 789 2053  
e-mail: jurism@fans.lv

## LITHUANIA

**UAB POSITUS**  
MYBIKE  
BALTU AVE.13  
LT-48236, LITHUANIA  
tel./fax: +370 3735 00 95  
e-mail: info@positus.lt  
www.positus.lt

## NORWAY

**TEMPO AS**  
TORVLIA 14  
1739 BORGENHAUGEN  
tel: +47 69 100 570  
fax: +47 69 166 252  
e-mail: john@tempoas.no  
www.tempoas.no

## POLAND

**KELLYS Sp. z o.o.**  
UL. MŁYŃSKA 11  
55-200 OŁAWA  
tel.: +48 71 318 88 77  
fax: +48 71 318 88 99  
e-mail: infopl@kellysbike.com

## PORTUGAL

**ALEXANDRE DIAS Lda**  
AV. VILLAGARCIA DE AROSA, 1060  
4450-300 MATOSINHOS  
tel.: +351 229 398 990  
fax: +351 229 398 993  
e-mail: alex.dias@mail.telepac.pt  
page: www.alexandredias.net

## ROMANIA

**BICISHOP EXTREM SRL**  
CAL. GIULESTI Nr.551A, ET. MANS, AP. CAMERA 3  
050182 MUNICIPIUL BUCURESTI, SECTOR 6  
tel.: 0726 / 66 38 77  
e-mail: shop@bicishop.ro  
www.bicishop.ro

## RUSSIA

**VELLOLIMP**  
MOSCOW, UL. ELEKTRODNAYA, DOM 2  
tel./fax: +7 (495) 788 19 52  
e-mail: info@veloolimp.ru  
www.veloolimp.ru

## SERBIA

**NEOBIKE D.O.O.**  
TOLSTOJEVA 14  
210 00 NOVI SAD  
tel.: +381 21 542 216  
fax: +381 21 542 217  
e-mail: neobike@ptt.yu  
www.neobike.co.yu

## SLOVAKIA

**KELLYS BICYCLES s.r.o.**  
SLNEČNÁ 374  
922 01 VEĽKÉ ORVIŠTE  
tel.: +421 333 213 111  
fax: +421 333 213 199  
e-mail: kellys@kellysbike.com

## SPAIN

**SELLING SPORT S.L.**  
FCO. ARITIO NO 156 - 158 POL. IND.  
NUDO OESTE  
CP 19004 GUADALAJARA, SPAIN  
tel.: +34 949 20 7557  
fax: +34 949 20 7564  
e-mail: info@prolightcomponents.com  
www.prolightcomponents.com

## SWITZERLAND / LIECHTENSTEIN

**FLAIKA AG**  
OBERGASS 24 / PF 203  
FL-9494 SCHAAN  
LIECHTENSTEIN  
tel.: +41 79 419 92 44  
fax: +41 81 756 66 66  
e-mail: rene.osterhues@flaika.li  
www.kellysbike.ch

## TAIWAN

**UNI-VICTOR INT'L CORP.**  
NO. 1, RENHUAGONG 10th RD., DALI DIST.,  
TAICHUNG 41278  
TAIWAN  
tel.: +886 4 249 16 008  
fax: +886 4 249 16 007  
e-mail: infotw@kellysbike.com

## TURKEY

**YASMIN TEKSTIL SAN. VE DIS TICARET A.S.**  
OTAKÇILAR CADDESSI No: 60, EYÜP  
34050 İSTAMBUL  
tel.: +90 212 5765622  
fax: +90 212 5671991  
e-mail: izzet@yasminsports.com  
www.yasminsports.com

## UKRAINE

**VELOKIEV GROUP**  
3-A, KOMBAJNEROV STR.  
03061 KIEV  
tel./fax: +380 44 331 9050  
e-mail: admin@kellys.com.ua  
www.kellys.com.ua

