







- 006**
009 | **TECHSIGNATION**
KELLYS RATIO TRAIL CONTROL LINK
NEW ENDURO *ERASER*

- 010**
019 | **FULLSUSPENSION**
XC MARATHON 29"
ENDURO 27.5"
TRAIL / MARATHON 27.5"

- 020**
041 | **HARDTAIL**
HARDTAIL 29"
HARDTAIL 27.5"
HARDTAIL 26"

- 042**
047 | **KLC WOMEN MOUNTAIN**
KLC 27.5"
KLC 26"

- 048**
051 | **DIRT**

- 052**
057 | **ROAD**

- 058**
073 | **CROSS**

- 074**
087 | **URBAN**
FITNESS
TREKKING
CITY

- 088**
093 | **JUNIOR**

- 094**
112 | **SPECS / GEOMETRIES**

- 113** | **CONTACTS**

KELLYS BICYCLES. All rights reserved.
Specifications are subject to change without notice.



Kellys Ratio Trail Control Link is a system of frame suspension which filters terrain irregularities and offers the rider a comfortable ride and perfect bike control even under the toughest conditions. This system includes the so-called virtual pivot point and has been designed to utilise active suspension characteristics of a suspended frame and neutralise unnecessary jiggling while pedalling. Simultaneously, the system provides a suspension system which progressively reacts to terrain irregularities.



KELLYS RATIO TRAIL CONTROL LINK

1 Leverage Ratio

The Leverage Ratio is slightly progressive (the hand lever ratio is between 1:2.5 and 1:2.7). This way, the bicycle is stable and does not create excessive frame recoil, meaning that the energy the rider directs into pedals does not dissipate due to recoil. In a difficult terrain, the shock absorber becomes more responsive, providing high comfort, perfect adjustment to the terrain, and thus a faster and smoother ride.

2 Axle Path

The trajectory course of a suspension rear frame enables the full functionality of the system. Braking no longer affects its functionality and suspension and thus remains active even under extreme riding circumstances. This way the bicycle continuously copes with irregularities.

3 Chain extension / Pedal kickback

When the suspension is engaged (during which the distance between the central construction and rear wheel axle changes), a chain extension occurs. The Ratio Link Control system has been designed to extend the chain to the minimum extent at the maximum shock absorber elevation. This is a competitive edge over other suspension systems and it ensures virtually no kickback effect at maximum compression. Pedal kickback is the kickback into the pedals which occurs when the rear frame of the bicycle moves at the maximum load to the shock absorber and the chain gets extended. Since chain extension remains low with the Ratio Trail Control system, the pedal kickback effect is negligible.

4 Shock characteristics

To ensure the optimum performance of the suspension system under all conditions and to fully utilise its suspension potential, all its parts must be designed uncompromisingly. Fox and Rock Shox adjusted the characteristics of individual suspension rear shock absorbers for frames featuring the Kellys Ratio Link Control suspension system to make sure the suspension provides the best possible suspension qualities to the system as well as maximum ride comfort. A system that is built in this way utilises the distribution of forces affecting the individual areas to ensure that the anchoring elements of the shock absorption unit in the frame are exposed to less strain and thus extends the durability of the entire suspension system.



PERFECT CONTROL
AND
COMFORTABLE RIDE

PROGRESSIVE SUSPENSION



TECHSIGNATION

Enduro **ERASER** offers almost 160 mm of rear travel. The rear shock is specially tuned for this bike. Its three-position Lockout enables a full lock when riding uphill.





KELLYS *ERASER* **IS A TOUGH ENDURO** **FOR EVERY TERRAIN.**

The composite monocoque frame has an exceptionally low weight 1800 g thanks to carbon fibres and their processing with state-of-the-art technological processes. To achieve not only a low weight, but also high torque rigidity, a linkage driven single pivot suspension has been used. This has enabled us to create a bike with an excellent ratio of weight and rigidity of the entire frame set. The 12 mm rear thru axle also helps achieve it. Enduro ERASER offers almost 160 mm of rear travel. The rear shock is specially tuned for this bike. Its three-position Lockout enables a full lock when riding uphill. And, of course, this bike has a remote telescopic seatpost. 27.5-inch wheels increase the passability of the terrain, ensure higher inertia, and the bike is more stable at higher speeds. Internal cable and disc brake hydraulic hose routing provides a clean design, as well as safe and worry-free riding on narrow trails.

Thanks to all of these features, we created a tough Enduro bike that is of universal use. Now, it depends only upon the bikers' abilities as to whether they will use it in an adrenaline Enduro competition or for a long trail just for their enjoyment...



ERASER ***ENDURO***





FULL POWER AHEAD



SERIES

FULL SUSPENSION

XC MARATHON 29"

ENDURO 27.5"

TRAIL / MARATHON 27.5"

Even a trail biker can be Mr. Comfortable

With full-suspension mountain bikes - fullies - we have coupled the absolute rigidity of frames with top-of-the-line suspension in total harmony. On fast descents these bikes have the confidence and safety of control even at high speeds, providing optimum suspension and terrain leveling. On technical ascents they give precise terrain tracking with your maximized energy utilization. You will be cool even after an all-day trip.



29" XC MARATHON

REYON 50

FRAME Kellys SXC Marathon 29 SWT (12mm thru axle) / Ratio Trail Control Link, 100mm rear travel **FORK** Fox 32 Float Evolution O/C CTD Remote, 120mm, air / Open Cartridge / Climb-Trail-Descend / Lockout - 15QR thru axle **REAR SHOCK** Fox Float Evolution CTD Remote, air / Climb-Trail-Descend **CRANKSET** Shimano Deore XT M785 Hollowtech II **SHIFTERS** Shimano SLX SL-M670 Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano SLX / Deore XT **BRAKES** Shimano SLX M675 Hydraulic Disc **WHEELSET** Mavic Crossride **TIRES** Schwalbe 2.25 Racing Ralph Performance folding





FRAME Kellys SXC Marathon 29 SWT (12mm thru axle) / Ratio Trail Control Link, 100mm rear travel **FORK** Rock Shox XC 32 TK, 100mm, Solo Air / PopLoc Remote Lockout - Maxle Lite 15mm thru axle **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Rebound / Open-Pedal **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano SLX **BRAKES** Sram DB5 Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob

REYON 30



REYON 10

FRAME Kellys SXC Marathon 29 SWT / Ratio Trail Control Link, 100mm rear travel **FORK** SR Suntour XCR LO-R Air, 120mm, air / Speed Lockout **REAR SHOCK** Rock Shox Monarch R, Solo Air / Rebound **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob



27.5" ENDURO (650B)

ERASER 90

FRAME Kellys Enduro High-modulus Carbon Composite FS 27.5 monocoque (12mm thru axle) / 160mm rear travel **FORK** Rock Shox Pike RC, 160mm, Solo Air / Charger Damper - Maxle Ultimate 15mm thru axle **REAR SHOCK** Rock Shox Monarch RT3, Solo Air / Rebound / Open-Pedal-Lock **CRANKSET** Sram X1 1000 X-Sync **SHIFTERS** Sram X1 X-Actuation Trigger, 11-speed **R/DERAILLEUR** Sram X1 X-Horizon **BRAKES** Sram Guide R Hydraulic Disc **WHEELSET** Sram Roam 30 XD **TIRES** Schwalbe 2.35 Hans Dampf Performance folding



27.5"



27.5" ENDURO (650B)

SWAG 50

FRAME Kellys SFS Supertrail Enduro 27.5 SWT (12mm thru axle) / Ratio Trail Control Link, 160mm rear travel
FORK Rock Shox Revelation RL, 150mm, Solo Air / Motion Control DNA - Maxle Lite 15mm thru axle
REAR SHOCK Rock Shox Monarch RT, Solo Air / Rebound / Open-Pedal
CRANKSET Sram S1400 GXP
SHIFTERS Shimano SLX SL-M670 I-spec Rapidfire Plus, 20-speed
F/R DERAILLEUR Shimano SLX / Deore XT
BRAKES Shimano SLX M675 Hydraulic Disc
WHEELSET Sram Roam 30
TIRES Schwalbe 2.35 Hans Dampf Performance folding





SWAG 30



27.5"

FRAME Kellys SFS Supertrail Enduro 27.5 SWT (12mm thru axle) / Ratio Trail Control Link, 160mm rear travel **FORK** Rock Shox Sektor Gold TK, 150mm, Solo Air / TurnKey Lockout - Maxle Lite 15mm thru axle **REAR SHOCK** Rock Shox Monarch RT, Solo Air / Rebound / Open-Pedal **CRANKSET** Sram S1000 GXP **SHIFTERS** Sram X5 Trigger, 20-speed **F/R DERAILLEUR** Sram X7 / Sram X9 **BRAKES** Sram DB5 Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.35 Hans Dampf Performance

SWAG 10



27.5"

FRAME Kellys SFS Supertrail Enduro 27.5 SWT (12mm thru axle) / Ratio Trail Control Link, 160mm rear travel **FORK** SR Suntour Epixon TRLO-R, 150mm, air / Speed Lockout - Q-Loc 15mm thru axle **REAR SHOCK** Rock Shox Monarch R, Solo Air / Rebound **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / SLX **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.35 Hans Dampf Performance



27.5" TRAIL / MARATHON (650B)

TYKE 50

FRAME Kellys SXC Marathon 27.5 (12mm thru axle) / 120mm rear travel **FORK** Rock Shox Reba RL, 120mm, Solo Air / PushLoc Remote Lockout - Maxle Lite 15mm thru axle **REAR SHOCK** Fox Float Evolution CTD, air / Climb-Trail-Descend **CRANKSET** Shimano Deore XT M785 Hollowtech II **SHIFTERS** Shimano SLX SL-M670 I-spec Rapidfire Plus, 20-speed **F/R DERAILEUR** Shimano SLX / Deore XT **BRAKES** Shimano SLX M675 Hydraulic Disc **HUBS** Shimano Deore M618 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Racing Ralph Performance folding





FRAME Kellys SXC Marathon 27.5 (12mm thru axle) / 120mm rear travel **FORK** Rock Shox XC 32 TK, 120mm, Solo Air / PopLoc Remote Lockout - Maxle Lite 15mm thru axle **REAR SHOCK** Rock Shox Monarch RL, Solo Air / Rebound / Open-Pedal **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano SLX / Deore XT **BRAKES** Avid DB3 Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob

TYKE 30

TYKE 10

FRAME Kellys SXC Marathon 27.5 (12mm thru axle) / 120mm rear travel **FORK** SR Suntour XCR RL-R Air, 120mm, air / Remote Speed Lockout **REAR SHOCK** Rock Shox Monarch R, Solo Air / Rebound **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILEUR** Shimano Alivio **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc / Deore M618 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob



THE HARD SIDE OF LIFE

SERIES

HARDTAIL

29" 27.5" 26"

Do you prefer the classics?

There has to be something about hard tails as they were the first mountain bikes ever created. Our hard tails are continuously evolving to make use of the latest technologies. For frames of the highest models we used exceptionally light and strong carbon composites, while the rest of the models are made with high-grade aluminium alloys. We've chosen components from renowned manufacturers and increased frame strength, while dropping weight down to the very minimum. You only have to focus on performance, the rest is taken care of by your Kellys hardtail.



HARDTAIL
021



HARDTAIL 29"

29"

HTC / HARDTAIL CARBON FRAME

STAGE

TWENTYNINE



HARDTAIL
022



HIGH-MODULUS CARBON COMPOSITE HT MONOCOQUE
HIGH RIGIDITY CHAIN STAY DESIGN
FULL CARBON TAPERED HEAD TUBE
DIRECT MOUNT F/DERAILLEUR
12x142MM THRU AXLE / CHANGEABLE DROPOUT
TOTAL INTERNAL CABLE / DISC BRAKE HYDRAULIC HOSE ROUTING
RACE UCI GEOMETRY

STAGE 90

FRAME Kellys High-modulus Carbon Composite HT 29 monocoque (12mm thru axle) **FORK** Rock Shox Reba RL, 100mm, Solo Air / PushLoc Remote Lockout - Maxle Lite 15mm thru axle **CRANKSET** Shimano Deore XT M785 Hollowtech II **SHIFTERS** Shimano Deore XT SL-M780 I-spec Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Shimano Deore XT M785 Hydraulic Disc **WHEELSET** Crank Brothers Cobalt 1 **TIRES** Schwalbe 2.25 Racing Ralph Performance folding

29" HARDTAIL

GATE 50

FRAME Kellys Dynamic HT 29 3ple butted - RRC Geometry (12mm thru axle) **FORK** Rock Shox Reba RL, 100mm, Solo Air / PushLoc Remote Lockout - Maxle Lite 15mm thru axle **CRANKSET** Shimano SLX M675 Hollowtech II **SHIFTERS** Shimano SLX SL-M670 1-spec Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano SLX / Deore XT **BRAKES** Shimano M506 / 447 Hydraulic Disc **WHEELSET** Mavic Crossride **TIRES** Schwalbe 2.25 Rapid Rob

29"



FRAME Kellys Dynamic HT 29 3ple butted - RRC Geometry **FORK** Rock Shox XC 32 TK, 100mm, Solo Air / TurnKey Lockout - Maxle Lite 15mm thru axle **CRANKSET** Shimano M523 Hollowtech Octalink **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** Avid DB3 Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc / Shimano M475 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob

GATE 30

29"





29"

FRAME Kellys Dynamic HT 29 3ple butted - RRC Geometry **FORK** SR Suntour XCR RL-R Air, 100mm, air / Remote Speed Lockout **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / SLX **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob

GATE 10

TNT 70

FRAME Kellys RideLite Premium 29 3ple butted - RRC Geometry **FORK** SR Suntour XCM RL, 100mm, coil / Remote Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS Draft Disc **TIRES** KLS 2.10 Attack



29"

HARDTAIL
025



29" HARDTAIL

TNT 50

FRAME Kellys RideLite Premium 29 3ple butted - RRC Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCT **SHIFTERS** Shimano Altus SL-M370 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus / Acera **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** KLS 2.10 Attack



FRAME Kellys RideLite Premium 29 3ple butted - RRC Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour NEX **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Acera **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack

TNT 30



FRAME Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** SR Suntour M3020, 75mm, coil spring **CRANKSET** SR Suntour XCC **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M190 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack

TNT 10

BLACK



TNT 10

WHITE

FRAME Kellys RideLite Premium 29 3ple butted - RRC Geometry (Race Ready Concept) **FORK** SR Suntour M3020, 75mm, coil spring **CRANKSET** SR Suntour XCC **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M190 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack



27.5" (650 B) HARDTAIL





HACKER 90

FRAME Kellys iCAD HT Carbon Composite DRT 650B **FORK** Fox 32 Float Factory FIT CTD Remote - Kashima Coat, 100mm, air / FIT Damper Technology / Climb-Trail-Descend / Remote Lockout - 15QR thru axle **CRANKSET** Shimano XTR M9000-1 Hollowtech II **SHIFTERS** Shimano XTR SL-M9000 I-spec II Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano XTR M9000 **BRAKES** Shimano XTR M9020 Hydraulic Disc **WHEELSET** Crank Brothers Cobalt 2 **TIRES** Schwalbe 2.10 Racing Ralph Performance folding



27.5"

27.5" (650 B) HARDTAIL



FRAME Kellys iCAD HT Carbon Composite DRT 650B **FORK** Fox 32 Float Evolution O/C CTD Remote, 100mm, air / Open Cartridge / Climb-Trail-Descend / Remote Lockout - 15QR thru axle **CRANKSET** Shimano Deore XT M785 Hollowtech II **SHIFTERS** Shimano SLX SL-M670 Rapidfire Plus I-spec, 20-speed **F/R DERAILLEUR** Shimano SLX / Deore XT **BRAKES** Shimano SLX M675 Hydraulic Disc **WHEELSET** Mavic Crossride **TIRES** Schwalbe 2.10 Racing Ralph Performance folding

HACKER 50

HACKER 30

FRAME Kellys iCAD HT Carbon Composite DRT 650B **FORK** Rock Shox Reba RL, 100mm, Solo Air / Motion Control / PushLoc Remote Lockout - Maxle Lite 15mm thru axle **CRANKSET** Shimano SLX M675 Hollowtech II **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus I-spec, 20-speed **F/R DERAILLEUR** Shimano SLX / Deore XT **BRAKES** Shimano Deore M615 Hydraulic Disc **HUBS** Kellys Stormer 15DH-FR Disc / Shimano Deore M525 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rapid Rob





HACKER 10

FRAME Kellys iCAD HT Carbon Composite DRT 650B **FORK** Rock Shox 30 Gold TK, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** Sram S1000 GXP **SHIFTERS** Sram X5 Trigger, 20-speed **F/R DERAILLEUR** Sram X7 / Sram X9 **BRAKES** Sram DB5 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.10 Rapid Rob



27.5" (650 B) HARDTAIL

THORX 90

FRAME Kellys 6BOX 3ple butted 650B - Race Geometry **FORK** Rock Shox Recon Gold TK, 100mm, Solo Air / PushLoc Remote Lockout **CRANKSET** Shimano SLX M675 Hollowtech II **SHIFTERS** Shimano SLX SL-M670 I-spec Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano SLX / Deore XT **BRAKES** Shimano M506 / 447 Hydraulic Disc **WHEELSET** Mavic Crossone **TIRES** Schwalbe 2.25 Rapid Rob



27.5"



27.5"



THORX 50

FRAME Kellys 6BOX 3ple butted - Race Geometry **FORK** Rock Shox 30 Gold TK, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** Shimano Deore M615 Hollowtech II **SHIFTERS** Shimano SLX SL-M670 Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano SLX / Deore XT **BRAKES** Sram DB5 Hydraulic Disc **HUBS** Shimano Deore M475 Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob

THORX 10

FRAME Kellys 6BOX 3ple butted 650B - Race Geometry **FORK** Rock Shox XC 32 TK, 100mm, Solo Air / TurnKey Lockout **CRANKSET** Shimano Deore XT M782 Hollowtech II **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** Avid DB3 Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob



27.5"





MADMAN 50

FRAME Kellys Alutec Avant DRT 650B **FORK** Rock Shox XC 30 TK, 100mm, Solo Air / PopLoc Remote Lockout **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano SLX SL-M670 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / Deore XT **BRAKES** Sram DB5 Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob



27.5" (650 B) HARDTAIL

FRAME Kellys Alutec Avant DRT 650B **FORK** SR Suntour XCR RL-R Air, 100mm, air / Remote Speed Lockout **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILEUR** Shimano Deore / SLX **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob

MADMAN 30



MADMAN 10

FRAME Kellys Alutec Avant DRT 650B **FORK** SR Suntour XCR LO-R Air, 100mm, air / Speed Lockout **CRANKSET** KLS Race integrated **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILEUR** Shimano Alivio **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS MadMax Disc **TIRES** Schwalbe 2.25 Rapid Rob





HARDTAIL | 035 

27.5" (650 B) HARDTAIL

SPIDER 70

FRAME Kellys Alutec Avant - RRC Geometry **FORK** SR Suntour XCR LO, 100mm, coil / Speed Lockout
CRANKSET Shimano Alivio Octalink **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed
F/R DERAILLEUR Shimano Alivio **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock
RIMS KLS Draft Disc **TIRES** Schwalbe 2.25 Rapid Rob





FRAME Kellys Alutec Avant - RRC Geometry **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCM **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR**
Shimano Alivio **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc
TIRES Schwalbe 2.25 Rapid Rob

SPIDER 50



27.5"

SPIDER 30 BLACK TOXIC

FRAME Kellys Alutec Avant - RRC Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR**
Shimano M190 / Acera **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc
TIRES KLS 2.10 Attack



27.5"



27.5" (650 B) HARDTAIL

SPIDER 30

BLUE

FRAME Kellys Alutec Avant - RRC Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR**
Shimano M190 / Acera **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc
TIRES KLS 2.10 Attack



FRAME Kellys Alutec Avant - RRC Geometry **FORK** SR Suntour M3030, 75mm, coil spring **CRANKSET**
SR Suntour XCT **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 /
Acera **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack

SPIDER 10



26" HARDTAIL



FRAME Kellys Alutec - RRC Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** SR Suntour XCE **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M190 / Acera **BRAKES** Zoom Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** KLS 2.10 Attack

VIPER 50
BLACK BLUE

VIPER 50
RED BLUE

FRAME Kellys Alutec - RRC Geometry **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** SR Suntour XCE **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M190 / Acera **BRAKES** Zoom Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** KLS 2.10 Attack



26" HARDTAIL

VIPER 30

BLACK LIME

FRAME Kellys Alutec - RRC Geometry **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCE
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Acera **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack



FRAME Kellys Alutec - RRC Geometry **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCE
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M190 / Acera **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack

VIPER 30

BLUE





FRAME Kellys Alutec - RRC Geometry **FORK** SR Suntour M3020 A, 75mm, coil spring **CRANKSET** Prowheel
SHIFTERS Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY10 / Altus **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack

VIPER 10

BLACK FIRE



26"

VIPER 10

YELLOW

FRAME Kellys Alutec - RRC Geometry **FORK** SR Suntour M3020 A, 75mm, coil spring **CRANKSET** Prowheel
SHIFTERS Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY10 / Altus **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** KLS 2.10 Attack



26"

DISCOVER NEW HORIZONS



SERIES

KLC WOMEN

MOUNTAIN 26" 27.5"

Kellys Lady Concept

Our bicycles ideally contour women's profiles, so the KLC - Lady Sport Geometry enables maximum use of energy spent. To achieve harmony, KLC models have modern design and top quality components. We want the women to keep their charm even when active.



KLC WOMEN MOUNTAIN
042



27.5" (650 B) KLC WOMEN MOUNTAIN

VANITY 90

FRAME Kellys KLC Lite 650B - LSG (Lady Sport Geometry) **FORK** Rock Shox XC 30 TK, 100mm, Solo Air / TurnKey Lockout **CRANKSET** KLS RacePro integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / SLX **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS Draft Disc **TIRES** Schwalbe 2.10 Rapid Rob



FRAME Kellys KLC Lite 650B - LSG (Lady Sport Geometry) **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Acera SL-M390 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera / Alivio **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** KLS 2.10 Attack

VANITY 70



KLC WOMEN MOUNTAIN
044



26" KLC WOMEN MOUNTAIN

FRAME Kellys KLC Lite - LSG (Lady Sport Geometry) **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCE **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILEUR**
Shimano M190 / Altus **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc
TIRES KLS 2.10 Attack

VANITY 50



VANITY 30

FRAME Kellys KLC Lite - LSG (Lady Sport Geometry) **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout
CRANKSET SR Suntour XCE **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR**
Shimano M190 / Altus **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova 2.0



26" KLC WOMEN MOUNTAIN



FRAME Kellys KLC Lite - LSG (Lady Sport Geometry) **FORK** SR Suntour M3020 A, 75mm, coil spring
CRANKSET Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano
M190 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova 2.0

VANITY 20

SNOW VIOLET



VANITY 20

AQUA

FRAME Kellys KLC Lite - LSG (Lady Sport Geometry) **FORK** SR Suntour M3020 A, 75mm, coil spring
CRANKSET Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano
M190 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova 2.0



KLC WOMEN MOUNTAIN
046



VANITY 10

MINT GREEN



FRAME Kellys KLC Lite - LSG (Lady Sport Geometry) **FORK** SR Suntour M3010 A, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano SL-R535-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TX50 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova 2.0

VANITY 10

SUNRISE



FRAME Kellys KLC Lite - LSG (Lady Sport Geometry) **FORK** SR Suntour M3010 A, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano SL-R535-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TX50 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova 2.0



THROW NEW TRICKS AND PUSH YOUR LIMITS

SERIES

D1RT

100% Fun, 0% Problems

Dirt is a FreeRide life style. Kellys Dirt bikes give you absolute freedom. Made for adrenaline rides at the edge of your limits, Dirt bike must withstand extreme treatment and endure almost anything. Powerful, reinforced frames keep you in the seat over the most daring patches, jumps and free falls. Robust construction and reduced geometry give the bike agility, maximum steering control and stability at high speeds. Expect powerful disc brakes and components designed for harsh treatment. Our WHIP models are built to be bold. Realise your crazy ideas and enjoy unbridled riding! So **Let's Go Out!**



DIRT

WHIP 50

FRAME Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** Manitou Circus Expert, 100mm, ACT Air, Absolute+ damping with Jump Stack / Lockout - 20mm Hex thru axle **CRANKSET** Truvativ Ruktion 1.0 **R/SHIFTER** Sram X5 Trigger, 9-speed **R/DERAILLEUR** Sram X5 **BRAKES** Avid DB3 Hydraulic Disc **HUBS** KLS D20 Disc (20mm front thru axle) **RIMS** KLS Brave Disc **TIRES** Kenda 2.35 Kinetics



FRAME Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** RST Dirt T, 100mm, coil spring **CRANKSET** Truvativ Ruktion 1.0 **R/SHIFTER** Sram SL Trigger, 9-speed **R/DERAILLEUR** Sram X4 **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Disc **RIMS** KLS Brave Disc **TIRES** Kenda 2.35 Kinetics

WHIP 30





FRAME Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCE **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILEUR** Shimano TX50 / Acera **BRAKES** Zoom Mechanical Disc **HUBS** KT Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.35 Kinetics

WHIP 10 NEON



WHIP 10 PURPLE

FRAME Kellys Dirt Proven double butted - Dirt Series Geometry **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** SR Suntour XCE **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILEUR** Shimano TX50 / Acera **BRAKES** Zoom Mechanical Disc **HUBS** KT Disc **RIMS** KLS Draft Disc **TIRES** Kenda 2.35 Kinetics







SERIES

ROAD

Make the green jersey yours!

Road bikes are special machines designed for special purpose, light, slender, and born for speed. These road bikes are designed for extreme performance with their black carbon composite fibers iCAD frames. Great aerodynamics and improved frame rigidity for sprinting and the uphill. Models with carbon and light aluminum alloys have the best available components.

ROAD

URC 90

FRAME Kellys iCAD RC Carbon Composite **FORK** Kellys Carbon monocoque 1.5 TS **CRANKSET** Shimano Dura-Ace 9000 Hollowtech II **SHIFTERS** Shimano Dura-Ace ST-9000 Dual Control, 22-speed **F/R DERAILLEUR** Shimano Dura-Ace 9000 **BRAKES** Shimano Dura-Ace 9000 **WHEELSET** Mavic Ksyrium Elite S **TIRES** Mavic Yksion Pro GripLink folding





FRAME Kellys iCAD RC Carbon Composite **FORK** Kellys Carbon monoque 1.5 TS **CRANKSET** Shimano Ultegra 6800 Hollowtech II compact (50x34) **SHIFTERS** Shimano Ultegra ST-6800 Dual Control, 22-speed **F/R DERAILLEUR** Shimano Ultegra 6800 **BRAKES** Shimano Ultegra 6800 **WHEELSET** Mavic Aksium S **TIRES** Mavic Aksion folding

URC 70



ROAD



FRAME Kellys iCAD RC Carbon Composite **FORK** Kellys Carbon monocoque 1.5 TS **CRANKSET** Shimano 105 Hollowtech II compact **SHIFTERS** Shimano 105 ST-5800 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 **BRAKES** Shimano 105 **WHEELSET** Shimano RS10 **TIRES** Schwalbe Durano

URC 50



URC 30

FRAME Kellys iCAD RC Carbon Composite **FORK** Kellys Dynamic Carbon 1.5 TS **CRANKSET** Shimano Tiagra 4650 compact **SHIFTERS** Shimano Tiagra ST-4600 Dual Control, 20-speed **F/R DERAILLEUR** Shimano Tiagra **BRAKES** Shimano Sora **HUBS** Shimano Sora **RIMS** Kellys Spark **TIRES** Schwalbe Lugano





ARC 50

FRAME Aluminum alloy 3ple butted **FORK** Kellys Dynamic Carbon 1.5 TS **CRANKSET** Shimano 105 Hollowtech II compact **SHIFTERS** Shimano 105 ST-5800 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 **BRAKES** Shimano 105 **HUBS** Shimano 105 **RIMS** Kellys Spark **TIRES** Schwalbe Lugano

ARC 30

FRAME Aluminum alloy 3ple butted **FORK** Kellys Dynamic Carbon 1.5 TS **CRANKSET** Shimano Tiagra 4650 compact **SHIFTERS** Shimano Tiagra ST-4600 Dual Control, 20-speed **F/R DERAILLEUR** Shimano Tiagra **BRAKES** Shimano Claris **HUBS** Shimano Sora **RIMS** Kellys Spark **TIRES** Schwalbe Lugano



ARC 10

FRAME Aluminum alloy 3ple butted **FORK** Kellys Dynamic Carbon 1.5 TS **CRANKSET** Shimano Claris 2450 Octalink compact **SHIFTERS** Shimano Claris ST-2400 Dual Control, 16-speed **F/R DERAILLEUR** Shimano Claris **BRAKES** Tektro **HUBS** Shimano Claris **RIMS** Kellys Spark **TIRES** Schwalbe Lugano



LIFE IS A JOURNEY

SERIES

CROSS

Fun Rider?

Need a universal sports bike? These universal bicycles will be your reliable partners for any surface, you can go over hills and on flat, field roads and narrow tarmac. The Sport Cross Geometry is adapted to ensure comfort even on long rides. Suspension fork, wide range of gears and comfortable steering will provide for your comfort. Your ride will be easy thanks to low-rolling-resistance tires. Ideal bicycle for Sunday outings and tours. Just choose your destination.



CROSS | 
059

CROSS

PHANATIC 90

FRAME Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-D RL, 63mm / 75mm, air / Remote Speed Lockout **CRANKSET** Shimano T551 **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT **BRAKES** Shimano M506 / 447 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine





FRAME Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NCX-D LO, 63mm / 75mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR integrated **SHIFTERS** Shimano Deore SL-M610 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore / SLX **BRAKES** Shimano M355 Hydraulic Disc **HUBS** Shimano RM33 Disc Center Lock **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine

PHANATIC 70



PHANATIC 50

FRAME Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR6 **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Alivio / Deore XT **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine



CROSS

PHANATIC 30

FRAME Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCR6 **SHIFTERS** Shimano Altus SL-M370 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** Schwalbe CX Comp - ReflectiveLine





FRAME Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Alivio ST-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

PHANATIC 10

VAMP



PHANATIC 10

LIME

FRAME Kellys Crossforce Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Alivio ST-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova





FRAME Kellys Crossforce Lady Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Alivio ST-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

PHUTURA 10 TIFFANY



PHUTURA 10 SUNRISE

FRAME Kellys Crossforce Lady Lite 3ple butted - SCG (Sport Cross Geometry) **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano Alivio ST-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova





FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM
SHIFTERS Shimano Altus SL-M370 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES** Tektro
Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** Innova

CLIFF 90



CLEA 90

FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET**
SR Suntour XCM **SHIFTERS** Shimano Altus SL-M370 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 /
Altus **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** Innova



CROSS



FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM
SHIFTERS Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Tektro
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

CLIFF 70 WHITE



CLIFF 70 SHADOW RED

FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM
SHIFTERS Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Tektro
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova



CROSS
066



CLEA 70

WHITE

FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova



FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Tektro V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

CLEA 70

PHOENIX RED



CROSS

CLIFF 50 PHOENIX RED

FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour NEX
SHIFTERS Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova



FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour NEX
SHIFTERS Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Acera **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

CLIFF 50 BLACK





CLEA 50

AZURE



FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour NEX **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Acera **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

CLEA 50

COFFEE

FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour NEX **SHIFTERS** Shimano ST-EF65-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Acera **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova



CROSS



FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCC
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

CLIFF 30 SILVER



CLIFF 30 DARK MANGO

FRAME Kellys Crosslite alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCC
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES** Alhonga
V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova



CLEA 30 SUNRISE

FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCC **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova



FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCC **SHIFTERS** Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES** Alhonga V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TIRES** Innova

CLEA 30 SILVER



CROSS



FRAME Kellys Crosslite alloy **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M191 / TX35 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TIRES** Innova

CLIFF 10
BLACK YELLOW

CLIFF 10
LIME

FRAME Kellys Crosslite alloy **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M191 / TX35 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TIRES** Innova



CLEA 10

BLUE

FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M191 / TX35 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TIRES** Innova



FRAME Kellys Crosslite alloy lady's **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano ST-EF51-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano M191 / TX35 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TIRES** Innova

CLEA 10

NIGHT



AN ALTERNATIVE TO CARS

SERIES

URBAN

FITNESS
TREKKING
CITY

The bike to serve you

In the cities bicycles are the green alternative. Urban bikes are robust in all weather conditions whatever your destination. They will take you reliably and comfortably through the urban jungle and along country roads. Emphasis is on maximum ride comfort, simple controls, safety and minimum maintenance. KELLYS Urban bikes are your reliable option.



URBAN
075



FITNESS

PHYSIO 50

FRAME Aluminum alloy 3ple butted - Urban Move Concept **FORK** Aluminum alloy **CRANKSET** Sram Via Centro **SHIFTERS** Sram Via Centro Trigger, 20-speed **F/R DERAILLEUR** Sram Via Centro **BRAKES** Avid Single Digit 3 V-brake **HUBS** Shimano Tiagra **RIMS** Kellys Spark **TIRES** Schwalbe Spicer 30C - ReflectiveLine





UrbanMove - For Active Life

When talking about fitness, most of us imagine working out on various machines and power equipment in air-conditioned fitness centers. There is nothing more pleasant and natural than exercise outdoors. The bicycles Urban Move Fitness are designed mainly for active exercise and sport in city environment. So be fit and ride the bicycle to work, to school, for fun or just going out with friends for a cup of coffee.



FITNESS

FRAME Aluminum alloy 3ple butted - Urban Move Concept **FORK** Aluminum alloy **CRANKSET** SR Suntour XCR6 **SHIFTERS** Shimano Altus SL-M370 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus / Alivio **BRAKES** Avid Single Digit 3 V-brake **HUBS** Shimano Claris **RIMS** Kellys Spark **TIRES** Schwalbe Spicer 30C - ReflectiveLine

PHYSIO 30



PHYSIO 10

FRAME Aluminum alloy 3ple butted - Urban Move Concept **FORK** Aluminum alloy **CRANKSET** Samox, 1-speed **BRAKES** Tektro V-brake **HUBS** Formula - double sided rear hub (freewheel / fixed cog) **RIMS** Kellys Spark **TIRES** Schwalbe Spicer 30C - ReflectiveLine



TREKKING

CARTER 70

FRAME Aeroprofile alloy **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM **SHIFTERS** Shimano ST-EF65-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano M191 / Alivio **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo hub 3N20 / Shimano RM30 **RIMS** KLS Draft **TIRES** Kellys Camp - ReflectiveLine **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED





FRAME Aeroprofile alloy **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** SR Suntour XCE
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Altus **BRAKES**
Alhonga V-brake **HUBS** Shimano Dynamo hub 3N20 / KLS Drive **RIMS** KLS Draft **TIRES** Kellys Camp
LIGHTING Büchel Road Lite / Büchel Champs Elysees LED

CARTER 50



CRISTY 50

FRAME Aeroprofile alloy lady's **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** SR Suntour XCE
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano M191 / Altus **BRAKES**
Alhonga V-brake **HUBS** Shimano Dynamo hub 3N20 / KLS Drive **RIMS** KLS Draft **TIRES** Kellys Camp **LIGHTING**
Büchel Road Lite / Büchel Champs Elysees LED







FRAME Aeroprofile alloy **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** SR Suntour XCE
SHIFTERS Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES**
Alhonga V-brake **HUBS** Shimano Dynamo hub 3N20 / alloy **RIMS** KLS Draft **TIRES** Kellys Camp **LIGHTING**
Büchel Road Lite / Büchel Champs Elysees LED

CARTER 30



CRISTY 30

FRAME Aeroprofile alloy lady's **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** SR Suntour XCE
SHIFTERS Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES**
Alhonga V-brake **HUBS** Shimano Dynamo hub 3N20 / alloy **RIMS** KLS Draft **TIRES** Kellys Camp **LIGHTING**
Büchel Road Lite / Büchel Champs Elysees LED



CARTER 10

FRAME hi-ten **FORK** hi-ten unicrown **CRANKSET** SR Suntour XCC **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TZ31 / TX35 **BRAKES** Alhonga V-brake **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Camp **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED



FRAME hi-ten lady's **FORK** hi-ten unicrown **CRANKSET** SR Suntour XCC **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TZ31 / TX35 **BRAKES** Alhonga V-brake **HUBS** alloy **RIMS** KLS Draft **TIRES** Kellys Camp **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED

CRISTY 10





CITY



AVENUE 90

FRAME Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Prowheel
SHIFTERS Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Alhonga V-brake / Shimano coaster brake
HUBS Shimano Dynamo hub 3N20 / Nexus 7C30 Inter-7 internal geared hub **RIMS** KLS Draft **TIRES** Rubena
Flash 28 x 1.75 ReflectiveLine **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED



FRAME Aluminum alloy monotube **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Shimano M131
SHIFTERS Shimano ST-EF51-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES**
Tekro V-brake **HUBS** Shimano Dynamo hub 3N20 / KLS Drive **RIMS** KLS Draft **TIRES** Rubena Flash 28 x 1.75
ReflectiveLine **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED

AVENUE 70



AVENUE 50

FRAME Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Alhonga V-brake / Shimano coaster brake **HUBS** Shimano Dynamo hub 3N20 / Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED



FRAME Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Alhonga V-brake / Shimano coaster brake **HUBS** Shimano Dynamo hub 3N20 / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TIRES** Rubena Cobra 26 x 1.90 **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED

AVENUE 30





AVENUE 20

FRAME Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Alhonga V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TIRES** Rubena Flash 28 x 1.75 ReflectiveLine **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED



FRAME Aluminum alloy monotube **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Alhonga V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TIRES** Rubena Cobra 26 x 1.90 **LIGHTING** Büchel Road Lite / Büchel Champs Elysees LED

AVENUE 10





DREAMS DO COME TRUE

SERIES **JUNIOR**

Remember your first bike?

We have pooled our extensive experience into developing great bikes for our young riders! So saddle up and have fun on bikes that are safe, easy to steer and low maintenance. KELLYS Junior models have everything that adult bikes have - and are perfectly designed for the youngest up to teenagers.

JUNIOR

MARC 90

FRAME Kellys Alutec Avant MTB 24" - RRC Geometry **FORK** SR Suntour M3020, 50mm, coil spring **CRANKSET** SR Suntour XCT **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano M191 / Altus **BRAKES** Tektro Auriga Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TIRES** Rubena Winner 24 x 1.90



JUNIOR

KITER 50

FRAME Kellys Aluminum alloy MTB 24" **FORK** SR Suntour M3010, 40mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-7 Revoshift, 21-speed **F/R DERAILEUR** Shimano TX50 / TX35 **BRAKES** Alhonga V-brake **HUBS** KLS **RIMS** KLS Wasper **TIRES** Rubena Winner 24 x 1.90



KITER 30 LIME

FRAME Kellys Aluminum alloy MTB 24" **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 18-speed **F/R DERAILEUR** Shimano TZ30 / TZ50 **BRAKES** Alhonga V-brake **HUBS** KLS **RIMS** KLS Wasper **TIRES** Rubena Winner 24 x 1.90

KITER 30 SKY

FRAME Kellys Aluminum alloy MTB 24" **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 18-speed **F/R DERAILEUR** Shimano TZ30 / TZ50 **BRAKES** Alhonga V-brake **HUBS** KLS **RIMS** KLS Wasper **TIRES** Rubena Winner 24 x 1.90





LUMI 50

FRAME Kellys Aluminum alloy MTB 20" **FORK** SR Suntour M3010, 40mm, coil spring **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Alhonga V-brake **HUBS** KLS **RIMS** KLS Wasper **TIRES** Rubena Winner 20 x 1.90

LUMI 30 YELLOW

FRAME Kellys Aluminum alloy MTB 20" **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Alhonga V-brake **HUBS** KLS Wasper **RIMS** Kellys Wasper **TIRES** Rubena Winner 20 x 1.90



LUMI 30 PINK

FRAME Kellys Aluminum alloy MTB 20" **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Alhonga V-brake **HUBS** KLS Wasper **RIMS** Kellys Wasper **TIRES** Rubena Winner 20 x 1.90



JUNIOR

TRICK

FRAME Kellys Aluminum alloy BMX 20" **FORK** BMX hi-ten unicrown
CRANKSET Prowheel, 1-speed chainwheel **BRAKES** Apse V-brake /
coaster brake **HUBS** KLS / coaster brake hub **RIMS** KLS Waspert **TIRES**
Rubena Bicross 20 x 1.75 x 2



WASPER

FRAME Kellys Aluminum alloy MTB 16" **FORK** hi-ten unicrown
CRANKSET 1-speed chainwheel **BRAKES** V-brake / coaster
brake **HUBS** steel / coaster brake hub **RIMS** KLS Wasper **TIRES**
Rubena Winner 16 x 1.75 x 2



KITE 12

KITE 12 RACE

Stylish balance bike Kellys KITE 12 helps your child to get used to riding a bike. Children naturally learn to keep their balance without the fear of falling. Riding on a balance bike is a lot of fun. It teaches your child to ride on two wheels, helps to improve their motor skills, riding control and coordination. The best riders have the opportunity to keep their feet on the integrated foot pegs and develop advanced riding skills. Adjustable handlebars and quick-clamps on seat allow easy customization for each child. Ease of riding is ensured by inflatable 12 inch wheels with denser tread which improve grip on variety of terrains, be it grass, mud or pavement. Balance bike Kellys KITE12 meets the highest safety standards for the European market and is certified to EN-71 norm.



MAGGIE

FRAME Kellys Aluminum alloy monotube 24" **FORK** hi-ten unicrown **CRANKSET** Prowheel **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Wasper **TIRES** Rubena Walrus 24 x 1.75 x 2 ReflectiveLine

CINDY

FRAME Kellys Aluminum alloy monotube 20" **FORK** hi-ten unicrown **CRANKSET** Prowheel, 1-speed chainwheel **BRAKES** Tektro V-brake / coaster brake **HUBS** alloy / coaster brake hub **RIMS** KLS Wasper **TIRES** Rubena Walrus 20 x 1.75 x 2



EMMA


FRAME Kellys Aluminum alloy monotube 16" **FORK** hi-ten unicrown **CRANKSET** 1-speed chainwheel **BRAKES** V-brake / coaster brake **HUBS** steel / coaster brake hub **RIMS** KLS Wasper **TIRES** Rubena Walrus 16 x 1.75 x 2



series
FULLSUSPENSION

	29" XC MARATHON			27.5" (650B) ENDURO	
	REYON 50	REYON 30	REYON 10	ERASER 90	SWAG 50
FRAME	Kellys SXC Marathon 29 SWT 7005 (12x142mm thru axle) / Ratio Trail Control Link 100mm rear travel	Kellys SXC Marathon 29 SWT 7005 (12x142mm thru axle) / Ratio Trail Control Link 100mm rear travel	Kellys SXC Marathon 29 SWT 7005 / Ratio Trail Control Link 100mm rear travel	Kellys Enduro High-modulus Carbon Composite FS 27.5 monocoque (12x142mm thru axle) / 160mm rear travel	Kellys SFS Supertrail Enduro SWT 7005 (12x142mm thru axle) / Ratio Trail Control Link 160mm rear travel
FRAME SIZE	S (17") / M (19") / L (21")	S (17") / M (19") / L (21")	S (17") / M (19") / L (21")	S / M / L	S (17.5") / M (19") / L (21")
FORK	Fox 32 Float Evolution O/C CTD Remote (29), 120mm air / Open Cartridge / CTD 3 / Lockout 15QR thru axle	Rock Shox XC 32 TK (29) 100mm, Solo Air / PopLoc Remote Lockout Maxle Lite 15mm thru axle	SR Suntour XCR LO-R Air (29) 120mm, air / Speed Lockout	Rock Shox Pike RC (27.5) 160mm, Solo Air / Charger Damper Maxle Ultimate 15mm thru axle	Rock Shox Revelation RL (27.5) 150mm, Solo Air / Motion Control DNA Maxle Lite 15mm thru axle
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	Shimano Press-Fit BB71 integrated	KLS PressFit integrated	KLS PressFit integrated	Sram PressFit	Sram PressFit GXP
CRANKSET	Shimano Deore XT M785 Hollowtech II (38x24)	KLS RacePro (40x30x22) integrated	KLS RacePro (40x30x22) integrated	Sram X1 1000 X-Sync (32)	Sram S1400 GXP (38x24)
SHIFTERS	Shimano SLX SL-M670 Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Sram X1 11-Speed X-Actuation Trigger (rear)	Shimano SLX SL-M670-B I-spec Rapidfire Plus
F/DERAILLEUR	Shimano SLX M676 (34.9mm)	Shimano SLX M671 (34.9mm)	Shimano Deore M611 (34.9mm)	-	Shimano SLX M676
R/DERAILLEUR	Shimano Deore XT M781	Shimano SLX M670	Shimano Deore M610	Sram X1 11-Speed X-Horizon	Shimano Deore XT M781
SPEED	20	30	30	11	20
FREEWHEEL	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Sram PG-1020-10 (11-36)	Sram XG-1180 (10-42)	Shimano CS-GH50-10 (11-36)
CHAIN	KMC X10L (112 links)	KMC X10L (112 links)	KMC X10 (112 links)	KMC X11 (114 links)	KMC X10L (110 links)
BRAKES	Shimano SLX M675 Hydraulic Disc	Sram DB5 Hydraulic Disc	Shimano M355 Hydraulic Disc	Sram Guide R Hydraulic Disc (4-piston)	Shimano SLX M675 Hydraulic Disc
BRAKE ROTORS	180mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear Center Lock	180mm front / 180mm rear	180mm front / 180mm rear
BRAKE LEVERS	Shimano SLX BL-M675	Sram DB5	Shimano BL-M355	Sram Guide R	Shimano SLX BL-M675-B
HUBS	-	Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc (32 holes)	Shimano RM33 Disc Center Lock (32 holes)	-	-
THRU AXLE	Fox 15QR front / Rock Shox Maxle Lite 12x142mm rear	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear	-	Rock Shox Maxle Ultimate 15x100mm front / 12x142mm rear	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear
RIMS / WHEELSET	Mavic Crossride (29) wheelset	KLS MadMax Disc 622 x 18 (32 holes)	KLS MadMax Disc 622 x 18 (32 holes)	Sram Roam 30 XD (27.5) wheelset	Sram Roam 30 (27.5) wheelset
SPOKES	-	stainless steel black	stainless steel black	-	-
TIRES	Schwalbe Racing Ralph Performance 57-622 (29 x 2.25) folding	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Hans Dampf Performance 60-584 (27.5 x 2.35) folding	Schwalbe Hans Dampf Performance 60-584 (27.5 x 2.35) folding
STEM	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	Race Face Atlas (diam 28.6mm / bar bore 35mm / 0°)	Race Face Chester (diam 28.6mm / bar bore 31.8mm / 8°)
HANDLEBAR	KLS Master (31.8mm)	KLS Master (31.8mm)	KLS Master (31.8mm)	Race Face Atlas RiseBar (35mm)	Race Face Respond RiseBar (31.8mm)
GRIPS	KLS Advancer LockOn gel	KLS Advancer LockOn gel	KLS Advancer 2Density	Race Face Half Nelson	KLS Advancer LockOn gel
SEAT POST	KLS Master (31.6mm)	KLS Expert (31.6mm)	KLS Expert (31.6mm)	KS - LEV Integra - Remote Telescopic (31.6mm / 125mm travel)	KS - LEV DX - Remote Telescopic (31.6mm / 125mm travel)
SADDLE	fi'zi:k Nisene Mg	KLS Avenger	KLS Avenger	KLS Havoc	KLS Havoc
PEDALS	Shimano M505 SPD	KLS Master - alloy	KLS Master - alloy	Shimano M505 SPD	KLS Master - alloy
REAR SHOCK	Fox Float Evolution CTD Remote (cable splitter), air / Climb-Trail-Descend (size 165mm)	Rock Shox Monarch RL Solo Air / Rebound / Open-Pedal (size 165mm)	Rock Shox Monarch R Solo Air / Rebound (size 165mm)	Rock Shox Monarch RT3 Solo Air / Rebound / Open-Pedal-Lock (size 200mm)	Rock Shox Monarch RT Solo Air / Rebound / Open-Pedal (size 200mm)

Specifications are subject to change without notice.



FULLSUSPENSION - XC MARATHON 29": Kellys SXC Marathon 29 SWT 7005


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S (17")	431.8	600	115	72°	70°	30	452	1138.5
M (19")	482.6	620	125	72°	70°	30	452	1158.8
L (21")	533.4	640	135	72°	70°	30	452	1179.2

model: Reyon 50, Reyon 30, Reyon 10

FULLSUSPENSION - ENDURO 27.5": Kellys Enduro High-modulus Carbon Composite FS 27.5 monocoque

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	406	559	115	72.5°	68°	20	438	1133.5
M	457	584	120	72.5°	68°	20	438	1158.9
L	508	610	130	72.5°	68°	20	438	1184.3


model: Eraser 90



SPECS / GEOMETRIES

	27.5" (650B) ENDURO		27.5" (650B) TRAIL/MARATHON		
	SWAG 30	SWAG 10	TYKE 50	TYKE 30	TYKE 10
FRAME	Kellys SFS Supertrail Enduro SWT 7005 (12x142mm thru axle) / Ratio Trail Control Link 160mm rear travel	Kellys SFS Supertrail Enduro SWT 7005 (12x142mm thru axle) / Ratio Trail Control Link 160mm rear travel	Kellys SXC Marathon 27.5 (650B) 6061 (12x142mm thru axle) / 120mm rear travel	Kellys SXC Marathon 27.5 (650B) 6061 (12x142mm thru axle) / 120mm rear travel	Kellys SXC Marathon 27.5 (650B) 6061 (12x142mm thru axle) / 120mm rear travel
FRAME SIZE	S (17.5") / M (19") / L (21")	S (17.5") / M (19") / L (21")	S (17") / M (19") / L (21")	S (17") / M (19") / L (21")	S (17") / M (19") / L (21")
FORK	Rock Shox Sektor Gold TK (27.5) 150mm, Solo Air / TurnKey Lockout Maxle Lite 15mm thru axle	SR Suntour Epixon TR LO-R (27.5), 150mm, air / Speed Lockout 15Q-Loc thru axle	Rock Shox Reba RL (27.5) 120mm, Solo Air / PushLoc Remote Lockout Maxle Lite 15mm thru axle	Rock Shox XC 32 TK (27.5) 120mm, Solo Air / PopLoc Remote Lockout Maxle Lite 15mm thru axle	SR Suntour XCR RL-R Air (27.5) 120mm, air / Remote Speed Lockout
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	Sram PressFit GXP	KLS PressFit integrated	integrated	integrated	cartridge (113mm)
CRANKSET	Sram S1000 GXP (38x24)	KLS RacePro (40x30x22) integrated	Shimano Deore XT M785 Hollowtech II (38x24)	KLS RacePro (40x30x22) integrated	SR Suntour XCM (40x30x22)
SHIFTERS	Sram X5 10-Speed Trigger	Shimano Deore SL-M610 Rapidfire Plus	Shimano SLX SL-M670-B 1-speed Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus
F/DERAILLEUR	Sram X7 10-Speed	Shimano Deore M611	Shimano SLX M676 (34.9mm)	Shimano SLX M671 (34.9mm)	Shimano Alivio (15) M4000 (34.9mm)
R/DERAILLEUR	Sram X9 10-Speed	Shimano SLX M670	Shimano Deore XT M781	Shimano Deore XT M781	Shimano Alivio (15) M4000
SPEED	20	30	20	30	27
FREEWHEEL	Shimano CS-HG50-10 (11-36)	Sram PG-1020-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG300-9 (11-34)
CHAIN	KMC X10L (110 links)	KMC X10L (110 links)	KMC X10L (110 links)	KMC X10L (110 links)	KMC X9 (112 links)
BRAKES	Sram DB5 Hydraulic Disc	Tektro Auriga Hydraulic Disc	Shimano SLX M675 Hydraulic Disc	Avid DB3 Hydraulic Disc	Shimano M355 Hydraulic Disc
BRAKE ROTORS	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 160mm rear Center Lock	160mm front / 160mm rear	160mm front / 160mm rear Center Lock
BRAKE LEVERS	Sram DB5	Tektro Auriga	Shimano SLX BL-M675-B	Avid DB3	Shimano BL-M355
HUBS	Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc (32 holes)	Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc (32 holes)	Shimano Deore M618 Disc Center Lock (32 holes)	Kellys Stormer 15DH-FR Disc / Formula DCL300 Disc (32 holes)	Shimano RM33 Disc / Deore M618 Disc Center Lock (32 holes)
THRU AXLE	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear	SR Suntour Q-Loc 15x100mm front / Rock Shox Maxle Lite 12x142mm rear	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear
RIMS / WHEELSET	KLS MadMax Disc 584 x 18 (32 holes)	KLS MadMax Disc 584 x 18 (32 holes)	KLS MadMax Disc 584 x 18 (32 holes)	KLS MadMax Disc 584 x 18 (32 holes)	KLS MadMax Disc 584 x 18 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TIRES	Schwalbe Hans Dampf Performance 60-584 (27.5 x 2.35)	Schwalbe Hans Dampf Performance 60-584 (27.5 x 2.35)	Schwalbe Racing Ralph Performance 57-584 (27.5 x 2.25) folding	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)
STEM	Race Face Chester (diam 28.6mm / bar bore 31.8mm / 8°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	Race Face Respond RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
GRIPS	KLS Advancer LockOn gel	KLS Advancer 2Density	KLS Advancer LockOn gel	KLS Advancer LockOn gel	KLS Advancer 2Density
SEAT POST	KLS Expert (31.6mm)	KLS Expert (31.6mm)	KLS Master (31.6mm)	KLS Expert (31.6mm)	KLS Expert (31.6mm)
SADDLE	KLS Havoc	KLS Havoc	KLS Falcon	KLS Falcon	KLS Falcon
PEDALS	KLS Master - alloy	KLS Master - alloy	Shimano M505 SPD	KLS Master - alloy	KLS Master - alloy
REAR SHOCK	Rock Shox Monarch RT Solo Air / Rebound / Open-Pedal (size 200mm)	Rock Shox Monarch R Solo Air / Rebound (size 200mm)	Fox Float Evolution CTD air / Climb-Trail-Descend (size 184mm)	Rock Shox Monarch RL Solo Air / Rebound / Open-Pedal (size 184mm)	Rock Shox Monarch R Solo Air / Rebound (size 184mm)

Specifications are subject to change without notice.



FULLSUSPENSION - ENDURO 27.5": Kellys SFS Supertrail Enduro SWT 7005


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S (17.5")	444	590	125	72°	65°	5	455	1169.8
M (19")	484	600.7	125	72°	65°	5	455	1204.9
L (21")	533	616.5	125	72°	65°	5	455	1219.8

model: Swag 50, Swag 30, Swag 10

FULLSUSPENSION - TRAIL / MARATHON 27.5": Kellys SXC Marathon 27.5 (650B) 6061

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S (17")	432	585	120	73°	68.3°	20	435	1119.1
M (19")	480	620	130	73°	68.3°	20	435	1139.9
L (21")	530	645	140	73°	68.3°	20	435	1165.8

model: Tyke 50, Tyke 30, Tyke 10






series
HARDTAIL

29" HARDTAIL					
	STAGE 90	GATE 50	GATE 30	GATE 10	TNT 70
FRAME	Kellys High-modulus Carbon Composite HT 29 monocoque (12x142mm thru axle)	Kellys Dynamic HT 29 6061 3ple butted (12x142mm rear thru axle) RRC Geometry (Race Ready Concept)	Kellys Dynamic HT 29 6061 3ple butted RRC Geometry (Race Ready Concept)	Kellys Dynamic HT 29 6061 3ple butted RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted RRC Geometry (Race Ready Concept)
FRAME SIZE	S (425mm) / M (475mm) / L (525mm)	S (445mm) / M (483mm) / L (533mm)	S (445mm) / M (483mm) / L (533mm)	S (445mm) / M (483mm) / L (533mm)	430mm (17") / 480mm (19") / 530mm (21")
FORK	Rock Shox Reba RL (29) 100mm, Solo Air / PushLoc Remote Lockout Maxle Lite 15mm thru axle	Rock Shox Reba RL (29) 100mm, Solo Air / PushLoc Remote Lockout Maxle Lite 15mm thru axle	Rock Shox XC 32 TK (29) 100mm, Solo Air / Turnkey Lockout Maxle Lite 15mm thru axle	SR Suntour XCR RL-R Air (29) 100mm, air / Remote Speed Lockout	SR Suntour XCT HLO (29) 100mm, coil / Remote Speed Lockout
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	KLS Expert semi-integrated
B.B.PARTS	Shimano Press-Fit BB71	integrated	Shimano Octalink cartridge (118mm)	integrated	cartridge (113mm)
CRANKSET	Shimano Deore XT M785 Hollowtech II (38x24)	Shimano SLX M675 Hollowtech II (38x24)	Shimano M523 Hollowtech Octalink (40x30x22)	KLS RacePro (40x30x22) integrated	SR Suntour XCM (40x30x22)
SHIFTERS	Shimano Deore XT SL-M780-B I-spec Rapidfire Plus	Shimano SLX SL-M670-B I-spec Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus
F/DERAILLEUR	Shimano Deore XT M785 (direct mount)	Shimano SLX M676 (34.9mm)	Shimano Deore M671 (34.9mm)	Shimano Deore M611 (34.9mm)	Shimano Alivio (15) M4000 (34.9mm)
R/DERAILLEUR	Shimano Deore XT M781	Shimano Deore XT M781	Shimano Deore XT M781	Shimano SLX M670	Shimano Alivio (15) M4000
SPEED	20	20	30	30	27
FREEWHEEL	Shimano CS-HG62-10 (11-34)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG62-10 (11-34)	Sram PG-1020-10 (11-36)	Shimano CS-HG200-9 (11-34)
CHAIN	KMC X10L (112 links)	KMC X10L (112 links)	KMC X10L (114 links)	KMC X10L (114 links)	KMC X9 (114 links)
BRAKES	Shimano Deore XT M785 Hydraulic Disc	Shimano M506 / 447 Hydraulic Disc	Avid DB3 Hydraulic Disc	Shimano M355 Hydraulic Disc	Shimano M355 Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear Center Lock	160mm front / 160mm rear
BRAKE LEVERS	Shimano Deore XT BL-M785-B	Shimano BL-M506	Avid DB3	Shimano BL-M355	Shimano BL-M355
BRAKE INNER WIRE	-	-	-	-	-
HUBS	-	-	Kellys Stormer 15DH-FR Disc / Shimano M475 Disc (32 holes)	Shimano RM33 Disc Center Lock 32 holes	Shimano RM33 Disc Center Lock 32 holes
THRU AXLE	Rock Shox Maxle Lite 15x100mm front / Shimano AX55 12x142mm rear	Rock Shox Maxle Lite 15x100mm front / 12x142mm rear	Rock Shox Maxle Lite 15x100mm front	-	-
RIMS / WHEELSET	Crank Brothers Cobalt 1 (29) wheelset	Mavic Crossride (29) wheelset	KLS MadMax Disc 622 x 18 (32 holes)	KLS MadMax Disc 622 x 18 (32 holes)	KLS Draft Disc 622 x 19 (32 holes)
SPOKES	-	-	stainless steel black	stainless steel black	stainless steel black
TIRES	Schwalbe Racing Ralph Performance 57-622 (29 x 2.25) folding	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)	Schwalbe Rapid Rob 57-622 (29 x 2.25)	KLS Attack 54-622 (29 x 2.10)
STEM	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	KLS Race (31.8mm)	KLS Master (31.8mm)	KLS Master (31.8mm)	KLS Master (31.8mm)	KLS Expert RiseBar (31.8mm)
GRIPS	Crank Brothers Cobalt	KLS Advancer LockOn gel	KLS Advancer LockOn gel	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	KLS Race (27.2mm)	KLS Master (30.9mm)	KLS Expert (30.9mm)	KLS Expert (30.9mm)	Kalloy (30.9mm)
SADDLE	fi'zi:k Nisene Mg	KLS Avenger	KLS Avenger	KLS Avenger	KLS Avenger
PEDALS	Shimano M505 SPD	Shimano M505 SPD	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy


Specifications are subject to change without notice.



HARDTAIL 29": Kellys High-modulus Carbon Composite HT 29 monocoque

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	425	585	100	73.4°	70.5°	65	450	1089.2
M	475	605	105	73°	71°	63	450	1100.0
L	525	630	110	73°	71°	63	450	1111.9

model: Stage 90



HARDTAIL 29": Kellys Dynamic HT 29 6061 3ple butted


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
445mm (17.5")	445	600	100	72.3°	71°	55	440	1105.7
483mm (19")	483	625	115	72.3°	71°	55	440	1131.0
533mm (21")	533	650	130	72.3°	71°	55	440	1158.2

model: Gate 50, Gate 30, Gate 10

SPECS / GEOMETRIES

	29" HARDTAIL			27.5" (650B) HARDTAIL	
	TNT 50	TNT 30	TNT 10	HACKER 90	HACKER 50
FRAME	Kellys RideLite Premium 29 6061 3ple butted RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted RRC Geometry (Race Ready Concept)	Kellys RideLite Premium 29 6061 3ple butted RRC Geometry (Race Ready Concept)	Kellys iCAD HT Carbon Composite DRT 650 B	Kellys iCAD HT Carbon Composite DRT 650 B
FRAME SIZE	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	BLACK 430mm (17") / 480mm (19") / 530mm (21") WHITE 430mm (17") / 480mm (19") / 530mm (21")	S / M / L	S / M / L
FORK	SR Suntour XCT HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCT HLO (29) 100mm, coil / Speed Lockout	SR Suntour M3020 (29) 75mm, coil spring	Fox 32 Float Factory FIT CTD Remote Kashima Coat (27.5), 100mm air / FIT Damper Technology / CTD 3 / Remote Lockout - 15QR thru axle	Fox 32 Float Evolution D/C CTD Remote (27.5), 100mm air / Open Cartridge / CTD 3 / Remote Lockout - 15QR thru axle
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	cartridge (113mm)	cartridge (122mm)	cartridge (122mm)	-	integrated
CRANKSET	SR Suntour XCT (44x32x22)	SR Suntour NEX (42x34x24)	SR Suntour XCC (42x32x22)	Shimano XTR (15) M9000-1 Hollowtech II (34)	Shimano Deore XT M785 Hollowtech II (38x24)
SHIFTERS	Shimano Altus SL-M370 Rapidfire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano XTR (15) SL-M9000 I-spec II Rapidfire Plus (rear)	Shimano SLX SL-M670-B-1 Rapidfire Plus I-spec
F/DERAILLEUR	Shimano Altus M371 (34.9mm)	Shimano M190 (34.9mm)	Shimano M190 (34.9mm)	-	Shimano SLX M676 (34.9mm)
R/DERAILLEUR	Shimano Acera M390	Shimano Acera M360	Shimano Altus M280	Shimano XTR (15) M9000	Shimano Deore XT M781
SPEED	27	24	21	11	20
FREEWHEEL	Shimano CS-HG200-9 (11-34)	Shimano CS-HG200-8 (12-32)	Shimano MF-TZ31-7 (14-34)	Shimano XTR (15) CS-M9000-11 (11-40)	Shimano CS-HG62-10 (11-34)
CHAIN	KMC X9 (114 links)	KMC Z7 (112 links)	KMC Z7 (112 links)	Shimano CN-6800 (106 links)	KMC X10L (108 links)
BRAKES	Tektro Auriga Hydraulic Disc	Alhonga V-brake	Alhonga V-brake	Shimano XTR (15) M9020 Hydraulic Disc	Shimano SLX M675 Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	-	-	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Tektro Auriga	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano XTR (15) BL-M9020	Shimano SLX BL-M675-B
BRAKE INNER WIRE	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	-	-
HUBS	KLS Firework Disc (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)	-	-
THRU AXLE	-	-	-	Fox 15mm QR front	Fox 15mm QR front
RIMS / WHEELSET	KLS Draft Disc 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	Crank Brothers Cobalt 2 (27.5) wheelset	Mavic Crossride (27.5) wheelset
SPOKES	stainless steel black	stainless steel black	stainless steel	-	-
TIRES	KLS Attack 54-622 (29 x 2.10)	KLS Attack 54-622 (29 x 2.10)	KLS Attack 54-622 (29 x 2.10)	Schwalbe Racing Ralph Performance 54-584 (27.5 x 2.10) folding	Schwalbe Racing Ralph Performance 54-584 (27.5 x 2.10) folding
STEM	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	Crank Brothers Cobalt 3 (diam 28.6mm / bar bore 31.8mm / 6°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	alloy RiseBar (31.8mm)	Crank Brothers Cobalt 3 (31.8mm)	KLS Race (31.8mm)
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	Crank Brothers Cobalt	KLS Advancer LockOn gel
SEAT POST	Kalloy (30.9mm)	Kalloy (30.9mm)	Kalloy (30.9mm)	Crank Brothers Cobalt 3 (31.6mm)	KLS Race (31.6mm)
SADDLE	KLS Avenger	KLS Avenger	KLS Avenger	fi'zi:k Gobi XM Mg	fi'zi:k Gobi XM Mg
PEDALS	KLS Master - alloy	plastic	plastic	Shimano M520 SPD	Shimano M520 SPD

Specifications are subject to change without notice.



HARDTAIL 29": Kellys RideLite Premium 29 6061 3ple butted


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	600	100	72.5°	70°	53	450	1106.9
480mm (19")	480	620	110	72.5°	70°	53	450	1126.9
530mm (21")	530	640	120	72.5°	70°	53	450	1147.5

model: TNT 70, TNT 50, TNT 30, TNT 10

HARDTAIL 27.5" (650B): Kellys iCAD HT Carbon Composite DRT 650B

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	574.3	115	72°	70°	32	423	1056.7
M	460	590	130	72°	70°	32	423	1073.2
L	500	605	155	73°	70°	32	423	1100.7

model: Hacker 90, Hacker 50, Hacker 30, Hacker 10






series
HARDTAIL

27.5" (650B) HARDTAIL					
	HACKER 30	HACKER 10	THORX 90	THORX 50	THORX 10
FRAME	Kellys iCAD HT Carbon Composite DRT 650 B	Kellys iCAD HT Carbon Composite DRT 650 B	Kellys 6BOX 6061 3ple butted 650 B Race Geometry	Kellys 6BOX 6061 3ple butted 650 B Race Geometry	Kellys 6BOX SWT 6061 3ple butted 650 B Race Geometry
FRAME SIZE	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
FORK	Rock Shox Reba RL (27.5) 100mm, Solo Air / Motion Control / PushLoc Remote Lockout Maxle Lite 15mm thru axle	Rock Shox 30 Gold TK (27.5) 100mm, Solo Air / PopLoc Remote Lockout	Rock Shox Recon Gold TK (27.5) 100mm, Solo Air / PushLoc Remote Lockout	Rock Shox 30 Gold TK (27.5) 100mm, Solo Air / PopLoc Remote Lockout	Rock Shox XC 32 TK (27.5) 100mm, Solo Air / TurnKey Lockout
HEAD PARTS	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
B.B.PARTS	integrated	Sram GXP	integrated	integrated	integrated
CRANKSET	Shimano SLX M675 Hollowtech II (38x24)	Sram S1000 GXP (38x24)	Shimano SLX M675 Hollowtech II (38x24)	Shimano Deore M615 Hollowtech II (38x24)	Shimano Deore XT M782 Hollowtech II (40x30x22)
SHIFTERS	Shimano SLX SL-M670-B I-spec Rapidfire Plus	Sram X5 10-Speed Trigger	Shimano SLX SL-M670-B I-spec Rapidfire Plus	Shimano SLX SL-M670 Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus
F/DERAILLEUR	Shimano SLX M676 (34.9mm)	Sram X7 10-Speed (34.9mm)	Shimano SLX M676 (34.9mm)	Shimano SLX M616 (34.9mm)	Shimano Deore M611 (34.9mm)
R/DERAILLEUR	Shimano Deore XT M781	Sram X9 10-Speed	Shimano Deore XT M781	Shimano Deore XT M781	Shimano Deore XT M781
SPEED	20	20	20	20	30
FREEWHEEL	Shimano CS-HG62-10 (11-34)	Sram PG-1030-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)
CHAIN	KMC X10L (108 links)	KMC X10L (108 links)	KMC X10L (108 links)	KMC X10L (108 links)	KMC X10L (108 links)
BRAKES	Shimano Deore M615 Hydraulic Disc	Sram DB5 Hydraulic Disc	Shimano M506 / 447 Hydraulic Disc	Sram DB5 Hydraulic Disc	Avid DB3 Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Shimano BL-M615	Sram DB5	Shimano BL-M506	Sram DB5	Avid DB3
HUBS	Kellys Stormer 15DH-FR Disc / Shimano Deore M525 Disc (32 holes)	Shimano M475 Disc (32 holes)	-	Shimano Deore M475 Disc (32 holes)	KLS Firework Disc (32 holes)
THRU AXLE	Rock Shox Maxle Lite 15x100mm front	-	-	-	-
RIMS / WHEELSET	KLS MadMax Disc 584 x 18 (32 holes)	KLS MadMax Disc 584 x 18 (32 holes)	Mavic Crossone (27.5) wheelset	KLS MadMax Disc 584 x 18 (32 holes)	KLS MadMax Disc 584 x 18 (32 holes)
SPOKES	Sapim - stainless steel black	Sapim - stainless steel black	-	stainless steel black	stainless steel black
TIRES	Schwalbe Rapid Rob 54-584 (27.5 x 2.10)	Schwalbe Rapid Rob 54-584 (27.5 x 2.10)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)
STEM	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	KLS Race (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
GRIPS	KLS Advancer LockOn gel	KLS Advancer LockOn gel	Crank Brothers Cobalt	KLS Advancer LockOn gel	KLS Advancer 2Density
SEAT POST	KLS Race (31.6mm)	KLS Master (31.6mm)	KLS Master (31.6mm)	KLS Expert (31.6mm)	KLS Expert (31.6mm)
SADDLE	fi'zi:k Nisene Mg	KLS Falcon	KLS Falcon	KLS Falcon	KLS Falcon
PEDALS	Shimano M505 SPD	Shimano M505 SPD	Shimano M505 SPD	Shimano M505 SPD	Shimano M505 SPD

Specifications are subject to change without notice.



HARDTAIL 27.5" (650B): Kellys 6BOX 6061 3ple butted

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	415	600	110	69.3°	70°	51.5	427	1071.1
M	465	625	120	69.3°	70°	51.5	427	1096.0
L	515	650	140	70.1°	70°	51.5	427	1121.1


model: Thorx 90, Thorx 50, Thorx 10



SPECS / GEOMETRIES

27.5" (650B) HARDTAIL					
	MADMAN 50	MADMAN 30	MADMAN 10	SPIDER 70	SPIDER 50
FRAME	Kellys Alutec Avant 6061 DRT 650 B	Kellys Alutec Avant 6061 DRT 650 B	Kellys Alutec Avant 6061 DRT 650 B	Kellys Alutec Avant 6061 RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 RRC Geometry (Race Ready Concept)
FRAME SIZE	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	445mm (17.5") / 495mm (19.5") / 545mm (21.5")	395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")
FORK	Rock Shox XC 30 TK (27.5) 100mm, Solo Air / PopLoc Remote Lockout	SR Suntour XCR RL-R Air (27.5) 100mm, air / Remote Speed Lockout	SR Suntour XCR LD-R Air (27.5) 100mm, air / Speed Lockout	SR Suntour XCR LD (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout
HEAD PARTS	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	KLS Expert semi-integrated	KLS Expert integrated
B.B.PARTS	integrated	integrated	integrated	Shimano Octalink cartridge (113mm)	cartridge (113mm)
CRANKSET	KLS RacePro (40x30x22) integrated	KLS RacePro (40x30x22) integrated	KLS Race (44x32x22) integrated	Shimano Alivio (15) M4000 Octalink (40x30x22)	SR Suntour XCM (40x30x22)
SHIFTERS	Shimano SLX SL-M670 Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Shimano Alivio (15) SL-M4000 Rapidfire Plus	Shimano Alivio (15) SL-M4000 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus
F/DERAILLEUR	Shimano Deore M611 (34.9mm)	Shimano Deore M611 (34.9mm)	Shimano Alivio (15) M4000 (34.9mm)	Shimano Alivio (15) M4000 (34.9mm)	Shimano Alivio (15) M4000 (34.9mm)
R/DERAILLEUR	Shimano Deore XT M781	Shimano SLX M670	Shimano Alivio (15) M4000	Shimano Alivio (15) M4000	Shimano Alivio (15) M4000
SPEED	30	30	27	27	27
FREEWHEEL	Sram PG-1020-10 (11-36)	Sram PG-1020-10 (11-36)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG200-9 (11-34)
CHAIN	KMC X10L (108 links)	KMC X10L (108 links)	KMC X9 (110 links)	KMC X9 (108 links)	KMC X9 (108 links)
BRAKES	Stam DB5 Hydraulic Disc	Shimano M355 Hydraulic Disc	Shimano M355 Hydraulic Disc	Shimano M355 Hydraulic Disc	Tektro Auriga Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear
BRAKE LEVERS	Sram DB5	Shimano BL-M355	Shimano BL-M355	Shimano BL-M355	Tektro Auriga
HUBS	KLS Firework Disc (32 holes)	Shimano RM33 Disc Center Lock (32 holes)	Shimano RM33 Disc Center Lock (32 holes)	Shimano RM33 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)
THRU AXLE	-	-	-	-	-
RIMS	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft Disc 584 x 19 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
TIRES	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)	Schwalbe Rapid Rob 57-584 (27.5 x 2.25)
STEM	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	KLS Expert (30.9mm)	KLS Expert (30.9mm)	KLS Expert (30.9mm)	KLS Expert (30.9mm)	KLS Expert (30.9mm)
SADDLE	KLS Apex	KLS Apex	KLS Apex	KLS Apex	KLS Apex
PEDALS	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy

Specifications are subject to change without notice.



HARDTAIL 27.5" (650B): Kellys Alutec Avant DRT 650B


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	585	110	73°	70°	43	430	1076.7
480mm (19")	480	605	120	73°	70°	43	430	1097.2
530mm (21")	530	625	130	73°	70°	43	430	1117.6

model: Madman 50, Madman 30, Madman 10

HARDTAIL 27.5" (650B): Kellys Alutec Avant 6061

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
395mm (15.5")	395	560	105	73°	70°	42	430	1057.9
445mm (17.5")	445	580	120	73°	70°	42	430	1087.0
495mm (19.5")	495	600	135	73°	70°	42	430	1099.5
545mm (21.5")	545	620	150	73°	70°	42	430	1020.3

model: Spider 70, Spider 50, Spider 30, Spider 10






series
HARDTAIL

	27.5" (650B) HARDTAIL		26" HARDTAIL		
	SPIDER 30	SPIDER 10	VIPER 50	VIPER 30	VIPER 10
FRAME	Kellys Alutec Avant 6061 RRC Geometry (Race Ready Concept)	Kellys Alutec Avant 6061 RRC Geometry (Race Ready Concept)	Kellys Alutec 6061 RRC Geometry (Race Ready Concept)	Kellys Alutec 6061 RRC Geometry (Race Ready Concept)	Kellys Alutec 6061 RRC Geometry (Race Ready Concept)
FRAME SIZE	BLACK TOXIC 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") BLUE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	BLACK BLUE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") RED BLUE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	BLACK LIME 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") BLUE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")	BLACK FIRE 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5") YELLOW 395mm (15.5") / 445mm (17.5") / 495mm (19.5") / 545mm (21.5")
FORK	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour M3030 (27.5) 75mm, coil spring	SR Suntour XCT HLO 100mm, coil / Speed Lockout	SR Suntour XCT 100mm, coil spring	SR Suntour M3020 A 75mm, coil spring
HEAD PARTS	semi-integrated	semi-integrated	KLS Expert semi-integrated	KLS Expert semi-integrated	KLS Expert semi-integrated
B.B.PARTS	cartridge (113mm)	cartridge (113mm)	cartridge (122mm)	cartridge (122mm)	cartridge (120mm)
CRANKSET	SR Suntour XCT (42x32x22)	SR Suntour XCT (42x32x22)	SR Suntour XCE (42x34x24)	SR Suntour XCE (42x34x24)	Prowheel (42x34x24)
SHIFTERS	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus
F/DERAILLEUR	Shimano M190 (34.9mm)	Shimano M190 (34.9mm)	Shimano M190 (31.8mm)	Shimano M190 (31.8mm)	Shimano TY10 (31.8mm)
R/DERAILLEUR	Shimano Acera M390	Shimano Acera M390	Shimano Acera M390	Shimano Acera M360	Shimano Altus M280
SPEED	24	24	24	24	21
FREEWHEEL	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano MF-TZ21-7 (14-28)
CHAIN	KMC Z7 (108 links)	KMC X9 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)	KMC Z51 (108 links)
BRAKES	Tektro Auriga Hydraulic Disc	Tektro V-brake	Zoom Mechanical Disc	Alhonga V-brake	Alhonga V-brake
BRAKE ROTORS	160mm front / 160mm rear	-	160mm front / 160mm rear	-	-
BRAKE LEVERS	Tektro Auriga	Tektro	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus
BRAKE INNER WIRE	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	KLS Firework Disc (32 holes)	KLS Drive (32 holes)	KLS Firework Disc (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)
RIMS	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft 584 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel
TIRES	KLS Attack 54-584 (27.5 x 2.10)	KLS Attack 54-584 (27.5 x 2.10)	KLS Attack 54-559 (26 x 2.10)	KLS Attack 54-559 (26 x 2.10)	KLS Attack 54-559 (26 x 2.10)
STEM	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	Kalloy (diam 28.6mm / 15°)	Kalloy (diam 28.6mm / 15°)	Kalloy (diam 28.6mm / 15°)
HANDLEBAR	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer	KLS Advancer
SEAT POST	KLS Expert (30.9mm)	KLS Expert (30.9mm)	Kalloy (27.2mm)	Kalloy (27.2mm)	Kalloy (27.2mm)
SADDLE	KLS Apex	KLS Apex	KLS DriveLine	KLS DriveLine	KLS DriveLine
PEDALS	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	plastic	plastic

Specifications are subject to change without notice.



HARDTAIL 26": Kellys Alutec 6061

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
395mm (15.5")	395	560	100	72.5°	70°	32	420	1037,1
445mm (17.5")	445	580	110	72.5°	70°	32	420	1057,6
495mm (19.5")	495	600	120	72.5°	70°	32	420	1078,0
545mm (21.5")	545	620	140	72.5°	70°	32	420	1098,9


model: Viper 50, Viper 30, Viper 10

series
KLC WOMEN MOUNTAIN

SPECS / GEOMETRIES

	27.5" (650B) KLC WOMEN		26" KLC WOMEN		
	VANITY 90	VANITY 70	VANITY 50	VANITY 30	VANITY 20
FRAME	Kellys KLC Lite 27.5 (650B) 6061 LSG (Lady Sport Geometry)	Kellys KLC Lite 27.5 (650B) 6061 LSG (Lady Sport Geometry)	Kellys KLC Lite 6061 LSG (Lady Sport Geometry)	Kellys KLC Lite 6061 LSG (Lady Sport Geometry)	Kellys KLC Lite 6061 LSG (Lady Sport Geometry)
FRAME SIZE	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")	375mm (15") / 425mm (17") / 475mm (19")	AQUA 375mm (15") / 425mm (17") / 475mm (19") SNOW VIOLET 375mm (15") / 425mm (17") / 475mm (19")
FORK	Rock Shox XC 30 TK (27.5) 100mm, Solo Air/ TurnKey Lockout	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (26) 100mm, coil / Speed Lockout	SR Suntour XCT HLO (26) 100mm, coil / Speed Lockout	SR Suntour M3020 A (26) 75mm, coil spring
HEAD PARTS	KLS Expert semi-integrated	KLS Expert semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	integrated	cartridge (113mm)	cartridge (122mm)	cartridge (122mm)	cartridge (120mm)
CRANKSET	KLS RacePro integrated (40x30x22)	SR Suntour XCM (40x30x22)	SR Suntour XCE (42x34x24)	SR Suntour XCE (42x34x24)	Prowheel (42x34x24)
SHIFTERS	Shimano Deore SL-M610 Rapidfire Plus	Shimano Acera SL-M390 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus
F/DERAILLEUR	Shimano Deore M611 (34.9mm)	Shimano Acera M390 (34.9mm)	Shimano M190 (34.9mm)	Shimano M190 (34.9mm)	Shimano M190 (34.9mm)
R/DERAILLEUR	Shimano SLX M670	Shimano Alivio M4000	Shimano Altus M310	Shimano Altus M310	Shimano Altus M280
SPEED	30	27	24	24	24
FREEWHEEL	Shimano CS-HG50-10 (11-36)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano MF-TZ31-7 (14-34)
CHAIN	KMC X10L (108 links)	KMC X9 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
BRAKES	Shimano M355 Hydraulic Disc	Tektro Auriga Hydraulic Disc	Tektro Auriga Hydraulic Disc	Tektro V-brake	Alhonga V-brake
BRAKE ROTORS	160mm front / 160mm rear Center Lock	160mm front / 160mm rear	160mm front / 160mm rear	-	-
BRAKE LEVERS	Shimano BL-M355	Tektro Auriga	Tektro Auriga	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus
BRAKE INNER WIRE	-	-	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	Shimano RM33 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)
RIMS	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft Disc 584 x 19 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)	KLS Draft 559 x 19 (32 holes)
SPOKES	stainless steel black	stainless steel black	stainless steel	stainless steel	U.C.P. steel
TIRES	Schwalbe Rapid Rob 54-584 (27.5 x 2.10)	KLS Attack 54-584 (27.5 x 2.10)	KLS Attack 54-559 (26 x 2.10)	Innova 54-559 (26 x 2.0)	Innova 54-559 (26 x 2.0)
STEM	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	Kalloy Uno (diam 28.6mm / bar bore 25.4mm / 30°)
HANDLEBAR	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	steel RiseBar (25.4mm)
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	KLS Expert (30.9mm)	KLS Expert (30.9mm)	KLS Expert (30.9mm)	KLS Expert (30.9mm)	Kalloy Uno (30.9mm)
SADDLE	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
PEDALS	KLS Master - alloy	KLS Master - alloy	KLS Master - alloy	plastic	plastic

Specifications are subject to change without notice.



KLC WOMEN MOUNTAIN 27.5" (650B): Kellys KLC Lite 27.5 (650B) 6061

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
375mm (15")	375	550	120	73°	69.5°	42	430	1047.9
425mm (17")	425	570	135	73°	70°	42	430	1074.5
475mm (19")	475	590	145	73°	70°	42	430	1084.6

model: Vanity 90, Vanity 70

KLC WOMEN MOUNTAIN 26": Kellys KLC Lite 6061

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
375mm (15")	375	545	120	72.5°	70.5°	40	425	1019.4
425mm (17")	425	565	135	72.5°	70.5°	40	425	1040.0
475mm (19")	475	585	145	72.5°	70.5°	40	425	1060.3

model: Vanity 50, Vanity 30, Vanity 20, Vanity 10




series
KLC WOMEN

series
DIRT

	26" KLC WOMEN			
	VANITY 10	WHIP 50	WHIP 30	WHIP 10
FRAME	Kellys KLC Lite 6061 LSG (Lady Sport Geometry)	Kellys Dirt Proven 6061 double butted Dirt Series Geometry	Kellys Dirt Proven 6061 double butted Dirt Series Geometry	Kellys Dirt Proven 6061 double butted Dirt Series Geometry
FRAME SIZE	MINT GREEN 375mm (15") / 425mm (17") / 475mm (19") SUNRISE 375mm (15") / 425mm (17") / 475mm (19")	M / L	M / L	NEON M / L PURPLE M / L
FORK	SR Suntour M3010 (26) 50mm, coil spring	Manitou Circus Expert 100mm, ACT Air / Absolute+ / Jump Stack / Lockout 20mm Hex thru axle	RST Dirt T 100mm, coil spring	SR Suntour XCT 100mm, coil spring
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (120mm)	Truvativ Howitzer XR oversize cartridge	Truvativ Howitzer XR oversize cartridge	cartridge (122mm)
CRANKSET	Prowheel (42x34x24)	Truvativ Ruktion 1.0	Truvativ Ruktion 1.0	SR Suntour XCE (42x34x24)
SHIFTERS	Shimano SL-RS35-7 Revoshift	Sram X5 Trigger (rear)	Sram SL Trigger (rear)	Shimano ST-EF51-7 EZ-fire Plus
F/DERAILLEUR	Shimano TX50 (34.9mm)	-	-	Shimano TX50 (34.9mm)
R/DERAILLEUR	Shimano Altus M280	Sram X5	Sram X4	Shimano Acera M360
SPEED	21	9	9	21
FREEWHEEL	Shimano MF-TZ21-7 (14-28)	Sram PG-950-9 (12-23)	Sram PG-950-9 (12-23)	Shimano CS-HG20-7 (12-32)
CHAIN	KMC Z51 (108 links)	KMC X9 (106 links)	KMC X9 (106 links)	KMC Z51 (108 links)
BRAKES	Alhonga V-brake	Avid DB3 Hydraulic Disc	Tektro Auriga Hydraulic Disc	Zoom Mechanical Disc
BRAKE ROTORS	-	180mm front / 180mm rear	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Alhonga	Avid DB3	Tektro Auriga	Shimano ST-EF51-7 EZ-fire Plus
BRAKE INNER WIRE	Driving Force SCS (Slick Cable System)	-	-	Driving Force SCS (Slick Cable System)
HUBS	KLS Drive (32 holes)	KLS D20 Disc (20mm front thru axle / 36 holes)	KLS Disc (32 holes)	KT Disc (32 holes)
THRU AXLE	-	20mm Hex thru axle	-	-
RIMS	KLS Draft 559 x 19 (32 holes)	KLS Brave Disc 559 x 23 (36 holes)	KLS Brave Disc 559 x 23 (32 holes)	KLS Draft Disc 559 x 19 (32 holes)
SPOKES	U.C.P. steel	stainless steel black	stainless steel black	stainless steel
TIRES	Innova 54-559 (26 x 2.0)	Kenda Kinetics 60-559 (26 x 2.35)	Kenda Kinetics 60-559 (26 x 2.35)	Kenda Kinetics 60-559 (26 x 2.35)
STEM	Kalloy Uno (diam 28.6mm / bar bore 25.4mm / 30°)	Truvativ Hussefelt (diam 28.6mm / bar bore 31.8mm)	Truvativ Hussefelt (diam 28.6mm / bar bore 31.8mm)	Kalloy (diam 28.6mm / bar bore 31.8mm)
HANDLEBAR	steel RiseBar (25.4mm)	Truvativ Hussefelt Comp RiseBar (31.8mm)	Truvativ Hussefelt Comp RiseBar (31.8mm)	KLS Master RiseBar (31.8mm)
GRIPS	kraton	KLS Advancer LockOn gel	KLS Advancer	KLS Advancer
SEAT POST	Kalloy Uno (30.9mm)	Truvativ Hussefelt (30.9mm)	KLS Expert (30.9mm)	Kalloy (30.9mm)
SADDLE	KLS Ebony Women	KLS Dirt	KLS Dirt	KLS Dirt
PEDALS	plastic	Weilgo - BMX alloy	HT Pedals - BMX nylon composite	HT Pedals - BMX nylon composite

Specifications are subject to change without notice.



DIRT: Kellys Dirt Proven 6061 double butted

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	340	570	120	73°	68.5°	15	410	1065.7
L	340	590	120	73°	68.5°	15	410	1085.7

model: Whip 50, Whip 30, Whip 10



	URC 90	URC 70	URC 50	URC 30	ARC 50
FRAME	Kellys iCAD RC Carbon Composite	Kellys iCAD RC Carbon Composite	Kellys iCAD RC Carbon Composite	Kellys iCAD RC Carbon Composite	Aluminum alloy 6061 3ple butted
FRAME SIZE	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)	530mm (S) / 550mm (M) / 570mm (L)
FORK	Kellys Carbon monocoque (1.5 tapered steerer)	Kellys Carbon monocoque (1.5 tapered steerer)	Kellys Carbon monocoque (1.5 tapered steerer)	Kellys Dynamic Carbon (1.5 alloy tapered steerer)	Kellys Dynamic Carbon (1.5 alloy tapered steerer)
HEAD PARTS	Ritchey WCS Carbon Logic Zero 1.5 integrated	Ritchey Pro Logic Zero 1.5 integrated	Ritchey Pro Logic Zero 1.5 integrated	FSA 1.5 integrated	FSA 1.5 semi-integrated
B.B.PARTS	integrated	integrated	integrated	integrated	integrated
CRANKSET	Shimano Dura-Ace 9000 Hollowtech II (52x36)	Shimano Ultegra 6800 Hollowtech II compact (50x34)	Shimano 105 (15) 5800 Hollowtech II compact (50x34)	Shimano Tiagra 4650 compact (50x34)	Shimano 105 (15) RS500 Hollowtech II compact (50x34)
SHIFTERS	Shimano Dura-Ace ST-9000 Dual Control	Shimano Ultegra ST-6800 Dual Control	Shimano 105 (15) ST-5800 Dual Control	Shimano Tiagra ST-4600 Dual Control	Shimano 105 (15) ST-5800 Dual Control
F/DERAILLEUR	Shimano Dura-Ace 9000 (34.9mm)	Shimano Ultegra 6800 (34.9mm)	Shimano 105 (15) 5800 (34.9mm)	Shimano Tiagra 4600 (34.9mm)	Shimano 105 (15) 5800 (34.9mm)
R/DERAILLEUR	Shimano Dura-Ace 9000	Shimano Ultegra 6800	Shimano 105 (15) 5800	Shimano Tiagra 4600	Shimano 105 (15) 5800
SPEED	22	22	22	20	22
FREEWHEEL	Shimano Dura-Ace CS-9000-11 (11-28)	Shimano Ultegra CS-6800-11 (11-28)	Shimano 105 (15) CS-5800-11 (11-28)	Shimano Tiagra CS-4600-10 (12-28)	Shimano 105 (15) CS-5800-11 (11-28)
CHAIN	Shimano Dura-Ace CN-9000 (108 links)	Shimano Ultegra CN-6800 (106 links)	Shimano 105 (15) CN-5800 (106 links)	KMC X10L (106 links)	Shimano 105 (15) CN-5800 (106 links)
BRAKES	Shimano Dura-Ace 9000	Shimano Ultegra 6800	Shimano 105 (15) 5800	Shimano Sora 3500	Shimano 105 (15) 5800
BRAKE LEVERS	Shimano Dura-Ace ST-9000 Dual Control	Shimano Ultegra ST-6800 Dual Control	Shimano 105 (15) ST-5800 Dual Control	Shimano Tiagra ST-4600 Dual Control	Shimano 105 (15) ST-5800 Dual Control
BRAKE INNER WIRE	Jagwire stainless	Jagwire stainless	Jagwire stainless	Jagwire stainless	Jagwire stainless
HUBS	-	-	-	Shimano Sora 3500 (32 holes)	Shimano 105 (15) 5800 (32 holes)
RIMS / WHEELSET	Mavic Ksyrium Elite S wheelset	Mavic Aksium S wheelset	Shimano RS10 wheelset	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)
SPOKES	-	-	-	stainless steel black	stainless steel
TIRES	Mavic Yksion Pro GripLink 23-622 (700 x 23C) folding	Mavic Aksion 23-622 (700 x 23C) folding	Schwalbe Durano - Race Guard 23-622 (700 x 23C)	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)
STEM	Ritchey WCS 4-Axis Matrix Carbonalloy (diam 28.6mm / bar bore 31.8mm / 6°)	Ritchey WCS 4-Axis Matrix Carbonalloy (diam 28.6mm / bar bore 31.8mm / 6°)	Ritchey WCS 4-Axis (diam 28.6mm / bar bore 31.8mm / 6°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	Ritchey WCS Carbon Curve (31.8mm)	Ritchey WCS Carbon Curve (31.8mm)	Ritchey Comp Logic II (31.8mm)	KLS Expert RoadRacing (31.8mm)	KLS Expert RoadRacing (31.8mm)
GRIPS	fi'zi:k Microtex bar tape - gel padding	fi'zi:k Microtex bar tape - gel padding	Kellys bar tape - gel padding	Kellys bar tape - gel padding	Kellys bar tape - gel padding
SEAT POST	Ritchey WCS Carbon 1-Bolt monocoque (31.6mm)	Ritchey WCS Carbon 1-Bolt monocoque (31.6mm)	Ritchey Pro (31.6mm)	KLS Expert (31.6mm)	KLS Expert (31.6mm)
SADDLE	fi'zi:k Arione R5	fi'zi:k Arione R5	fi'zi:k Ardea Mg	fi'zi:k Ardea Mg	KLS SlipStream
PEDALS	-	-	-	-	-

Specifications are subject to change without notice.

ROAD: Kellys iCAD RC Carbon Composite

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
480mm (S)	480	545	145	73.5°	72.5°	68	43	408	981.3
520mm (M)	520	570	165	73°	73°	68	43	408	996.5
560mm (L)	560	595	190	72°	74°	68	43	408	1005.1

model: URC 90, URC 70, URC 50, URC 30



ROAD: Aluminum alloy 6061 3ple butted

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
530mm (S)	530	560	170	73.3°	73.5°	70	40	407	979.7
550mm (M)	550	574	190	73.3°	73.5°	70	40	407	993.6
570mm (L)	570	586	210	73.3°	73.5°	68	40	407	1006.5

model: ARC 50, ARC 30, ARC 10




series
ROAD

series
CROSS

	ARC 30	ARC 10	PHANATIC 90	PHANATIC 70	PHANATIC 50
FRAME	Aluminum alloy 6061 3ple butted	Aluminum alloy 6061 3ple butted	Kellys Crossforce Lite 6061 3ple butted SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted SCG (Sport Cross Geometry)
FRAME SIZE	530mm (S) / 550mm (M) / 570mm (L)	530mm (S) / 550mm (M) / 570mm (L)	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")	430mm (17") / 480mm (19") / 530mm (21")
FORK	Kellys Dynamic Carbon (1.5 alloy tapered steerer)	Kellys Dynamic Carbon (1.5 alloy tapered steerer)	SR Suntour NCX-D RL 63mm (17") / 75mm (19"-21"), air / Remote Speed Lockout	SR Suntour NCX-D LO 63mm (17") / 75mm (19"-21"), coil / Speed Lockout	SR Suntour NVX HLO 75mm, coil / Speed Lockout
HEAD PARTS	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	KLS Expert semi-integrated	KLS Expert semi-integrated	KLS Expert semi-integrated
B.B.PARTS	-	Shimano Octalink cartridge	integrated	integrated	cartridge (113mm)
CRANKSET	Shimano Tiagra 4650 compact (50x34)	Shimano Claris 2450 Octalink compact (50x34)	Shimano T551 (48x36x26)	SR Suntour XCR (48x36x26) integrated	SR Suntour XCR6 (48x36x26)
SHIFTERS	Shimano Tiagra ST-4600 Dual Control	Shimano Claris ST-2400 Dual Control	Shimano Deore SL-M610 Rapidfire Plus	Shimano Deore SL-M610 Rapidfire Plus	Shimano Alivio (15) SL-M4000 Rapidfire Plus
F/DERAILLEUR	Shimano Tiagra 4600 (34.9mm)	Shimano Claris 2400 (34.9mm)	Shimano Deore XT M781 (31.8mm)	Shimano Deore M610 (31.8mm)	Shimano Acera M390 (31.8mm)
R/DERAILLEUR	Shimano Tiagra 4600	Shimano Claris 2400	Shimano Deore XT M781	Shimano SLX M670	Shimano Deore XT M772
SPEED	20	16	30	30	27
FREEWHEEL	Shimano Tiagra CS-4600-10 (12-28)	Shimano CS-HG50-8 (11-28)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG300-9 (11-34)
CHAIN	KMC X10L (106 links)	KMC Z7 (106 links)	KMC X10 (114 links)	KMC X10L (114 links)	KMC X9 (114 links)
BRAKES	Shimano Claris 2400	Tektro	Shimano M506 / 447 Hydraulic Disc	Shimano M355 Hydraulic Disc	Tektro Auriga Hydraulic Disc
BRAKE ROTORS	-	-	160mm front / 160mm rear	160mm front / 160mm rear Center Lock	160mm front / 160mm rear
BRAKE LEVERS	Shimano Tiagra ST-4600 Dual Control	Shimano Claris ST-2400 Dual Control	Shimano BL-M506	Shimano BL-M355	Tektro Auriga
BRAKE INNER WIRE	Jagwire stainless	Jagwire stainless	-	-	-
HUBS	Shimano Sora 3500 (32 holes)	Shimano Claris 2400 (32 holes)	Shimano M475 Disc (32 holes)	Shimano RM33 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)
RIMS	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	Kellys Spark 622 x 15 (32 holes / 2 eyelets)	KLS Draft Disc 622 x 19 (32 holes / eyelets)	KLS Draft Disc 622 x 19 (32 holes / eyelets)	KLS Draft Disc 622 x 19 (32 holes / eyelets)
SPOKES	stainless steel	stainless steel	stainless steel black	stainless steel black	stainless steel black
TIRES	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)	Schwalbe Lugano - Puncture Protection 23-622 (700 x 23C)	Schwalbe CX Comp PP 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp PP 40-622 (700 x 38C) ReflectiveLine	Schwalbe CX Comp PP 40-622 (700 x 38C) ReflectiveLine
STEM	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Race (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)
HANDLEBAR	KLS Expert RoadRacing (31.8mm)	KLS Expert RoadRacing (31.8mm)	KLS Master FlatBar (31.8mm)	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)
GRIPS	Kellys bar tape - gel padding	Kellys bar tape - gel padding	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam
SEAT POST	KLS Expert (31.6mm)	KLS Expert (31.6mm)	KLS Master (27.2mm)	KLS Expert (27.2mm)	KLS Expert (27.2mm)
SADDLE	KLS SlipStream	KLS SlipStream	Selle Royal Lookin Sport Men Visual Royalgel	Selle Royal Lookin Sport Men Visual Royalgel	KLS Mirage
PEDALS	-	-	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy

Specifications are subject to change without notice.



CROSS: Kellys Crossforce Lite 6061 3ple butted


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	570	120	73°	70.5°	53.5	440	1061.1
480mm (19")	480	580	130	73°	70.5°	53.6	440	1072.0
530mm (21")	530	595	140	73°	70.5°	53.6	440	1087.4
580mm (23")	580	610	150	73°	70.5°	53.6	440	1102.9

model: Phanatic 90, Phanatic 70, Phanatic 50, Phanatic 30, Phanatic 10



	PHANATIC 30	PHANATIC 10	PHUTURA 10	CLIFF 90	CLEA 90
FRAME	Kellys Crossforce Lite 6061 3ple butted SCG (Sport Cross Geometry)	Kellys Crossforce Lite 6061 3ple butted SCG (Sport Cross Geometry)	Kellys Crossforce Lady Lite 6061 3ple butted SCG (Sport Cross Geometry)	Kellys Crosslite alloy 6061	Kellys Crosslite alloy 6061 lady's
FRAME SIZE	430mm (17") / 480mm (19") / 530mm (21")	VAMP 430mm (17") / 480mm (19") / 530mm (21") / 580mm (23") LIME 430mm (17") / 480mm (19") / 530mm (21")	TIFFANY 432mm (17") / 480mm (19") SUNRISE 432mm (17") / 480mm (19")	430mm (17") / 488mm (19") / 530mm (21") / 580mm (23")	430mm (17") / 480mm (19")
FORK	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout
HEAD PARTS	KLS Expert semi-integrated	KLS Expert semi-integrated	KLS Expert semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (113mm)	cartridge (113mm)	cartridge (113mm)	cartridge (113mm)	cartridge (113mm)
CRANKSET	SR Suntour XCR6 (48x36x26)	SR Suntour XCM (48x36x26)	SR Suntour XCM (48x36x26)	SR Suntour XCM (48x36x26)	SR Suntour XCM (48x36x26)
SHIFTERS	Shimano Altus SL-M370 Rapidfire Plus	Shimano Alivio (15) ST-M4000 Rapidfire Plus	Shimano Alivio (15) ST-M4000 Rapidfire Plus	Shimano Altus SL-M370 Rapidfire Plus	Shimano Altus SL-M370 Rapidfire Plus
F/DERAILLEUR	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)
R/DERAILLEUR	Shimano Alivio (15) M4000	Shimano Alivio (15) M4000	Shimano Alivio (15) M4000	Shimano Altus M370	Shimano Altus M370
SPEED	27	27	27	27	27
FREEWHEEL	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)
CHAIN	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)
BRAKES	Tektro Auriga Hydraulic Disc	Tektro V-brake	Tektro V-brake	Tektro Auriga Hydraulic Disc	Tektro Auriga Hydraulic Disc
BRAKE ROTORS	160mm front / 160mm rear	-	-	160mm front / 160mm rear	160mm front / 160mm rear
BRAKE LEVERS	Tektro Auriga	Shimano Alivio (15) ST-M4000 Rapidfire Plus	Shimano Alivio (15) ST-M4000 Rapidfire Plus	Tektro Auriga	Tektro Auriga
BRAKE INNER WIRE	-	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)		
HUBS	KLS Firework Disc (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
RIMS	KLS Draft Disc 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft Disc 622 x 19 (32 holes / eyelets)	KLS Draft Disc 622 x 19 (32 holes / eyelets)
SPOKES	stainless steel black	stainless steel	stainless steel	stainless steel	stainless steel
TIRES	Schwalbe CX Comp PP 40-622 (700 x 38C) ReflectiveLine	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)
STEM	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)
HANDLEBAR	KLS Cross RiseBar (25.4mm)	KLS Expert RiseBar (31.8mm)	KLS Expert RiseBar (31.8mm)	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)
GRIPS	KLS LockOn foam	KLS LockOn foam	KLS LockOn foam	KLS Advancer	KLS Advancer
SEAT POST	KLS Expert (27.2mm)	KLS Expert (27.2mm)	KLS Expert (27.2mm)	KLS Expert (27.2mm)	KLS Expert (27.2mm)
SADDLE	KLS Mirage	KLS Mirage	KLS Mirage Woman	KLS CrossLine	KLS ComfortLine
PEDALS	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy

Specifications are subject to change without notice.



CROSS: Kellys Crossforce Lady Lite 6061 3ple butted

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
432mm (17")	432	555	130	72.5°	70.5°	49.8	440	1042.6
480mm (19")	480	570	150	72.5°	70.5°	49.8	440	1058.4


model: Phutura 10



series
CROSS

	CLIFF 70	CLEA 70	CLIFF 50	CLEA 50	CLIFF 30
FRAME	Kellys Crosslite alloy 6061	Kellys Crosslite alloy 6061 lady's	Kellys Crosslite alloy 6061	Kellys Crosslite alloy 6061 lady's	Kellys Crosslite alloy 6061
FRAME SIZE	WHITE 430mm (17") / 480mm (19") / 530mm (21") / 580mm (23") SHADOW RED 430mm (17") / 480mm (19") / 530mm (21")	PHONIX RED 430mm (17") / 480mm (19") WHITE 430mm (17") / 480mm (19")	PHONIX RED 430mm (17") / 480mm (19") / 530mm (21") BLACK 430mm (17") / 480mm (19") / 530mm (21") / 580mm (23")	AZURE 430mm (17") / 480mm (19") COFFEE 430mm (17") / 480mm (19")	SILVER 430mm (17") / 480mm (19") / 530mm (21") DARK MANGO 430mm (17") / 480mm (19") / 530mm (21")
FORK	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
B.B.PARTS	cartridge (113mm)	cartridge (113mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
CRANKSET	SR Suntour XCM (48x36x26)	SR Suntour XCM (48x36x26)	SR Suntour NEX (48x38x28)	SR Suntour NEX (48x38x28)	SR Suntour XCC (48x38x28)
SHIFTERS	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus
F/DERAILLEUR	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)
R/DERAILLEUR	Shimano Acera M390	Shimano Acera M390	Shimano Acera M360	Shimano Acera M360	Shimano Altus M280
SPEED	27	27	24	24	24
FREEWHEEL	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)
CHAIN	KMC X9 (114 links)	KMC X9 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)
BRAKES	Tektro V-brake	Tektro V-brake	Alhonga V-brake	Alhonga V-brake	Alhonga V-brake
BRAKE LEVERS	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF65-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus
BRAKE INNER WIRE	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	KLS Drive (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)	KLS Drive (32 holes)
RIMS	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel
TIRES	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)
STEM	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	KLS Cross - adjustable (diam 28.6mm / bar bore 25.4mm)	Kalloy Uno (diam 28.6mm / 15°)
HANDLEBAR	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)	KLS Cross RiseBar (25.4mm)	Kalloy Uno (25.4mm)
GRIPS	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
SEAT POST	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	KLS Expert (diam 27.2mm)	Kalloy Uno (diam 27.2mm)
SADDLE	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	KLS CrossLine
PEDALS	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - alloy	VP NonSlip - plastic

Specifications are subject to change without notice.



CROSS: Kellys Crosslite 6061 alloy


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	580	120	73°	70.5°	53.5	445	1076.5
480mm (19")	480	590	130	73°	70.5°	53.5	445	1087.2
530mm (21")	530	605	140	73°	70.5°	53.5	445	1102.5
580mm (23")	580	620	150	73°	70.5°	53.5	445	1117.9

model: Cliff 90, Cliff 70, Cliff 50, Cliff 30, Cliff 10

CROSS: Kellys Crosslite 6061 alloy lady's

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	567	130	73°	70.5°	53.5	445	1064.0
480mm (19")	480	582.5	130	73°	70.5°	53.5	445	1079.5

model: Clea 90, Clea 70, Clea 50, Clea 30, Clea 10




SPECS / GEOMETRIES

series
URBAN

	CLEA 30	CLIFF 10	CLEA 10	FITNESS	
				PHYSIO 50	PHYSIO 30
FRAME	Kellys Crosslite alloy 6061 lady's	Kellys Crosslite alloy 6061	Kellys Crosslite alloy 6061 lady's	Aluminum alloy 6061 3ple butted Urban Move Concept	Aluminum alloy 6061 3ple butted Urban Move Concept
FRAME SIZE	SUNRISE 430mm (17") / 480mm (19") SILVER 430mm (17") / 480mm (19") / 530mm (21")	BLACK YELLOW 430mm (17") / 480mm (19") / 530mm (21") LIME 430mm (17") / 480mm (19") / 530mm (21")	BLUE 430mm (17") / 480mm (19") NIGHT 430mm (17") / 480mm (19")	480mm (S) / 520mm (M) / 560mm (L)	480mm (S) / 520mm (M) / 560mm (L)
FORK	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour M3010 50mm, coil spring	SR Suntour M3010 50mm, coil spring	Aluminum alloy	Aluminum alloy
HEAD PARTS	semi-integrated	semi-integrated	semi-integrated	Ritchey Logic Zero semi-integrated	Ritchey Logic Zero semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (120mm)	cartridge (120mm)	Sram Power Spline cartridge (118mm)	SR Suntour cartridge (113mm)
CRANKSET	SR Suntour XCC (48x38x28)	Prowheel (42x34x24)	Prowheel (42x34x24)	Sram Via Centro (48x32)	SR Suntour XCR6 (48x36x26)
SHIFTERS	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Sram Via Centro 10-Speed Trigger	Shimano Altus SL-M370 Rapidfire Plus
F/DERAILLEUR	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Sram Via Centro (31.8mm)	Shimano Altus M371 (31.8mm)
R/DERAILLEUR	Shimano Altus M280	Shimano TX35	Shimano TX35	Sram Via Centro	Shimano Alivio (15) M4000
SPEED	24	21	21	20	27
FREEWHEEL	Shimano CS-HG200-8 (12-32)	Shimano MF-TZ31-7 (14-34)	Shimano MF-TZ31-7 (14-34)	Sram PG-1030-10 (11-26)	Shimano CS-HG200-9 (11-34)
CHAIN	KMC Z7 (114 links)	KMC Z51 (112 links)	KMC Z51 (112 links)	KMC X10L (108 links)	KMC X9 (110 links)
BRAKES	Alhonga V-brake	Apse V-brake	Apse V-brake	Avid Single Digit 3 V-brake	Avid Single Digit 3 V-brake
BRAKE LEVERS	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Shimano ST-EF51-7 EZ-fire Plus	Avid FR-5	Avid FR-5
BRAKE INNER WIRE	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	KLS Drive (32 holes)	alloy (32 holes)	alloy (32 holes)	Shimano Tiagra 4600 (32 holes)	Shimano Claris 2400 (32 holes)
RIMS	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	Kellys Spark 622 x 15 (32 holes / eyelets)	Kellys Spark 622 x 15 (32 holes / eyelets)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	stainless steel black	stainless steel black
TIRES	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Innova 40-622 (700 x 38C)	Schwalbe Spicer 30-622 (700 x 30C) ReflectiveLine	Schwalbe Spicer 30-622 (700 x 30C) ReflectiveLine
STEM	Kalloy Uno (diam 28.6mm / 30°)	Kalloy Uno (diam 28.6mm / 15°)	Kalloy Uno (diam 28.6mm / 30°)	KLS Master (diam 28.6mm / bar bore 31.8mm / 7°)	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)
HANDLEBAR	Kalloy Uno (25.4mm)	steel RiseBar (diam 25.4mm)	steel RiseBar (diam 25.4mm)	KLS Master FlatBar (31.8mm)	KLS Expert FlatBar (31.8mm)
GRIPS	KLS Advancer 2Density	KLS Advancer	KLS Advancer	KLS LockOn foam	KLS LockOn foam
SEAT POST	Kalloy Uno (diam 27.2mm)	steel (diam 27.2mm)	steel (diam 27.2mm)	KLS Master (27.2mm)	KLS Expert (27.2mm)
SADDLE	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	KLS Mirage	KLS Mirage
PEDALS	VP NonSlip - plastic	plastic	plastic	KLS Master - alloy	KLS Master - alloy

Specifications are subject to change without notice.



URBAN - FITNESS: Aluminum alloy 6061 3ple butted

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
480mm (S)	480	560	145	73.5°	72°	65	45	430	1026.0
520mm (M)	520	575	165	73.5°	72°	65	45	430	1041.5
560mm (L)	560	590	185	73°	72.5°	65	45	430	1047.1

model: Physio 50, Physio 30, Physio 10





series
URBAN



	FITNESS	TREKKING			
	PHYSIO 10	CARTER 70	CARTER 50	CRISTY 50	CARTER 30
FRAME	Aluminum alloy 6061 3ple butted Urban Move Concept	Aeroprofile alloy	Aeroprofile alloy	Aeroprofile alloy lady's	Aeroprofile alloy
FRAME SIZE	480mm (S) / 520mm (M) / 560mm (L)	432mm (17") / 483mm (19") / 533mm (21") / 580mm (23")	432mm (17") / 483mm (19") / 533mm (21") / 580mm (23")	432mm (17") / 483mm (19")	432mm (17") / 483mm (19") / 533mm (21")
FORK	Aluminum alloy	SR Suntour NEX HLO 63mm, coil / Speed Lockout (threaded steerer 28.6mm)	SR Suntour NEX 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)
HEAD PARTS	Ritchey Logic Zero semi-integrated	TH semi-integrated (threaded)	TH semi-integrated (threaded)	TH semi-integrated (threaded)	TH semi-integrated (threaded)
B.B.PARTS	cartridge (113mm)	cartridge (113mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
CRANKSET	Samox (46T chainwheel)	SR Suntour XCM (48x36x26)	SR Suntour XCE (48x38x28)	SR Suntour XCE (48x38x28)	SR Suntour XCE (48x38x28)
SHIFTERS	-	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano SL-RS35-7 Revoshift
F/DERAILLEUR	-	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)	Shimano M191 (31.8mm)
R/DERAILLEUR	-	Shimano Alivio (15) M4000	Shimano Altus M310	Shimano Altus M310	Shimano Altus M280
SPEED	1	27	24	24	21
FREEWHEEL	freewheel / fixed cog (2 x 16T sprocket)	Shimano CS-HG200-9 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano CS-HG31-8 (11-34)	Shimano MF-TZ31-7 (14-34)
CHAIN	KMC Z410 (110 links)	KMC X9 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z51 (116 links)
BRAKES	Tektro V-brake	Tektro V-brake	Alhonga V-brake	Alhonga V-brake	Alhonga V-brake
BRAKE LEVERS	Tektro	Shimano ST-EF65-9 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Shimano ST-EF51-8 EZ-fire Plus	Alhonga
BRAKE INNER WIRE	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	Formula - double sided rear hub (freewheel / fixed cog - 32 holes)	Shimano Dynamo 3N20 / Shimano RM30 (32 holes)	Shimano Dynamo 3N20 / KLS Drive (32 holes)	Shimano Dynamo 3N20 / KLS Drive (32 holes)	Shimano Dynamo 3N20 / alloy (32 holes)
RIMS	Kellys Spark 622 x 15 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
SPOKES	stainless steel black	stainless steel	U.C.P. steel	U.C.P. steel	U.C.P. steel
TIRES	Schwalbe Spicer 30-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C) ReflectiveLine	Kellys Camp 40-622 (700 x 38C)	Kellys Camp 40-622 (700 x 38C)	Kellys Camp 40-622 (700 x 38C)
STEM	KLS Expert (diam 28.6mm / bar bore 31.8mm / 7°)	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)	Kalloy Uno - adjustable (diam 25.4mm)
HANDLEBAR	KLS Expert FlatBar (31.8mm)	Kalloy RiseBar (25.4mm)	Kalloy RiseBar (25.4mm)	Kalloy RiseBar (25.4mm)	steel RiseBar (25.4mm)
GRIPS	KLS LockOn foam	KLS 2Density ergonomic	KLS 2Density ergonomic	KLS 2Density ergonomic	kraton 2Density
SEAT POST	KLS Expert (27.2mm)	Kalloy Uno (27.2mm)	steel (27.2mm)	steel (27.2mm)	steel (27.2mm)
SADDLE	KLS Mirage	Selle Royal Lookin Men Visual Royalgel	KLS CrossLine	KLS ComfortLine	KLS CrossLine
PEDALS	KLS Master - alloy	VP NonSlip - alloy	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic
FRONT LIGHT	-	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite
REAR LIGHT	-	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
FENDERS	-	RPZ	RPZ	RPZ	RPZ
ACCESSORIES	-	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specifications are subject to change without notice.

URBAN - TREKKING: Aeroprofile Aluminum 6061 alloy

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
432mm (17")	432	590	120	72°	71°	54.3	445	1069.6
483mm (19")	483	600	120	72°	71°	54.3	445	1079.6
533mm (21")	533	610	120	72°	71°	54.3	445	1089.5
580mm (23")	580	620	120	72°	71°	54.3	445	1099.6

model: Carter 70, Carter 50, Carter 30



URBAN - TREKKING: Aeroprofile Aluminum 6061 alloy lady's


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
432mm (17")	432	579.2	150	72°	71°	54.3	445	1059.4
483mm (19")	483	589.3	150	72°	71°	54.3	445	1069.4

model: Cristy 50, Cristy 30

SPECS / GEOMETRIES

	TREKKING			CITY	
	CRISTY 30	CARTER 10	CRISTY 10	AVENUE 90	AVENUE 70
FRAME	Aeroprofile alloy lady's	hi-ten	hi-ten lady's	Aluminum alloy monotube	Aluminum alloy monotube
FRAME SIZE	432mm (17") / 483mm (19")	483mm (19") / 533mm (21")	432mm (17") / 483mm (19")	430mm / 480mm	430mm / 480mm
FORK	SR Suntour M3010 50mm, coil spring (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	SR Suntour CR-8V 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)
HEAD PARTS	TH semi-integrated (threaded)	threaded	threaded	TH semi-integrated	TH semi-integrated
B.B.PARTS	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (118mm)	cartridge (118mm)
CRANKSET	SR Suntour XCE (48x38x28)	SR Suntour XCC (48x38x28)	SR Suntour XCC (48x38x28)	Prowheel	Shimano M131 (48x38x28)
SHIFTERS	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano Nexus SL-7S20 Revoshift	Shimano ST-EF51-8 EZ-fire Plus
F/DERAILLEUR	Shimano M191 (31.8mm)	Shimano TZ31 (31.8mm)	Shimano TZ31 (31.8mm)	-	Shimano M191 (31.8mm)
R/DERAILLEUR	Shimano Altus M280	Shimano TX35	Shimano TX35	-	Shimano Altus M370
SPEED	21	21	21	7	24
FREEWHEEL	Shimano MF-TZ31-7 (14-34)	Shimano MF-TZ31-7 (14-34)	Shimano MF-TZ31-7 (14-34)	Shimano for internal hub 21T	Shimano CS-HG31-8 (11-34)
CHAIN	KMC Z51 (116 links)	KMC Z51 (116 links)	KMC Z51 (116 links)	KMC Z33 (102 links)	KMC Z7 (116 links)
BRAKES	Alhonga V-brake	Alhonga V-brake	Alhonga V-brake	Alhonga V-brake / Shimano coaster brake	Tektro V-brake
BRAKE LEVERS	Alhonga	Alhonga	Alhonga	Tektro	Shimano ST-EF51-8 EZ-fire Plus
BRAKE INNER WIRE	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	Shimano Dynamo 3N20 / alloy (32 holes)	alloy (32 holes)	alloy (32 holes)	Shimano Dynamo 3N20 / Shimano Nexus 7C30 (36 holes)	Shimano Dynamo 3N20 / KLS Drive (32 holes)
RIMS	KLS Draft 622 x 19 (32 holes / eyelets)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (32 holes)	KLS Draft 622 x 19 (36 holes / eyelets)	KLS Draft 622 x 19 (32 holes / eyelets)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel	stainless steel
TIRES	Kellys Camp 40-622 (700 x 38C)	Kellys Camp 40-622 (700 x 38C)	Kellys Camp 40-622 (700 x 38C)	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine
STEM	Kalloy Uno - adjustable (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)
HANDLEBAR	steel RiseBar (25.4mm)	steel RiseBar (25.4mm)	steel RiseBar (25.4mm)	alloy RiseBar (25.4mm)	alloy RiseBar (25.4mm)
GRIPS	kraton 2Density	kraton 2Density	kraton 2Density	KLS 2Density ergonomic	KLS 2Density ergonomic
SEAT POST	steel (27.2mm)	steel (27.2mm)	steel (27.2mm)	Kalloy Uno (27.2mm)	Kalloy Uno (27.2mm)
SADDLE	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel
PEDALS	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - alloy
FRONT LIGHT	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite
REAR LIGHT	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
FENDERS	RPZ	RPZ	RPZ	RPZ	RPZ
ACCESSORIES	alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specifications are subject to change without notice.



URBAN - TREKKING: hi-ten


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
480mm (19")	480	590	120	72°	71°	39	450	1083.1
530mm (21")	530	605	120	72°	71°	39	450	1098.1

model: Carter 10

URBAN - TREKKING: hi-ten lady's

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm (17")	430	573.5	150	72°	71°	39	450	1067.1
480mm (19")	480	583.5	150	72°	71°	39	450	1077.1

model: Cristy 10






series
URBAN

	CITY			
	AVENUE 50	AVENUE 30	AVENUE 20	AVENUE 10
FRAME	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube	Aluminum alloy monotube
FRAME SIZE	430mm / 480mm	430mm	430mm / 480mm	430mm
FORK	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)
HEAD PARTS	TH semi-integrated	TH semi-integrated	TH semi-integrated	TH semi-integrated
B.B.PARTS	cartridge (118mm)	cartridge (118mm)	cartridge (118mm)	cartridge (118mm)
CRANKSET	Prowheel	Prowheel	Prowheel	Prowheel
SHIFTERS	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S41E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S41E Revoshift
F/DERAILLEUR	-	-	-	-
R/DERAILLEUR	-	-	-	-
SPEED	3	3	3	3
FREEWHEEL	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 21T	Shimano for internal hub 20T
CHAIN	KMC Z33 (102 links)	KMC Z33 (98 links)	KMC Z33 (102 links)	KMC Z33 (98 links)
BRAKES	Alhonga V-brake / Shimano coaster brake	Alhonga V-brake / Shimano coaster brake	Alhonga V-brake / Shimano coaster brake	Alhonga V-brake / Shimano coaster brake
BRAKE LEVERS	Tektro	Tektro	Tektro	Tektro
BRAKE INNER WIRE	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	Shimano Dynamo 3N20 / Shimano Nexus 3C41 Inter-3 (36 holes)	Shimano Dynamo 3N20 / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)
RIMS	Kellys Event 622 x 19 (36 holes)	Kellys Event 559 x 19 (36 holes)	Kellys Event 622 x 19 (36 holes)	Kellys Event 559 x 19 (36 holes)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel
TIRES	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Cobra 50-559 (26 x 1.90)	Rubena Flash 47-622 (28 x 1.75) ReflectiveLine	Rubena Cobra 50-559 (26 x 1.90)
STEM	Kalloy - adjustable (diam 25.4mm)	Kalloy - adjustable (diam 25.4mm)	Zoom (diam 25.4mm / 25°)	Zoom (diam 25.4mm / 25°)
HANDLEBAR	alloy RiseBar (25.4mm)	steel RiseBar (25.4mm)	alloy RiseBar (25.4mm)	steel RiseBar (25.4mm)
GRIPS	KLS 2Density ergonomic	KLS 2Density ergonomic	KLS 2Density ergonomic	2Density ergonomic
SEAT POST	Kalloy Uno (27.2mm)	Kalloy Uno (27.2mm)	Kalloy Uno (27.2mm)	Kalloy Uno (27.2mm)
SADDLE	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel
PEDALS	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic	VP NonSlip - plastic
FRONT LIGHT	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite	Büchel Road Lite
REAR LIGHT	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED
FENDERS	RPZ	RPZ	RPZ	RPZ
ACCESSORIES	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell	dynamo set, alloy carrier, kickstand, bell

Specifications are subject to change without notice.



TOUR - CITY: Aluminum alloy monotube 28"

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	606.8	165	70°	71°	55	455	1074.2
480mm	480	631.8	190	68.5°	71°	55	455	1079.3

model: Avenue 90

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	613	165	69.5°	71°	55	455	1074.2
480mm	480	618.7	190	69.5°	71°	55	455	1079.3


model: Avenue 70

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	605.8	165	70°	71°	55	455	1074.2
480mm	480	630	190	68.5°	71°	55	455	1079.3

model: Avenue 50, Avenue 20

	MARC 90	KITER 50	KITER 30	LUMI 50	LUMI 30
FRAME	Kellys Alutec Avant 6061 MTB 24" RRC Geometry (Race Ready Concept)	Kellys Aluminum alloy MTB 24"	Kellys Aluminum alloy MTB 24"	Kellys Aluminum alloy MTB 20"	Kellys Aluminum alloy MTB 20"
FRAME SIZE	315mm (12.5")	280mm (11")	LIME 280mm (11") SKY 280mm (11")	255mm (10")	YELLOW 255mm (10") PINK 255mm (10")
FORK	SR Suntour M3020 50mm, coil spring	SR Suntour M3010 40mm, coil spring	hi-ten unicrown	SR Suntour M3010 40mm, coil spring	hi-ten unicrown
HEAD PARTS	semi-integrated	semi-integrated	threaded	threaded	threaded
B.B.PARTS	cartridge (118mm)	cartridge (120mm)	cartridge (118mm)	cartridge (115mm)	cartridge (115mm)
CRANKSET	SR Suntour XCT (42x32x22)	Prowheel (42x34x24)	Prowheel (42x34x24)	Prowheel (36T chainwheel)	Prowheel (36T chainwheel)
SHIFTERS	Shimano SL-M310 Rapidfire Plus	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-6 Revoshift	Shimano SL-RS35-6 Revoshift (rear)	Shimano SL-RS35-6 Revoshift (rear)
F/DERAILLEUR	Shimano M191 (31.8mm)	Shimano TX50 (31.8mm)	Shimano TZ30 (31.8mm)	-	-
R/DERAILLEUR	Shimano Altus M280	Shimano TX35	Shimano TZ50	Shimano TY21	Shimano TY21
SPEED	24	21	18	6	6
FREEWHEEL	Shimano CS-HG200-8 (12-32)	Shimano MF-TZ21 (14-28)	Shimano MF-TZ20-6 (14-28)	Shimano MF-TZ20-6 (14-28)	Shimano MF-TZ20-6 (14-28)
CHAIN	KMC Z7 (102 links)	KMC Z51 (104 links)	KMC Z51 (102 links)	KMC Z51 (96 links)	KMC Z51 (96 links)
BRAKES	Tektro Auriga Hydraulic Disc	Alhonga V-brake	Alhonga V-brake	Alhonga V-brake	Alhonga V-brake
BRAKE LEVERS	Tektro Auriga	Alhonga	Alhonga	Alhonga	Alhonga
BRAKE INNER WIRE		Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)
HUBS	KLS Firework Disc (32 holes)	KLS (36 holes)	KLS (36 holes)	KLS (28 holes)	KLS (28 holes)
RIMS	KLS Draft Disc 507 x 19 (32 holes)	KLS Wasper 507 x 19 (36 holes)	KLS Wasper 507 x 19 (36 holes)	KLS Wasper 406 x 21 (28 holes)	KLS Wasper 406 x 21 (28 holes)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel
TIRES	Rubena Winner 50-507 (24 x 1.90)	Rubena Winner 50-507 (24 x 1.90)	Rubena Winner 50-507 (24 x 1.90)	Rubena Winner 50-406 (20 x 1.90)	Rubena Winner 50-406 (20 x 1.90)
STEM	Kalloy (diam 28.6mm)	Kalloy (diam 28.6mm)	steel (diam 25.4mm)	steel (diam 25.4mm)	steel (diam 25.4mm)
HANDLEBAR	steel RiseBar (25.4mm)	steel RiseBar (25.4mm)	steel RiseBar (25.4mm)	steel RiseBar (25.4mm)	steel RiseBar (25.4mm)
GRIPS	KLS Advancer 2Density	kraton 2Density	kraton 2Density	kraton	kraton
SEAT POST	Kalloy (diam 27.2mm)	Kalloy (27.2mm)	steel (27.2mm)	steel (27.2mm)	steel (27.2mm)
SADDLE	KLS DriveLine Junior	Kellys Junior	Kellys Junior	Kellys Junior	Kellys Junior
PEDALS	plastic / steel	plastic	plastic	plastic	plastic


Specifications are subject to change without notice.



TOUR - CITY: Aluminum alloy monotube 26"

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	432	599.4	140	69.5°	71°	35	430	1047.6

model: Avenue 30, Avenue 10



JUNIOR: Aluminum alloy monotube 26"

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
315mm (12.5")	315	500	90	73°	70°	35	400	959.4

model: Marc 90



series
JUNIOR

	TRICK	WASPER	MAGGIE	CINDY	EMMA
FRAME	Kellys Aluminum alloy BMX 20"	Kellys Aluminum alloy MTB 16"	Kellys Aluminum alloy monotube 24"	Kellys Aluminum alloy monotube 20"	Kellys Aluminum alloy monotube 16"
FRAME SIZE	255mm (10")	235mm (9.5")	355mm	295mm	240mm
FORK	BMX hi-ten unicrown	hi-ten unicrown	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown
HEAD PARTS	threadless	threaded	threaded	threaded	threaded
B.B.PARTS	cartridge (126mm)	steel	cartridge (118mm)	cartridge (118mm)	steel
CRANKSET	Prowheel (32T chainwheel)	steel (32T chainwheel)	Prowheel (38T chainwheel)	Prowheel (36T chainwheel)	steel (28T chainwheel)
SHIFTERS	-	-	Shimano Nexus SL-3S41E Revoshift	-	-
F/DERAILLEUR	-	-	-	-	-
R/DERAILLEUR	-	-	-	-	-
SPEED	1	1	3	1	1
FREEWHEEL	single 18T sprocket	single sprocket	Shimano for internal hub 20T	single 18T sprocket	single sprocket
CHAIN	KMC Z510 (84 links)	KMC 410	KMC Z33 (94 links)	KMC Z510 (84 links)	KMC 410
BRAKES	Apse V-brake / coaster brake	V-brake / coaster brake	Tektro V-brake / Shimano coaster brake	Tektro V-brake / coaster brake	V-brake / coaster brake
BRAKE LEVERS	Apse	plastic	Tektro	Tektro	plastic
BRAKE INNER WIRE	Driving Force SCS (SlickCableSystem)	steel	Driving Force SCS (SlickCableSystem)	Driving Force SCS (SlickCableSystem)	steel
HUBS	KLS / coaster brake hub (28 holes)	steel / coaster brake hub (20 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / coaster brake (28 holes)	steel / coaster brake hub (20 holes)
RIMS	KLS Wasper 406 x 21 (28 holes)	KLS Wasper 305 x 20 (20 holes)	KLS Wasper 507 x 19 (36 holes)	KLS Wasper 406 x 21 (28 holes)	KLS Wasper 305 x 20 (20 holes)
SPOKES	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel	U.C.P. steel
TIRES	Rubena Bicross 47-406 (20 x 1.75 x 2)	Rubena Winner 47-305 (16 x 1.75 x 2)	Rubena Walrus 47-507 (24 x 1.75 x 2) ReflectiveLine	Rubena Walrus 47-406 (20 x 1.75 x 2)	Rubena Walrus 47-305 (16 x 1.75 x 2)
STEM	Promax BMX (diam 28.6mm)	alloy / steel	alloy (diam 22.2mm / 30°)	alloy (diam 22.2mm / 30°)	alloy / steel
HANDLEBAR	BMX steel (22.2mm)	steel	steel (25.4mm)	steel (25.4mm)	steel
GRIPS	kraton	PVC plastic	3Density ergonomic	3Density ergonomic	PVC plastic
SEAT POST	steel (27.2mm)	steel	Kalloy (27.2mm)	steel (27.2mm)	steel
SADDLE	Kellys Junior	Kellys Junior	Kellys Junior	Kellys Junior	Kellys Junior
PEDALS	plastic	plastic	NonSlip - plastic	NonSlip - plastic	plastic
FENDERS	h/bar & stem pads	plastic	RPZ	RPZ	plastic
ACCESSORIES	-	training wheels, bell	kickstand, bell	kickstand, bell	training wheels, bell

Specifications are subject to change without notice.

CONTACTS

AUSTRIA

KELLYS BICYCLES s.r.o.
SLNECNA CESTA 374
922 01 VELKE ORVISTE
tel.: +421 333 213 111
fax: +421 333 213 199
e-mail: infoat@kellysbike.com

BANGLADESH

G.S.IMPEX BICYCLES,
HAPPY ARCADE SHOPPING MALL
ROAD NO-3, HOUSE NO-3
DHANMONDI, DHAKA
tel.: +8801673622222
e-mail: info@gsimpexbd.com
www.gsimpexbd.com

BELARUS

VELLOLIMP
MOSCOW, UL. ELEKTRODNAYA, DOM 2
tel./fax: +7 (495) 788 19 52
e-mail: info@veloolimp.ru
www.veloolimp.ru

BOSNIA AND HERZEGOVINA

BOCA D.O.O.
NOVACI bb PC-96
72250 VITEZ
tel./fax: +387 30 710 820
e-mail: info@bocavitez.com

CROATIA

L. K. D. D.O.O. KUTINA
A.G. MATOSA 12
KUTINA
tel. / fax: +385 (0)44 683 504
e-mail: mbjelajac@inet.hr
www.bikeshop.hr

CYPRUS

TASOS ALETRAS Ltd.
266 TSERIOU AVENUE
2044 NICOSIA STROVOLOS
tel.: +35 722 321015
fax: +35 722 321731
e-mail: info@aletras-megabike.com
www.aletras-megabike.com

CZECH REPUBLIC

KELLYS BICYCLES CZECH REPUBLIC s.r.o.
HAVLIČKOVA 426
753 01 HRANICE
tel.: +420 581 698 810
e-mail: infocz@kellysbike.com

DENMARK

TRADE POINT A/S
HESTEHAVEN 67
5260 ODENSE S, DENMARK
tel.: +45 63 17 15 66
fax: +45 63 17 15 68
e-mail: info@tradepoint.dk
www.tradepoint.dk

ESTONIA

VELOPLUS
SAKU 3
11314 TALLINN
tel.: +372 6 556 977
fax: +372 6 556 308
e-mail: veloplus@veloplus.ee
www.veloplus.ee

GERMANY

KELLYS BICYCLES DEUTSCHLAND
AM WALDBERG 15
12683 BERLIN
tel.: +49 (0)30 510 61 837
fax: +49 (0)30 510 61 838
e-mail: kellysdeutschland@kellysbike.com

GREECE

M BIKES SPORTS ON WHEELS
THESSALONIKI, P.SYNDIKA 59
tel.: +30 2310 886 545
fax: +30 2310 886 546
e-mail: mbikes@mbikes.gr
www.mbikes.gr

HUNGARY

KELLYS BICYCLES s.r.o.
SLNECNA CESTA 374
922 01 VELKE ORVISTE
tel.: +36 20 9755 732
fax: +421 333 213 199
e-mail: infohu@kellysbike.com

IRELAND

A.B. CYCLE FACTORS Ltd.
14A SOUTH SUMMER STREET
DUBLIN 8
tel.: +353 1 4532777
fax: +353 1 4544793
email: abcycles@eircom.net

KAZAKHSTAN

VELLOLIMP
MOSCOW, UL. ELEKTRODNAYA, DOM 2
tel./fax: +7 (495) 788 19 52
e-mail: info@veloolimp.ru
www.veloolimp.ru

LATVIA

MULTISPORT Lda.
GAROZES 1
LV-1004 RIGA
tel.: +371 762 6025
fax: +371 789 2053
e-mail: jurism@fans.lv

LITHUANIA

UAB POSITUS
MYBIKE
BALTU AVE.13
LT-48236, LITHUANIA
tel./fax: +370 3735 00 95
e-mail: info@positus.lt
www.positus.lt

NORWAY

TEMPO AS
TORVLIA 14
1739 BORGENHAUGEN
tel: +47 69 100 570
fax: +47 69 166 252
e-mail: john@tempoas.no
www.tempoas.no

POLAND

KELLYS Sp. z o.o.
UL. MŁYŃSKA 11
55-200 OŁAWA
tel.: +48 71 318 88 77
fax: +48 71 318 88 99
e-mail: info@kellysbike.com

PORTUGAL

ALEXANDRE DIAS Lda
AV. VILLAGARCIA DE AROSA, 1060
4450-300 MATOSINHOS
tel.: +351 229 398 990
fax: +351 229 398 993
e-mail: alex.dias@mail.telepac.pt
www.alexandredias.net

QATAR

SPORTWELL WLL
SALWA ROAD, ALAIN
COMPLEX-SHOP NO:16 DOHA, QATAR
tel: +97440165155
fax: +97440165157
e-mail:shamil.sportwell@gmail.com

ROMANIA

BICISHOP EXTREM SRL
CAL. GIULESTI Nr.551A, ET. MANS, AP. CAMERA 3
050182 MUNICIPIUL BUCURESTI, SECTOR 6
tel.: 0726 / 66 38 77
e-mail: shop@bicishop.ro
www.bicishop.ro

RUSSIA

VELLOLIMP
MOSCOW, UL. ELEKTRODNAYA, DOM 2
tel./fax: +7 (495) 788 19 52
e-mail: info@veloolimp.ru
www.veloolimp.ru

SERBIA

NEOBIKE D.O.O.
TOLSTOJEVA 14
210 00 NOVI SAD
tel.: +381 21 542 216
fax: +381 21 542 217
e-mail: neobike@ptt.yu
www.neobike.co.yu

SLOVAKIA

KELLYS BICYCLES s.r.o.
SLNEČNÁ CESTA 374
922 01 VELKÉ ORVISTE
tel.: +421 333 213 111
fax: +421 333 213 199
e-mail: infosk@kellysbike.com

SPAIN

PSK SPORT S.A.
C/ DE LA MORA, 12
POL.IND. ADALONA SUD - GRANLAND
08918 BADALONA (BARCELONA), SPAIN
tel:+34 93 300 20 12
fax:+34 93 309 70 38
e-mail:psksport@psksport.com
www.psksport.com

SWEDEN

JAMTLANDS CYKELFABRIK
KYRGATAN 27
S-83131 ÖSTERSUND
tel./fax: +46 63 12 72 22
e-mail: info@jamtlandscykelfabrik.se

SWITZERLAND / LIECHTENSTEIN

FLAIKA AG
OBERGASS 24 / PF 203
FL-9494 SCHAAN
LIECHTENSTEIN
tel.: +41 79 419 92 44
fax: +41 81 756 66 66
e-mail: rene.osterhues@flaika.li
www.kellysbike.ch

TAIWAN

UNI-VICTOR INT'L CORP.
NO. 1, RENHUAGONG 10th RD., DALI DIST.,
TAICHUNG 41278
TAIWAN
tel.: +886 4 249 16 008
fax: +886 4 249 16 007
e-mail: infotw@kellysbike.com

UKRAINE

VELOKIEV GROUP
3-A, KOMBAJNEROV STR.
03061 KIEV
tel./fax: +380 44 331 9050
e-mail: admin@kellys.com.ua
www.kellys.com.ua



