

**BICYCLES / E-BIKES**  
CATALOGUE

**SEASON**  
**2019**



**KELLYS**  
BIKE COMPANY





## E-BIKES

0 0 8 E-BIKES

## MOUNTAIN

0 2 6	DOWNHILL
0 3 4	ENDURO
0 4 0	TRAIL
0 5 2	MTB-XC
0 7 0	MTB-XC WOMEN
0 8 0	DIRT

## ROAD

0 8 8 RACING  
0 9 6 GRAVEL

## TOUR

1 0 2 CROSS  
1 2 0 TREKKING

## URBAN

1 3 0 CITY  
1 3 6 CLASSIC  
1 4 4 FITNESS

## JUNIOR

1 4 8 JUNIOR  
1 6 4 FIRST BIKE

  
**KELLYS**  
SINCE 1991

EVERY BIKE  
HAS A MISSION

A photograph of a person riding a bicycle on a dirt road. The rider is wearing a light-colored jacket and shorts. A large plume of dust is kicked up behind them, illuminated by the warm light of a setting or rising sun. The background shows rolling hills under a clear sky.

EVERY  
BIKE  
HAS A  
MISSION




WHEN DESIGNING AND DEVELOPING,  
WE ARE NOT ONLY CREATING WELL  
ENGINEERED AND UNIQUE BICYCLES,  
WE ARE CREATING SOMETHING MORE...  
SOMETHING WHICH GOES BEYOND JUST  
JOINING THE MECHANICAL ELEMENTS  
TOGETHER. AT KELLYS, WE BELIEVE THAT  
EVERY BIKE HAS A MISSION TO FULFIL  
IN EVERY HUMAN'S LIFE. WE MAKE OUR  
BIKES IN THE SPIRIT OF THIS PHILOSOPHY,  
TO BRING JOY TO THE LIVES OF MILLIONS  
OF PEOPLE RIDING KELLYS AROUND THE  
GLOBE FOR MORE THAN A QUARTER OF A  
CENTURY.



REVOLUTION IN

**EVOLUTI**



THE EVOLUTION OF E-BIKES WENT FROM ORDINARY BIKES WITH ADDED EARLY MOTORS AND HEAVY BATTERIES TO MORE INTEGRATED AND EFFICIENT SYSTEMS. FOR A NUMBERS OF YEARS, THE ENGINEERS HAVE BEEN STRUGGLING TO ADAPT THE READY-MADE DESIGNS FOR THE INSTALLATION OF ELECTRICAL SYSTEMS. IT NEVER BROUGHT SATISFACTORY RESULTS - THE BIKES WERE HEAVY, DIFFICULT TO RIDE, WHILE ENGINES WERE WEAK AND THE RANGE WAS RELATIVELY SMALL. THIS IS WHY KELLYS' ENGINEERS DECIDED TO GO BACK TO THE BEGINNING AND MAKE A REVOLUTION IN E-VOLUTION.

"After we decided to create our all-new e-bike platform, we wanted to start everything from scratch, to forget about what has been done before. We knew that to create new generation e-bike we need the new perspective and new way of thinking about the whole e-concept. That is why we focused on full integration, to make the whole structure solid, uniform and beautifully designed. No more external batteries, additional cables and poorly performing massive engines... That is not what e-bikes are all about."

**ROMAN BOHACIK**  
The Head of R&D Department

"The first look at all-new frame reveals the beauty and solidity of its design. Sleek and dynamic lines, progressive geometry and the latest technologies create the one of its kind mountain e-bike - the e-bike of totally new generation."

**VIT PESEK**  
R&D Engineer

"We wanted to create the e-bike with the top performance, handling and fun factor of the best non-electrified mountain bikes we have ever ridden. On the top of it, we put powerful drive unit with fully integrated battery to add an extra boost!"

**PETER CERMAK**  
e-bike Product Manager





# E-BIKES





ALL - NEW

# KELLYS TYGON & TAYEN

KELLYS TYGON AND TAYEN ARE THE MOST ADVANCED AND WELL-ENGINEERED E-BIKES MADE SO FAR. BUILD FROM SCRATCH, THE NEW PLATFORM DOES NOT ACCEPT ANY COMPROMISES - IT WAS BUILT TO BE AN E-BIKE FROM TOP TO BOTTOM. UNIQUE RIDING CHARACTERISTICS ALONG WITH FULLY INTEGRATED 630WH/17AH BATTERY AND EFFICIENT SHIMANO DRIVE UNIT ALLOW NEW TYGON AND TAYEN TO BRING THE RIDER TO THE ABSOLUTELY NEW LEVEL OF E-BIKING.

#### UNI-BODY INTEGRATED DESIGN:

*This is what distinguishes Kellys' new e-bikes from the other known designs. As in F1 racing cars, this unique way of design is based on monolithic, unified body of the bike creating a lightweight and extra-stiff structure for the best possible performance. By following the Uni-Body Integrated Design philosophy, our engineers were able to develop e-bike with the extremely high stiffness-to-weight ratio, with fully integrated components and undisturbed, uniform and durable construction.*

#### KELLYS E-FRAME:

*The new frame combines progressive geometry with fully integrated battery to keep the riding characteristics at the level unavailable for other e-bikes on the market. Short chain stays, expanded front triangle along with a low gravity centre ensures flawless cornering, stability and control. All the latest MTB frame technologies were also applied to provide the best mountain bike experience possible.*

#### KELLYS RE-CHARGE LI-ION BATTERY:

The power source of new TYGON and TAYEN uses the latest technologies available - it's compact, lightweight and has an unparalleled volume-to-capacity ratio. This is why our engineers were able to pack massive 630Wh/17Ah of energy into small, fully integrated power cell hidden in the frame. Thanks to its compactness the bottom tube of the frame, where the battery is placed, is single-wall, narrow and has an undisrupted structure which makes it stiffer and lighter in comparison to the other designs.

#### DRIVE CORE:

It's a design used in our latest full-suspension bikes, and as in our NOID or SWAG, the Drive Core is also a heart of Kellys' new e-bike frame. It's a solid structure built around the drive unit and bottom bracket. It is not only holding the motor but also strengthens the whole structure of the frame bearing all the loads occurring during aggressive riding. The rigidity is the key factor of this design ensuring efficient power transfer, ultimate performance and extreme lateral stiffness so desirable by mountain bikers.

#### SMART GEOMETRY:

With the new frame came a new approach to the sizing and geometry. To keep the optimum riding characteristics and ensure flawless and comfortable ride our engineers designed the geometry for each frame's size separately. Thanks to smart geometry every rider can be sure of the best and optimum performance regardless of the size of the frame.





Technology Library on pages 168-169.

## TYGON 70

29

**FRAME** Kellys e-Frame 29, Uni-Body Integrated Design **MOTOR** Shimano STEPS E8000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17Ah **FORK** Rock Shox Revelation RC, 120mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle **SHIFTERS** Shimano SLX SL-M7000 Rapidfire Plus, 11-speed / SW-E7000 switch for motor assist **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano SLX M7000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX





ELECTRO BIKE PROGRAM  
+  
-  
FEEL THE ENERGY



## TYGON 70

27.5

**FRAME** Kellys e-Frame 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E8000 **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17Ah **FORK** Rock Shox Revelation RC, 120mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle **SHIFTERS** Shimano SLX SL-M7000 Rapidfire Plus, 11-speed / SW-E7000 switch for motor assist **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano SLX M7000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Hans Dampf, ADDIX Speedgrip



## TYGON 50 BLACK

29



**FRAME** Kellys e-Frame 29, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm, air / Speed Lockout / 15Q-Loc thru axle **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERRAILLEUR** Shimano SLX M7000-10 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance, ADDIX



Technology Library on pages 168-169.

## TYGON 50 RED

29

**FRAME** Kellys e-Frame 29, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm, air / Speed Lockout / 15Q-Loc thru axle **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERRAILLEUR** Shimano SLX M7000-10 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance, ADDIX



## TYGON 50 BLACK

27.5



**FRAME** Kellys e-Frame 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm, air / Speed Lockout / 15Q-Loc thru axle **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERAILLEUR** Shimano SLX M7000-10 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Nobby Nic Performance



Technology Library on pages 168-169.



## TYGON 50 RED

27.5

**FRAME** Kellys e-Frame 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm, air / Speed Lockout / 15Q-Loc thru axle **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERAILLEUR** Shimano SLX M7000-10 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Nobby Nic Performance



Technology Library on pages 168-169.

## TAYEN 50

29

**FRAME** Kellys e-Frame KLC 29, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000  
**BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm, air / Speed Lockout / 15Q-Loc thru axle **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERRAILLEUR** Shimano SLX M7000-10 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance, ADDIX



ELECTRO BIKE PROGRAM  
+ -  
FEEL THE ENERGY



## TAYEN 50

**FRAME** Kellys e-Frame KLC 27.5, Uni-Body Integrated Design **MOTOR** Shimano STEPS E7000 **BATTERY** Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah **FORK** SR Suntour XCR 34 LOR Air, 120mm, air / Speed Lockout / 15Q-Loc thru axle **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERRAILLEUR** Shimano SLX M7000-10 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Nobby Nic Performance

27.5



ELECTRO BIKE PROGRAM  
+  
e+  
FEEL THE ENERGY



Technology Library on pages 168-169.

## THEOS 60

**FRAME** Kellys Allmountain 27.5 / Four-bar link, 140mm rear travel **MOTOR** Shimano STEPS E8000 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14 Ah **FORK** Rock Shox Yari RC, 150mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Monarch RT, Solo Air / Rapid Recovery / Open-Pedal **SHIFTERS** Shimano SLX SL-M7000 Rapidfire Plus, 11-speed / SW-E7000 switch for motor assist **R/DERRAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano Deore XT M8020 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Magic Mary, ADDIX Soft / Hans Dampf Evo, ADDIX Speedgrip





Powered by

SHIMANO  
STEPS

## THEOS 50

**FRAME** Kellys Allmountain 27.5 / Four-bar link, 140mm rear travel **MOTOR** Shimano STEPS E7000 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** Rock Shox Sektor RL, 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Monarch RT, Solo Air / Rapid Recovery / Open-Pedal **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 10-speed / SW-E7000 switch for motor assist **R/DERAILLEUR** Shimano Deore XT M781 **BRAKES** Shimano MT520 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Magic Mary, ADDIX Soft / Hans Dampf Evo, ADDIX Speedgrip

27.5



Technology Library on pages 168-169.



## TYGON 10



**FRAME** Kellys e-Power 29 **MOTOR** Shimano STEPS E7000 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour XCM 32, 120mm, coil spring / 15mm thru axle **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed / SW-E7000 switch for motor assist **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano M315 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.25 Rapid Rob **LIGHTING** Spanninga LED





## ESTIMA 50

**FRAME** Kellys e-Power Aluminium alloy monotube 28 **MOTOR** Shimano STEPS E5000 **BATTERY** Shimano BT-E6000, 418Wh / capacity 11.6Ah **FORK** SR Suntour NEX-E25 HLO, 63mm, coil / Speed Lockout **SHIFTERS** Shimano Nexus SL-8S31 Revoshift, 7-speed / SW-E6010 for motor assist **BRAKES** Shimano M315 Hydraulic Disc **HUBS** Shimano TX505 Disc / Nexus C3001 Inter-7 Disc internal geared hub **RIMS** KLS Scart **TYRES** Impac Streetpac 28x1.75 ReflectiveLine **LIGHTING** Spanninga LED



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES



DOWNHILL

ENDURO

TRAIL

MTB - XC

MTB - XC WOMEN

DIRT



# The unlimited TRAILS OF MOROCCO

THE STORY BEHIND THE BICYCLE

AS A RIDER, YOU HAVE ALREADY SEEN A LOT OF STUNNING VIEWS, FELT ADRENALINE IN YOUR VEINS MANY TIMES, AND YOU HAVE ENJOYED A BUNCH OF AMAZING SUNSETS WATCHING FROM YOUR SEAT FOR SURE. BUT THERE ARE ALWAYS SOME NEW PLACES WAITING TO BE EXPLORED.



After 2-hour drive from Marrakech, we reached our destination on the High Atlas Mountains. Our team was super excited to jump on the bikes and start an extraordinary journey together. The road was ours. Let's set the wheels in motion!

The rocky trails were twisting and leading us across the rural countryside of Morocco. During all the way up the valley, we have been surrounded by stunning landscape, which constantly powered us to go further.

In the heart of the Toubkal National Park, we discovered an authentic Berber village, called Ait Souka. The local kids welcomed us with a big smile, positive energy, and they were all incredibly spontaneous. Those great moments spending with our new little friends taught us, what the true meaning of freedom represents. Isn't it what we're all searching for?



Following the planned route, we reached Imlil, a small traditional village situated 1,800 m above sea level. Our group paused, pleasureing in the beauty of this extraordinary place. That observation has delighted us with a strong feeling of satisfaction. But after the all-day ride across a few rough sections, we felt also tired and weak. Therefore we highly appreciated a hospitality of the residents at the end of the amazing day.



The last day we headed south, in a direction to the Western Desert. A character of the nature was constantly changing, what made a whole picture even more memorable. The uniqueness of this country is that you can start your ride on the top of the Atlas Mountains and at the same day you are leaving your tracks in the dunes range.





MOUNTAIN

# DOWN HILL





# THE RIDERS FOR LIFE

THE STORY BEHIND THE BICYCLE

REACHING FOR THE TROPHIES TAKES LOTS OF  
COMMITMENT, DEDICATION AND HARD WORK.  
THE MORE YOU WANT TO GET, THE MORE YOU  
NEED TO GIVE. THIS IS WHAT BEING AN ATHLETE  
IS ALL ABOUT.



*"I do not know people and riders who spend more time, energy and passion than our boys do."*

MICHAL WIESENGANGER  
Kellys Factory Team  
Manager

*Kellys Factory Team is an extremely important element of the Kellys brand - it emphasises almost 25 years of Kellys sporting legacy and traditions. Since 2015 our riders compete both on European and world MTB stage with dozens of races completed, with European and World Downhill Championship, European and World Cup and many national championships and cups among them.*

*These ambitious riders cultivate Kellys' tradition giving their best to reach their top results. That is why Kellys is proud to support them receiving in return the biggest commitment and the most sincere passion these young talents can give.*



Our riders devote their whole lives to sports and cycling, which is strongly inspiring for us, for the whole Kellys brand and also for KFT Supporters and Fans. By supporting young talented athletes, Kellys become a significant part of the cycling world and also verify Kellys bicycles' racing capabilities which helps us to provide you, riders around the globe, with the best bikes to fulfil their mission flawlessly.



Technology Library on pages 168-169.

## NOID 90

29

**FRAME** Kellys Gravity DH 29 / Think Link, 205mm rear travel **FORK** Rock Shox Boxxer World Cup DebonAir, 200mm, Charger Damper 2 RC2 / Maxle Stealth 20mm thru axle **REAR** **SHOCK** Rock Shox Super Deluxe Coil RC / Rapid Recovery **CRANKSET** Shimano Saint M825 Hollowtech II (34) **R/SHIFTER** Shimano Zee SL-M640 Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Saint M820 **BRAKES** Shimano Saint M820 Hydraulic Disc **HUBS** Novatec DH Disc **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.35 Magic Mary, ADDIX Soft



**RASTO BARANEK**  
Kellys Factory Team



"When Kellys introduced new NOID and it became our official racing bike, I was really thrilled to try out new different setups. New frame's Vario Geometry System has pushed geometry tuning possibilities to absolutely new level. Together with our team manager and Kellys' R&D department we decided to test 29-inch wheel setup. For me it was absolutely unique experience. When riding big wheels I instantly become faster and gained a lot of confidence - it was like jumping up to the higher league! This is why for 2019 season Kellys decided to introduce 29-inch Kellys NOID with specially tuned geometry! From now on every rider can feel what I felt when riding new Kellys NOID 29" for the first time."



THE FEAR SHREDDER

# KELLYS NOID

DESPITE THE FACT THAT THE PREMIERE OF THIS DOWNHILL BEAST TOOK PLACE ONLY A YEAR AGO, NEW KELLYS NOID HAS ALREADY GAINED GREAT RECOGNITION AND RESPECT AMONG EXTREME RIDERS AROUND THE WORLD. NOT ONLY THE UNIQUE DESIGN AND BEASTY LOOK, BUT ALSO INNOVATIVE TECHNICAL SOLUTIONS DISTINGUISH IT FROM THE OTHER DH BIKES AVAILABLE TODAY.

Kellys NOID is just one of its kind allowing the riders to reach absolutely new level of riding. Being the racing bike of Kellys Factory Team, Kellys NOID confirmed its sport potential, durability and performance. Thanks to unique Kellys' Think Link Suspension System and Vario Geometry System, the NOID proved to be a versatile bike allowing to obtain the best results whatever the conditions, the type of track or rider preferences.

For season 2019 Kellys engineers went even further. Thanks to their cooperation with Kellys Factory team during the 2018 racing season the new Kellys NOID twentyniner has been born. From now on every rider has a freedom to choose preferred wheel size while profit the highest performance of Kellys NOID platform.



Technology Library on pages 168-169.

## NOID 90

**FRAME** Kellys Gravity DH 27.5 / Think Link, 205mm rear travel **FORK** Rock Shox Boxxer World Cup DebonAir, 200mm, Charger Damper 2 RC2 / Maxle Stealth 20mm thru axle **REAR** 2 RC2 / Maxle Stealth 20mm thru axle **SHOCK** Rock Shox Super Deluxe Coil RC / Rapid Recovery **CRANKSET** Shimano Saint M825 Hollowtech II (34) **R/SHIFTER** Shimano Zee SL-M640 Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Saint M820 **BRAKES** Shimano Saint M820 Hydraulic Disc **HUBS** Novatec DH Disc **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.35 Magic Mary, ADDIX Soft





THINKLINK™  
SUSPENSION SYSTEM



## NOID 70

27.5

**FRAME** Kellys Gravity DH 27.5 / Think Link, 205mm rear travel **FORK** Rock Shox Boxxer RC DebonAir, 200mm, Charger RC Damper / Maxle Stealth 20mm thru axle **REAR SHOCK** Rock Shox Super Deluxe Coil R / Rapid Recovery **CRANKSET** Shimano Zee M645 (34) **R/SHIFTER** Shimano Zee SL-M640 Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Zee M640 **BRAKES** Shimano Zee M640 Hydraulic Disc **HUBS** Novatec DH Disc **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.35 Magic Mary, ADDIX Soft



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES



A photograph of a forest trail. Sunlight filters through tall evergreen trees, creating bright highlights on the path and surrounding greenery. A large, mossy rock sits on the left side of the trail.

MOUNTAIN

# ENDURANCE



RE-THINK  
THE PERFORMANCE

# THINK LINK

S U S P E N S I O N   S Y S T E M

THINK LINK SUSPENSION SYSTEM IS A UNIQUE DESIGN OF  
TOTALLY INDEPENDENT REAR SUSPENSION. IT ENSURES NO  
NEGATIVE INFLUENCE FROM A DRIVETRAIN AND BRAKES,  
NO PEDAL KICKBACK AND CONSTANT REAR TRIANGLE  
GEOMETRY WITH ABSOLUTELY NO CHAIN GROWTH.



"Think Link Suspension System proved to be well engineered and high-performing platform. This is why we wanted also trail and all-mountain riders to benefit from its unique characteristics. Thanks to tuned geometry and suspension we created all-new line of versatile, swift and robust trail bikes which can go far beyond the riding experience known to the mountain riders so far. Just choose your favourite wheel size, hit the trail and become the king of a mountain!"

**ROMAN BOHACIK**  
The Head of R&D Department



THINK LINK SUSPENSION KEEPS THE GRIP AT THE BEST POSSIBLE LEVEL AND PROVIDES SMOOTH STROKE ALLOWING UNINTERRUPTED POWER TRANSFER FROM A CRANK TO THE REAR WHEEL. IT COMES DOWN TO THE FACT THAT THE SUSPENSION WORKS INDEPENDENTLY BEING ACTIVE IN ANY SITUATION UTILISING THE FULL POTENTIAL OF THE BIKE AND THE RIDER ANYTIME ANYWHERE.



**THINKLINK™**  
SUSPENSION SYSTEM

Utilised in new Kellys NOID and SWAG the Think Link Suspension System proved to be not only high-performance platform but also durable and versatile solution for enduro riders. No matter if you are racing or shredding in a bikepark during the weekend.

For 2019 season Kellys' engineers decided to go further and implement Think Link Suspension System along with other unique SWAG's technologies to the trail bike - the all-new Kellys THORX. Thank to re-tuned suspension, trail-optimised geometry and carefully chosen components, all trail riders from now on benefit can from the best suspension platform created by Kellys ever. But that's not all! We're giving all riders the freedom to choose their favourite wheel size - all-new Kellys THORX is available with both 27.5- and 29-inch wheels.



Technology Library on pages 168-169.

THINKLINK™  
SUSPENSION SYSTEM

## SWAG 50

27.5

**FRAME** Kellys Enduro 27.5 / Think Link, 165mm rear travel **FORK** Rock Shox Lyrik RC, 170mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Super Deluxe Coil RCT, Rapid Recovery / Open-Pedal **CRANKSET** Truvativ Descendant Eagle DUB X-Sync 2 (32) **R/SHIFTER** Sram GX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram GX Eagle **BRAKES** Shimano Deore XT M8000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf, ADDIX Soft / Nobby Nic, ADDIX Speedgrip



## SWAG 30

27.5



**FRAME** Kellys Enduro 27.5 / Think Link, 165mm rear travel **FORK** Rock Shox Yari RC, 170mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Shimano SLX M7000-11-B1 Hollowtech II (30) **R/SHIFTER** Shimano SLX SL-M7000 Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano SLX M7000 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX

THINKLINK  
SUSPENSION SYSTEM



## SWAG 10

27.5

**FRAME** Kellys Enduro 27.5 / Think Link, 165mm rear travel **FORK** SR Suntour Aion 35 LOR, 160mm, air / Speed Lockout / 15Q-Loc thru axle **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Sram NX X-Sync (30) **R/SHIFTER** Sram NX X-Actuation Trigger, 11-speed **R/DERAILLEUR** Sram NX X-Horizon **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES




MOUNTAIN

# TRAIL



# Trip to THE ROOF OF THE WORLD

THE STORY BEHIND THE BICYCLE



THE HIMALAYAS, A.K.A. THE ROOF OF THE WORLD, IS THE PLACE WHERE THE GROUND PIERCES THE SKY, THE PLACE WHERE EVERYTHING LEFT BELOW LOSES ITS HITHERTO MEANING, THE PLACE WHERE YOU CAN GO FAR BEYOND YOUR EGO... WE TOOK OUR BIKES TO GET THERE, TO EXPERIENCE THE RIDE OF OUR LIFETIME.



Crowded Kathmandu is a crucible of religion and culture. On the first day of the expedition, we looked out over the city from the hill of Swayambhunath Temple. There are 365 stairs leading to it, and at the central point, a huge stupa is standing, which, with the eyes of the Buddha, looks at the four sides of the world.



Nepal's distinctive sign - rope bridges connecting the banks of the rushing rivers and streams. Some hung really high, which meant for us a megadose of adrenaline.

Nepal is one of the poorest countries in the world. At the same time, the Nepalese are one of the most sympathetic and positive people in the world. The rites that take place in the streets and at the temples are hypnotising. Worth to stop here and see, feel the magic of this place.



4000 meters above the sea level - from this height the beginner paratroopers jump. And we're going down and bite into the slope on our bicycles.




Technology Library on pages 168-169.

## SLANGER 50

29

**FRAME** Kellys Allmountain Carbon Composite 29/27.5+ / Four-bar link, 140mm rear travel **FORK** Fox 34 Performance, 140mm, Float Evol air / FIT Grip 3-Position / 15QR thru axle **REAR SHOCK** Fox Float DPS Performance, Evol air / 3-Position **CRANKSET** Truvativ Stylo Eagle DUB X-Sync 2 (34) **R/SHIFTER** Sram GX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram GX Eagle **BRAKES** Shimano Deore XT M8000 Hydraulic Disc **WHEELSET** DT Swiss M1700 SplineTwo **TYRES** Schwalbe 2.35 Hans Dampf, ADDIX Soft / Nobby Nic, ADDIX Speedgrip





Trail bicycles are one of the most versatile mountain bikes thanks to both great uphill and downhill abilities. Kellys SLANGER goes even further! It climbs like XC racing bike while descents with stability and ease of long-travel enduro fullie. That is all thanks to a lightweight carbon frame, all-round geometry and ability to choose the wheels size according to the needs. Regarding off-road versatility, the new **SLANGER** is absolutely unsurpassed.



## SLANGER 30

29

**FRAME** Kellys Allmountain Carbon Composite 29/27.5+ / Four-bar link, 150mm rear travel **FORK** Rock Shox Revelation RC, 140mm, Debon Air / Motion Control RC / Maxle Lite 15mm thru axle **REAR SHOCK** Rock Shox Monarch RT3, DebonAir / Rapid Recovery / Open-Pedal-Lock **CRANKSET** Truvativ Stylo Eagle DUB X-Sync 2 (34) **R/SHIFTER** Sram NX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano Deore M6000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX



Technology Library on pages 168-169.

## THORX 50

29

**FRAME** Kellys Allmountain 29 / Think Link, 140mm rear travel **FORK** Rock Shox Pike RC, 150mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Super Deluxe RC3, DebonAir / Rapid Recovery / Open-Pedal-Lock **CRANKSET** Truvativ Stylo Eagle DUB X-Sync 2 (32) **R/SHIFTER** Sram GX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram GX Eagle **BRAKES** Shimano Deore XT M8000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf, ADDIX Soft / Nobby Nic, ADDIX Speedgrip



## THORX 30

29



THINKLINK™  
SUSPENSION SYSTEM



## THORX 10

29

**FRAME** Kellys Allmountain 29 / Think Link, 140mm rear travel **FORK** Rock Shox Sektor RL, 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Sram NX X-Sync (30) **R/SHIFTER** Sram NX X-Actuation Trigger, 11-speed **R/DERAILLEUR** Sram NX X-Horizon **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX



THINKLINK™  
SUSPENSION SYSTEM



Technology Library on pages 168-169.

## THORX 50

27.5

**FRAME** Kellys Allmountain 27.5 / Think Link, 140mm rear travel **FORK** Rock Shox Pike RC, 150mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Super Deluxe RC3, DebonAir / Rapid Recovery / Open-Pedal-Lock **CRANKSET** Truvativ Stylo Eagle DUB X-Sync 2 (34) **R/SHIFTER** Sram GX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram GX Eagle **BRAKES** Shimano Deore XT M8000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf, ADDIX Soft / Nobby Nic, ADDIX Speedgrip



## THORX 30

27.5



THINKLINK™  
SUSPENSION SYSTEM



THINKLINK™  
SUSPENSION SYSTEM



## THORX 10

27.5

**FRAME** Kellys Allmountain 27.5 / Think Link, 140mm rear travel **FORK** Rock Shox Sektor RL, 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle **REAR SHOCK** Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal **CRANKSET** Sram NX X-Sync (30) **R/SHIFTER** Sram NX X-Actuation Trigger, 11-speed **R/DERAILLEUR** Sram NX X-Horizon **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Performance, ADDIX / Nobby Nic Performance, ADDIX



Technology Library on pages 168-169.

## GIBON 70

27.5

**FRAME** Kellys Dynamic Trail 27.5 **FORK** Rock Shox Revelation RC, 130mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle  
**CRANKSET** Truvativ Stylo Eagle DUB X-Sync 2 (34) **R/SHIFTER** Sram NX Eagle Trigger, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano SLX M7000 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Rocket Ron Performance



## GIBON 50

27.5



**FRAME** Kellys Dynamic Trail 27.5 **FORK** Rock Shox Recon RL, 130mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle **CRANKSET** Sram NX X-Sync (32) **R/SHIFTER** Sram NX X-Actuation Trigger, 11-speed **R/DERAILLEUR** Sram NX X-Horizon **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Rocket Ron Perfomance



## GIBON 30

27.5

**FRAME** Kellys Dynamic Trail 27.5 **FORK** SR Suntour XCM 32 LO, 120mm, coil / Speed Lockout / 15mm thru axle **CRANKSET** Shimano MT210-2 (36x22) **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Alivio MT400 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.60 Rocket Ron Perfomance





MOUNTAIN

# MTB-XC



Technology Library on pages 168-169.

## HACKER 90

29

**FRAME** Kellys iCAD Carbon Pro 29 **FORK** Fox 32 Factory SC - Kashima Coat, 100mm, Float Evol air / FIT4 damper / 2-Position Remote / Open Mode Adjust / 15QR thru axle **CRANKSET** Sram X01 Eagle DUB X-Sync 2 (34) **SHIFTERS** Sram X01 Eagle, 12-speed **R/DERAILLEUR** Sram X01 Eagle **BRAKES** Shimano XTR M9100 Hydraulic Disc **WHEELSET** Mavic Crossmax Elite **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance





"All-new HACKER was created using Kellys' years of experience in production of high-performance XC racing bikes. Our race-proven iCAD carbon combined with unique frame design will move every rider to a level of the uncompromising performance."

**MICHAL GABOR**  
XC Bicycles Product Manager

ALL - NEW

# KELLYS HACKER

KELLYS CROSS-COUNTRY LEGACY CONTAINS OF MANY SUCCESSFUL RACING BIKES GEARED FOR THE TOP PERFORMANCE. BEST MATERIALS, LATEST TECHNOLOGIES AND UNIQUE KELLYS' DESIGN HAS RESULTED IN CREATION OF RACE-PROVEN CARBON HARDTAILS WITH UNIQUE RIDE CHARACTERISTICS, LOW MASS AND UNCOMPROMISED PEDAL EFFICIENCY.

For the upcoming season Kellys is presenting the awaited carbon XC racing machine - all-new HACKER. 29-inch wheels, lightweight frame with racing geometry and performance along with top-notch components allow new HACKER to satisfy the most demanding riders.

Being the ultimate XC racer, the new HACKER's frame combines iCAD carbon fibre of the military grade and latest standards to be compatible with the most advanced racing components. All-new HACKER is fully Di2 ready with inner wiring, direct derailleur and brake callipers mounts, and also front and rear thru axles with tapered head tube for razor-sharp handling and an excellent stiffness. To ensure flawless and effective power transfer Kellys' engineers implemented the Power Core high-efficiency design to the new HACKER's frame. It is based on combining material characteristics with specific shape to create strong and uniform structure connecting head tube, bottom bracket and rear stays while maintaining low weight. The shortened rear triangle with flex seat stays for unprecedented manoeuvrability in tight corners significantly improves ultra-efficient power transfer from the crank to the rear wheel and also damps the vibration to increase comfort. Expansion of the front triangle allows to increase the wheelbase for the best stability at high speeds and on the steepest descents.



Technology Library on pages 168-169.

## HACKER 70

29

**FRAME** Kellys iCAD Carbon Pro 29 **FORK** Fox 32 Performance, 100mm, Float Evol air /FIT Grip damper / 2-Position Remote / 15QR thru axle

**CRANKSET** Shimano Deore XT M8000-B2

Hollowtech II (36x26) **SHIFTERS** Shimano Deore XT SL-M8000 Rapidfire Plus, 22-speed

**F/R DERAILLEUR** Shimano Deore XT M8020 / M8000 **BRAKES**

Shimano Deore XT M8000 Hydraulic Disc

**WHEELSET** Mavic Crossmax

**TYRES** Schwalbe 2.25 Racing Ray

Performance / Racing Ralph

Performance



## HACKER 50

29

**FRAME** Kellys iCAD Carbon Pro 29 **FORK** Rock Shox Reba RL, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle **CRANKSET** Sram GX Eagle DUB X-Sync 2 (34) **SHIFTERS** Sram GX Eagle, 12-speed **R/DERAILLEUR** Sram GX Eagle **BRAKES** Shimano Deore M6000 Hydraulic Disc **HUBS** Shimano Deore M6010 Disc **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



## HACKER 30

29

**FRAME** Kellys iCAD Carbon Sport 29 **FORK** Rock Shox Recon RL, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Lite 15mm thru axle **CRANKSET** Sram NX Eagle DUB X-Sync 2 (34) **SHIFTERS** Sram NX Eagle, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano Deore M6010 Disc **TYRES** Schwalbe 2.25 Rapid Rob






Technology Library on pages 168-169.

## GATE 90

29

**FRAME** Kellys Dynamic RRC 29 **FORK** Rock Shox Sektor RL, Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle **CRANKSET** Sram NX Eagle DUB X-Sync 2 (34) **SHIFTERS** Sram NX Eagle, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT500 Hydraulic Disc **WHEELSET** Mavic Crossmax **TYRES** Schwalbe 2.25 Rapid Rob





## GATE 90

27.5

**FRAME** Kellys Dynamic RRC 27.5 **FORK** Rock Shox Sektor RL, Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle **CRANKSET** Sram NX Eagle DUB X-Sync 2 (34) **SHIFTERS** Sram NX Eagle, 12-speed **R/DERAILLEUR** Sram NX Eagle **BRAKES** Shimano MT500 Hydraulic Disc **WHEELSET** Mavic Crossmax **TYRES** Schwalbe 2.25 Rapid Rob



## GATE 70

29 27.5

**FRAME** Kellys Dynamic RRC **FORK** Rock Shox Sektor RL, Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle **CRANKSET** Shimano SLX M7000-11-B2 Hollowtech II (36x26) **SHIFTERS** Shimano SLX SL-M7000 Rapidfire Plus, 22-speed **F/R DERAILLEUR** Shimano SLX M7020 / Deore XT M8000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.25 Rapid Rob



Technology Library on pages 168-169.


## GATE 50



**FRAME** Kellys Dynamic RRC **FORK** Rock Shox Recon RL, Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Lite 15mm thru axle **CRANKSET** Shimano MT600-B2 (36x26) **SHIFTERS** Shimano SLX SL-M7000 Rapidfire Plus, 22-speed **F/R DERRAILLEUR** Shimano SLX M7020 / Deore XT M8000 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.25 Rapid Rob



## GATE 30



**FRAME** Kellys Dynamic RRC **FORK** SR Suntour XCR RLR Air, Boost, 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle **CRANKSET** Shimano MT500-B2 Hollowtech II (36x26) **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERRAILLEUR** Shimano Deore M6020 / Deore XT M781 **BRAKES** Shimano M365 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.25 Rapid Rob

## SPIDER 90

29

**FRAME** Kellys Alutec RRC 29 **FORK** SR Suntour XCR RL, 100mm, coil / Remote Speed Lockout  
**CRANKSET** KLS Active (38x24) **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERRAILLEUR** Shimano Deore M618 / Deore M610 **BRAKES** Shimano Deore M315 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob



## SPIDER 90

27.5

**FRAME** Kellys Alutec RRC 27.5 **FORK** SR Suntour XCR RL, 100mm, coil / Remote Speed Lockout **CRANKSET** KLS Active (38x24) **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERRAILLEUR** Shimano Deore M618 / Deore M610 **BRAKES** Shimano M315 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob



## SPIDER 70

29 27.5



**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM RL, 100mm, coil / Remote Speed Lockout  
**CRANKSET** Shimano Altus M2000 (40x30x22)  
**SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 27-speed **F/R DERRAILLEUR** Shimano Acera M3000 / Alivio M4000 **BRAKES** Shimano M315 Hydraulic Disc **HUBS** Shimano TX505 Disc Center Lock **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob

## SPIDER 60

29 27.5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano MT100 (40x30x22)  
**SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERRAILLEUR** Shimano Altus M2000 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Rapid Rob  
**LIGHTING** Büchel Urban LED / Büchel LED - standlight



## SPIDER 50

BLACK BLUE

29 27.5



**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano MT100 (40x30x22)  
**SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus M2000 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc  
**TYRES** Impac 2.10 Ridgepac



## SPIDER 50

BLACK ORANGE

29 27.5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano MT100 (40x30x22) **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano Altus M2000 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## SPIDER 30 BLACK

29 27,5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Acera M3000 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## SPIDER 30 RED

29 27,5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Acera M3000 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac

## SPIDER 10 BLACK

29 27.5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano TY501 (42x34x24)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY700 / Altus M2000 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## SPIDER 10 TURQUOISE

29 27.5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Altus M2000 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## MADMAN 60



29 27.5

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** SR Suntour XCC (42x32x22) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILEUR** Shimano TY700 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** Shimano Dynamo 3D32 / KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac **LIGHTING** Büchel Urban LED / Büchel LED - standlight



## MADMAN 50

BLACK GREEN



**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY700 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## MADMAN 50 NEON LIME



**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY700 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## MADMAN 30 BLACK

27.5 26

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (42x34x24) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## MADMAN 30 TURQUOISE

27.5 26

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (42x34x24) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac

## MADMAN 10

BLACK BLUE

27.5 26

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCE, 80mm, coil spring **CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TZ30 / TY500 **BRAKES** Apse Artek V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TYRES** Impac 2.10 Ridgepac



## MADMAN 10 NEON ORANGE

27.5 26

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCE, 80mm, coil spring **CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TZ30 / TY500 **BRAKES** Apse Artek V-brake **HUBS** KLS Drive **RIMS** KLS Draft **TYRES** Impac 2.10 Ridgepac



MOUNTAIN

# MTB-XC WOMEN





Technology Library on pages 168-169.

## DESIRE 90

29

**FRAME** Kellys Dynamic KLC Lite 29 LSG  
**FORK** Rock Shox Reba RL, 100mm, Solo Air / OneLock  
Remote Lockout / Maxle Stealth 15mm  
thru axle **CRANKSET** Sram NX Eagle DUB  
X-Sync 2 (34) **SHIFTERS** Sram NX Eagle,  
12-speed **R/DERAILLEUR** Sram NX Eagle  
**BRAKES** Shimano MT500 Hydraulic Disc  
**HUBS** Novatec Disc **RIMS** KLS MadMax  
Disc **TYRES** Schwalbe 2.10 Rapid Rob





## DESIRE 70

**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** Rock Shox Recon RL, 100mm, Solo Air / OneLock Remote Lockout / Maxle Lite 15mm thru axle **CRANKSET** Shimano Deore M6000-B2 Hollowtech II (36x26) **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERRAILLEUR** Shimano Deore M6020 / Deore XT M781 **BRAKES** Shimano 365 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob



## DESIRE 50

29



**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** SR Suntour XCR 32 RLR Air, 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle  
**CRANKSET** KLS Advanced integrated (36x26)  
**SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 20-speed **F/R DERRAILLEUR** Shimano Deore M6020 / Deore XT M781 **BRAKES** Shimano 365 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob



Technology Library  
on pages 168-169.



## DESIRE 30

29

**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** SR Suntour XCR 32 RLR, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano Acera M3000-B2 (36x22) **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 18-speed **F/R DERRAILLEUR** Shimano Alivio M4020 / Alivio M4000 **BRAKES** Shimano 315 Hydraulic Disc **HUBS** Shimano MT400 Disc **RIMS** KLS MadMax Disc **TYRES** Schwalbe 2.10 Rapid Rob



## VANITY 70

**FRAME** Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCR RL, 100mm, coil / Remote Speed Lockout **CRANKSET** Shimano Altus M2000 (40x30x22) **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera M3000 / Alivio M4000 **BRAKES** Shimano M315 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.10 Rapid Rob



## VANITY 50

29" 27.5"

**FRAME** Kellys KLC Lite - Lady Sport Geometry  
**FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano TY501 (42x34x24) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Acera M360 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



## VANITY 40

27,5

**FRAME** Kellys KLC Lite - Lady Sport Geometry  
**FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (42x32x24)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY700 / TX800  
**BRAKES** C-Star CX7 Mechanical Disc  
**HUBS** Shimano Dynamo 3D32 Disc / KLS Firework Disc  
**RIMS** KLS Draft Disc  
**TYRES** Impac 2.10 Ridgepac  
**LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED - standlight



## VANITY 30

29) 27,5

**FRAME** Kellys KLC Lite - Lady Sport Geometry  
**FORK** SR Suntour XCT HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (42x32x24)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY700 / TX800  
**BRAKES** C-Star CX7 Mechanical Disc  
**HUBS** Shimano Dynamo 3D32 Disc / KLS Firework Disc  
**RIMS** KLS Draft Disc  
**TYRES** Impac 2.10 Ridgepac



## VANITY 20 NEON ORANGE BLUE

27.5 26

**FRAME** Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE, 80mm, coil spring **CRANKSET** Shimano TY301 (42x32x24) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TX500 **RIMS** KLS Draft **TYRES** Innova 2.0



## VANITY 20 WHITE

27.5 26

**FRAME** Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE, 80mm, coil spring **CRANKSET** Shimano TY301 (42x32x24) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TX500 **RIMS** KLS Draft **TYRES** Innova 2.0

## VANITY 10

PURPLE GREY

27.5 26

**FRAME** Kellys KLC Lite - Lady Sport Geometry  
**FORK** SR Suntour XCE, 80mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed  
**F/R DERRAILLEUR** Shimano TY500 / TY300  
**BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova 2.0



## VANITY 10 PINK

27.5 26

**FRAME** Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE, 80mm, coil spring **CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERRAILLEUR** Shimano TY500 / TY300 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova 2.0



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES



MOUNTAIN

# DIRT



THE HIGH  
FLIER



## WHIP 70

**FRAME** Kellys Dirt 26 **FORK** Manitou Circus Expert, 100mm, ACT Air, Absolute+ / Jump Stack / Lockout / Hexlock 20mm thru axle  
**CRANKSET** Samox (32) **R/BRAKE** Shimano MT500 Hydraulic Disc **HUBS** Formula Disc / KT Disc single speed **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.25 Table Top Performance ADDIX



**HUGO ROBENEK**  
Kellys Factory Team



"With all-new WHIP it's really simple. Just think what you want to do and just do it. It's really comfortable when you want to go over your limits and you're sure that you can rely on your bike. It's crucial factor when ride the extreme - to feel confident and become unstoppable. This is what new WHIP gives me every ride - and I love it!"

ALL - NEW

# KELLYS WHIP

FOR THE DIRT RIDERS EVERY RIDE BRINGS SOMETHING NEW - IT'S ALL ABOUT GOING FURTHER, OVERCOMING FEAR AND LAWS OF PHYSICS, RIDING BEYOND. THE DIRT BIKE NEEDS TO BE TOUGH, ROBUST AND READY TO GO OVER THE LIMITS WHENEVER THE RIDERS WANTS.

This is why Kellys created new WHIP - the toughest bike for the toughest riders. There is no compromises whenever it comes to the frame's performance and strength. The new WHIP is stronger and easier to control - both on the ground and in the air, so every dirt rider can feel limited only by his imagination. The new frame's geometry provides lots of fun factor, because we know that the dirt riding is all about fun!



## WHIP 50

**FRAME** Kellys Dirt 26 **FORK** RST Dirt T, 100mm, coil spring **CRANKSET** Samox (34) **R/SHIFTER** Sram X5 Trigger, 9-speed **R/DERAILLEUR** Sram X4 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.25 Nobby Nic Performance ADDIX



## WHIP 30

**FRAME** Kellys Dirt 26 **FORK** RST Dirt T, 100mm, coil spring **CRANKSET** Samox (32) **R/BRAKE** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc / KT Disc single speed **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.25 Table Top Performance ADDIX



## WHIP 10

**FRAME** Kellys Dirt 26 **FORK** SR Suntour XCT, 100mm, coil spring **CRANKSET** Samox (34), 7-speed **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.25 Nobby Nic Performance ADDIX



# ROAD

KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES

R A C I N G  
G R A V E L



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES

The background of the entire image is a blurred landscape, likely from a moving vehicle, showing fields and trees in shades of green, yellow, and brown.

ROAD

# RACING



Technology Library on pages 168-169.

## URC 90

**FRAME** Kellys iCAD RC Carbon Pro  
**FORK** Kellys Carbon 1.5 TS **CRANKSET**  
Shimano Ultegra R8000 Hollowtech II  
(52x36) **SHIFTERS** Shimano Ultegra  
Di2 ST-R8050 Dual Control, 22-speed  
**F/R DERAILLEUR** Shimano Ultegra  
Di2 R8050 **BRAKES** Shimano Ultegra  
R8000 **WHEELSET** Mavic Ksyrium  
Elite UST **TYRES** Mavic Yksion Pro  
UST 25C





ROAD / RACING



Technology Library on pages 168-169.

## URC 70

**FRAME** Kellys iCAD RC Carbon Pro Disc

**FORK** Kellys Carbon Disc 1.5 TS

**CRANKSET** Shimano Ultegra R8000 Hollowtech II

(50x34) **SHIFTERS** Shimano Ultegra ST-R8020 Dual Control, 22-speed

**F/R DERAILLEUR** Shimano Ultegra R8000

**BRAKES** Shimano Ultegra R8070 Hydraulic Disc

**WHEELSET** Mavic Ksyrium UST Disc Center Lock

**TYRES** Mavic Yksion Elite

28C



## URC 50



**FRAME** Kellys iCAD RC Carbon Pro Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano 105 R7000 Hollowtech II (52x36) **SHIFTERS** Shimano 105 ST-RS505 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 R7000 **BRAKES** Shimano RS505 Hydraulic Disc **WHEELSET** Mavic Aksium Disc Center Lock **TYRES** Schwalbe Durano 25C



## URC 30

**FRAME** Kellys iCAD RC Carbon Sport **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano 105 R7000 Hollowtech II (52x36) **SHIFTERS** Shimano 105 ST-R7000 Dual Control, 22-speed **F/R DERAILLEUR** Shimano 105 R7000 **BRAKES** Shimano 105 R7000 **HUBS** Shimano 105 R7000 **RIMS** Kellys Spark **TYRES** Schwalbe Lugano 25C



Technology Library on pages 168-169.

## ARC 50

**FRAME** Kellys Endurance Concept -  
Aluminium alloy Disc **FORK** Kellys Carbon  
Disc 1.5 TS **CRANKSET** Shimano RS510  
(50x34) **SHIFTERS** Shimano 105 ST-R7000  
Dual Control, 22-speed **F/R DERAILLEUR**  
Shimano 105 R7000 **BRAKES** Tektro  
Spyre Mechanical Disc **HUBS** Novatec  
Disc **RIMS** Kellys Spark **TYRES**  
Schwalbe Lugano 25C



## ARC 30



**FRAME** Kellys Endurance Concept - Aluminium alloy **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Sora R3000 (50x34) **SHIFTERS** Shimano Sora ST-R3000 Dual Control, 18-speed **F/R DERRAILLEUR** Shimano Sora R3000 **BRAKES** Tektro **HUBS** Shimano Claris **RIMS** Kellys Spark **TYRES** Schwalbe Lugano 25C



## ARC 10

**FRAME** Kellys Endurance Concept - Aluminium alloy **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Claris R2000 (50x34) **SHIFTERS** Shimano Claris ST-R2000 Dual Control, 16-speed **F/R DERRAILLEUR** Shimano Claris R2000 **BRAKES** Tektro **HUBS** Shimano Claris **RIMS** Kellys Spark **TYRES** Schwalbe Lugano 25C



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES

A scenic landscape featuring a gravel path leading through a green field towards a line of trees under a clear sky.

ROAD

# GRAVEL



Technology Library on pages 168-169.

## SOOT 70

**FRAME** Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Sram Apex 1 X-Sync (44) **SHIFTERS** Sram Apex 1 ExactActuation, 11-speed **R/DERAILLEUR** Sram Apex 1 X-Horizon **BRAKES** Sram Apex 1 Hydraulic Disc **HUBS** Novatec Disc **RIMS** Kellys Grind **TYRES** Schwalbe G-One Allround - RaceGuard 38C





## SOOT 50

**FRAME** Kellys Gravel Concept - Aluminium alloy  
**Disc FORK** Kellys Carbon Disc 1.5 TS **CRANKSET**  
 Shimano 105 R7000 Hollowtech II (50x34)  
**SHIFTERS** Shimano ST-RS505 Dual Control,  
 22-speed **F/R DERAILLEUR** Shimano 105  
 R7000 **BRAKES** Shimano RS505 Hydraulic Disc  
**HUBS** Novatec Disc **RIMS** Kellys Grind **TYRES**  
 Schwalbe Smart Sam Performance ADDIX 40C



## SOOT 30

**FRAME** Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET**  
 Shimano Claris R2000 (50x34) **SHIFTERS** Shimano Claris ST-R2000 Dual Control, 16-speed  
**F/R DERAILLEUR** Shimano Claris R2000 **BRAKES** Tektro Spyre Mechanical Disc **HUBS** Novatec Disc  
**RIMS** Kellys Grind **TYRES** Schwalbe Smart Sam Performance ADDIX 40C





# TOUR



CROSS  
TREKKING





TOUR

# CROSS



## PHANATIC 90

**FRAME** Kellys Crossforce Lite - Sport Cross  
**GEOMETRY** FORK SR SunTour NRX-D RL  
Air, 75mm, air / Remote Speed Lockout  
**CRANKSET** Shimano Deore XT T8000-3  
Hollowtech II (48x36x26) **SHIFTERS**  
Shimano SLX SL-M670 Rapidfire Plus,  
30-speed **F/R DERAILLEUR** Shimano  
Deore XT T8000 / Deore XT  
M781 **BRAKES** Shimano MT500  
Hydraulic Disc **HUBS** Shimano  
M475 Disc **RIMS** KLS Draft Disc  
**TYRES** Schwalbe CX Comp -  
ReflectiveLine





## PHEEBIE 90

**FRAME** Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NRX-D RL Air, 75mm, air / Remote Speed Lockout **CRANKSET** Shimano Deore XT T8000-3 Hollowtech II (48x36x26) **SHIFTERS** Shimano SLX SL-M670 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT T8000 / Deore XT M781 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



## PHANATIC 70

**FRAME** Kellys Crossforce Lite - Sport Cross  
**Geometry** **FORK** SR Suntour NCX-D RL Air, 75mm, air / Remote Speed Lockout  
**CRANKSET** Shimano T6010 Hollowtech II (48x36x26) **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 30-speed  
**F/R DERAILLEUR** Shimano Deore T6000 / Deore XT M781 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



## PHANATIC 50



**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano T521 Hollowtech Octalink (48x36x26) **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 30-speed **F/R DERRAILLEUR** Shimano Deore T6000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



## PHANATIC 40

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 (48x36x26) **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERRAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine **LIGHTING** Büchel Urban halogen / Büchel LED - standlight



## PHANATIC 30 BLACK



**FRAME** Kellys Crossforce Lite - Sport Cross Geometry  
**FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout  
**CRANKSET** Shimano Acera T3010 (48x36x26) **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed  
**F/R DERRAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine

## PHANATIC 30 OLIVE

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry  
**FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 (48x36x26) **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERRAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



## PHEEBE 30 WHITE



**FRAME** Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 (48x36x26) **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERRAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



## PHEEBE 30 DARK PINK

**FRAME** Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NVX HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 (48x36x26) **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERRAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe CX Comp - ReflectiveLine



## PHANATIC 10 RED

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM (48x36x26) **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERRAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft **TYRES** Innova



## PHANATIC 10 DARK OCEAN

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM (48x36x26) **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERRAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft **TYRES** Innova

## PHEEBE 10 DARK BLUE

**FRAME** Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM (48x36x26) **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERRAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft **TYRES** Innova



## PHEEBE 10 DARK PURPLE

**FRAME** Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** SR Suntour XCM (48x36x26) **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERRAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano ST-EF505 / MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft **TYRES** Innova



## CLIFF 90 BLACK RED

**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (48x38x28) **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innovia



## CLIFF 90 GREY

**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (48x38x28) **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innovia

## CLEA 90 BLACK AQUA

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY501 (48x38x28)  
**SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



## CLEA 90 BLACK CORAL

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY501 (48x38x28) **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



## CLIFF 70 BLUE



**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (48x38x28)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc  
**HUBS** KLS Firework Disc **RIMS** KLS Draft Disc  
**TYRES** Innova

## CLIFF 70 BLACK GREEN

**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (48x38x28)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc  
**HUBS** KLS Firework Disc **RIMS** KLS Draft Disc  
**TYRES** Innova



## CLEA 70 WHITE

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (48x38x28)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc  
**HUBS** KLS Firework Disc **RIMS** KLS Draft Disc  
**TYRES** Innova



## CLEA 70 VIOLET

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc  
**HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



## CLIFF 30 BLACK ORANGE

**FRAME** Kellys Crosslite **FORK SR** Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TYRES** Innova



## CLIFF 30 BLUE RED

**FRAME** Kellys Crosslite **FORK SR** Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TYRES** Innova

## CLEA 30 BLACK PINK

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (48x38x28)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY710 / TX800  
**BRAKES** Tektro V-brake **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TYRES** Innovia



## CLEA 30 BERMUDA LIME

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout  
**CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed  
**F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano RM30 **RIMS** KLS Draft **TYRES** Innovia



## CLIFF 10 BLACK BLUE



**FRAME** Kellys Crosslite **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel (48x38x28) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERRAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova

## CLIFF 10 RED

**FRAME** Kellys Crosslite **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel (48x38x28) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERRAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova



## CLEA 10 BLACK RED



**FRAME** Kellys Crosslite Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel (48x38x28) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova



## CLEA 10 GREY PINK

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel (48x38x28) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse Artek V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES



TOUR

# TREKKING



## CARSON 70

**FRAME** Kellys Tour Profile **FORK** SR Suntour NEX DX, 63mm, coil spring **CRANKSET** Shimano Acera T3010 (48x36x26) **SHIFTERS** Shimano Acera SL-M3000 Rapidfire Plus, 27-speed **F/R DERAILEUR** Shimano TY710 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Road Cruiser - ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED



## CARSON 60



**FRAME** Kellys Tour Profile **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED



## CRISTY 60

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED



## CARSON 50

**FRAME** Kellys Tour Profile **FORK** SR Suntour NEX, 63mm, coil spring  
**CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360  
**BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova  
**LIGHTING** battery LED / Büchel Champs Elysees battery LED



## CRISTY 50

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** battery LED / Büchel Champs Elysees battery LED

## CARSON 40

**FRAME** Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY510 / Altus M310 **BRAKES** Apse V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## CRISTY 40

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY510 / Altus M310 **BRAKES** Apse V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## CARSON 30



**FRAME** Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY510 / Altus M310 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** battery LED / Büchel Champs Elysees battery LED



## CRISTY 30

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY510 / Altus M310 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** battery LED / Büchel Champs Elysees battery LED

## CARSON 10

**FRAME** Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILEUR** Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova **LIGHTING** battery LED / Büchel Champs Elysees battery LED



## CRISTY 10

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILEUR** Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova **LIGHTING** battery LED / Büchel Champs Elysees battery LED



# JURBAN



CITY  
CLASSIC  
FITNESS



URBAN

# CITY CLASSIC

ROCAMAR





## AVENUE 90

28



**FRAME** Kellys Aluminium alloy monotube 28  
**FORK** SR Suntour CR-8V, 50mm, coil spring  
**CRANKSET** Prowheel (38) **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake  
**HUBS** Shimano Dynamo Nexus C3000 / Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Draft **TYRES** Schwalbe Citizen 28x1.75 ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED

## AVENUE 70

28

**FRAME** Kellys Aluminium alloy monotube 28  
**FORK** SR Suntour CR-8V, 50mm, coil spring  
**CRANKSET** Shimano TY501 (48x38x28)  
**SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tekro V-brake **HUBS** Shimano Dynamo Nexus C3000 / KLS Drive **RIMS** KLS Draft **TYRES** Mitas Flash 28x1.75 ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED



## AVENUE 50

28

**FRAME** Kellys Aluminium alloy monotube 28  
**FORK** hi-ten unicrown **CRANKSET** Prowheel (38) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Draft **TYRES** Mitas Flash 28x1.75 ReflectiveLine **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## AVENUE 30

26

**FRAME** Kellys Aluminium alloy monotube 26 **FORK** hi-ten unicrown **CRANKSET** Prowheel (38) **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Rubena Cobra 26x1.90 **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## AVENUE 20

28

**FRAME** Kellys Aluminium alloy monotube 28 **FORK** hi-ten unicrown **CRANKSET** Prowheel (38) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Mitas Flash 28x1.75 ReflectiveLine **LIGHTING** Büchel Retro battery / Büchel Champs Elysees battery LED



## AVENUE 10

26

**FRAME** Kellys Aluminium alloy monotube 26 **FORK** hi-ten unicrown **CRANKSET** Prowheel (38) **SHIFTERS** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Rubena Cobra 26x1.90 **LIGHTING** Büchel Retro battery / Büchel Champs Elysees battery LED



**MISSION:**

THE CITY CRUISER



# *Life of* **BALLET DANCERS**

THE STORY BEHIND THE BICYCLE

INTENSIVE, VIVID AND VIBRANT – LIVING IN THE CITY IS SOMETHING ABSOLUTELY UNIQUE BUT RIDING A BIKE ALONG RAPID CHANGING SURROUNDINGS, STREETS FULL OF LIFE, BEAUTIFUL ARCHITECTURE AND WONDERFUL PEOPLE IS ONE OF ITS KIND EXPERIENCE. THIS IS THE REMARKABLE STORY OF BALLERINAS OF SLOVAK NATIONAL BALLET RIDING THEIR STYLISH BICYCLES WITHIN THE PULSE OF BEATING HEART OF BRATISLAVA - THE CAPITOL CITY OF SLOVAKIA.





*Life of a ballet dancer is full of commitment and passion. Hours of hard training, many sacrifices but also a unique feeling of real art, beauty and music. They say that riding a bicycle is like dancing - you are using your physical skills, but also you need to keep your balance, ride smooth with grace and charm...*

*Girls just love to ride their bikes across the city streets and alleys, especially that some of them are closed to car traffic. With their bikes they can feel free and independent to stay on moving forward, to ride leisurely every day.*

*While riding a bike, you can admire city life better than behind the glass window of a car. You can hear every sound, feel every aroma, be a part of the city life, immerse yourself in city atmosphere every time you ride. It does not matter if you ride to work, school or just spending free time riding around.*

*Stylish city bicycles derive their beautiful form from Holland classic bicycles - the country of one of the richest and oldest cycling culture in Europe. The unique style is merged with utility and unparalleled comfort to let you experience unrepeatable ride every day.*



## ROYAL DUTCH BLACK

**FRAME** van Kellys Dutch - Aluminium alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel  
(36) **SHIFTERS** Shimano Nexus SL-7S20  
Revoshift, 7-speed **BRAKES** Apse Artek  
V-brake / Shimano coaster brake  
**HUBS** alloy / Shimano Nexus C3000  
Inter-7 internal geared hub **RIMS** KLS  
Event **TYRES** Impac Bigpac 28x2.0  
ReflectiveLine **LIGHTING** Büchel  
Retro battery / battery LED





## ROYAL DUTCH MENTHOL

**FRAME** van Kellys Dutch - Aluminium alloy 28 **FORK** unicrown steel **CRANKSET** Prowheel (36) **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



## ARWEN DUTCH RED



**FRAME** van Kellys Dutch - Aluminium alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel (36) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED

## ARWEN DUTCH MENTHOL

**FRAME** van Kellys Dutch - Aluminium alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel (36) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



## ARWEN DUTCH BEIGE




**FRAME** van Kellys Dutch - Aluminium alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel (36) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



## ARWEN DUTCH BLACK

**FRAME** van Kellys Dutch - Aluminium alloy 28 **FORK** unicrown steel **CRANKSET** Prowheel (36) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse Artek V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



## CLASSIC DUTCH BLUE



**FRAME** van Kellys Dutch - Aluminum alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel (36), 1-speed **BRAKES** Apse Artek V-brake / coaster brake **HUBS** alloy / coaster brake hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



## CLASSIC DUTCH CORAL

**FRAME** van Kellys Dutch - Aluminum alloy 28 **FORK** unicrown steel **CRANKSET** Prowheel (36), 1-speed **BRAKES** Apse Artek V-brake / coaster brake **HUBS** alloy / coaster brake hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES



URBAN

# FITNESS



## PHYSIO 50

**FRAME** Kellys Urban Move Concept

- Aluminium alloy **FORK** Aluminium alloy

(50x34) **CRANKSET** Shimano Sora R3000 (50x34)

**SHIFTERS** Shimano Sora SL-3000 Rapidfire Plus, 18-speed

**F/R DERAILLEUR** Shimano Sora R3000

**BRAKES** Shimano MT200 / UR300

Hydraulic Disc **HUBS** Novatec Disc

**RIMS** Kellys Spark

**TYRES** Schwalbe

Spicer 35C - ReflectiveLine



## PHYSIO 30



**FRAME** Kellys Urban Move Concept - Aluminium alloy **FORK** Aluminium alloy **CRANKSET** SR Suntour XCR6 (48x36x26) **SHIFTERS** Shimano Altus SL-M370 Rapidfire Plus, 27-speed **F/R DERRAILLEUR** Shimano Altus M371 / Alivio M4000 **BRAKES** Shimano Alivio T4000 V-brake **HUBS** Shimano Claris **RIMS** Kellys Spark **TYRES** Schwalbe Spicer 35C - ReflectiveLine



## PHYSIO 10

**FRAME** Kellys Urban Move Concept - Aluminium alloy **FORK** Aluminium alloy **CRANKSET** Samox (44) **R/SHIFTER** Shimano Altus SL-M310 Rapidfire Plus, 8-speed **R/DERRAILLEUR** Shimano Claris R2000 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** Kellys Spark **TYRES** Schwalbe Spicer 35C - ReflectiveLine



# JUNIOR



JUNIOR  
FIRST BIKE



## NAGA 90

26

**FRAME** Kellys Aluminium alloy MTB 26  
**FORK** SR Suntour M3010, 63mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed  
**F/R DERAILLEUR** Shimano TY500 / TY300  
**BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / TY500 **RIMS** KLS Draft  
**TYRES** Innova 26x2.0 **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## NAGA 80

26

**FRAME** Kellys Aluminium alloy MTB 26 **FORK** Aluminium alloy **CRANKSET** Prowheel (36)  
**R/SHIFTER** Shimano Altus SL-M370 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M370 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano TX500 **RIMS** KLS Draft **TYRES** Innova 26x2.0





**NAGA 70** NEON LIME

26  
x

**FRAME** Kellys Aluminium alloy MTB 26  
**FORK** SR Suntour M3010, 63mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS**  
 Shimano ST-EF41-7 EZ-fire Plus, 21-speed  
**F/R DERAILLEUR** Shimano TY500 / TY300  
**BRAKES** Tektro V-brake **HUBS** alloy / Shimano  
**TY500 RIMS** KLS Draft **TYRES** Innova 26x2.0



26  
x

**NAGA 70** BLUE

**FRAME** Kellys Aluminium alloy MTB 26 **FORK** SR Suntour M3010, 63mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed  
**F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano  
**TY500 RIMS** KLS Draft **TYRES** Innova 26x2.0



## MARC 90

24

**FRAME** Kellys Alutec RRC MTB 24 **FORK** SR Suntour XCT, 50mm, coil spring **CRANKSET** SR Suntour XCT (42x32x22) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERRAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Mitas Winner 24x1.95



## MARC 70

24



**FRAME** Kellys Alutec RRC Junior plus 24 **FORK** Aluminium alloy **CRANKSET** Prowheel (36) **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano TX800 **BRAKES** Tektro Hydraulic Disc **HUBS** KT alloy Disc **RIMS** KLS Brave Disc **TYRES** Innovia 24x2.35



## MARC 50

24

**FRAME** Kellys Alutec RRC MTB 24 **FORK** SR Suntour XCT, 50mm, coil spring **CRANKSET** Prowheel (36) **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT alloy Disc **RIMS** KLS Draft Disc **TYRES** Mitas Winner 24x1.95



## KITER 70



**FRAME** Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95 **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## KITER 50 AQUA



**FRAME** Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95



## KITER 50 WHITE

24

**FRAME** Kellys Aluminium alloy MTB 24  
**FORK** SR Suntour M3010, 50mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano RS35-7 Revoshift, 21-speed  
**F/R DERAILLEUR** Shimano TY500 / TY300  
**BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95



## KITER 50 BLACK RED

24

**FRAME** Kellys Aluminium alloy MTB 24  
**FORK** SR Suntour M3010, 50mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano RS35-7 Revoshift, 21-speed  
**F/R DERAILLEUR** Shimano TY500 / TY300  
**BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95

## KITER 50 BLACK

24

**FRAME** Kellys Aluminium alloy MTB 24  
**FORK** SR Suntour M3010, 50mm, coil spring  
**CRANKSET** Prowheel (42x34x24) **SHIFTERS** Shimano RS35-7 Revoshift, 21-speed  
**F/R DERAILLEUR** Shimano TY500 / TY300  
**BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95





## KITER 30 DEEP BLUE



**FRAME** Kellys Aluminium alloy MTB 24 **FORK** hi-ten unicrown  
**CRANKSET** Prowheel (36) **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed  
**F/R DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS**  
KLS Wasper **TYRES** Mitas Winner 24x1.95



## KITER 30 NEON YELLOW



**FRAME** Kellys Aluminium alloy MTB 24 **FORK** hi-ten unicrown **CRANKSET** Prowheel (36)  
**R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed  
**F/R DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper  
**TYRES** Mitas Winner 24x1.95

## KITER 30 NEON ORANGE

24

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** hi-ten unicrown **CRANKSET** Prowheel (36) **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed **F/R DERRAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95



## KITER 30 PINK

24

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** hi-ten unicrown **CRANKSET** Prowheel (36) **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed **F/R DERRAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95



## LUMI 70



**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten unicrown **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS **TYRES** Mitas Winner 20x1.90 **LIGHTING** Büchel Urban halogen / Büchel Champs Elysees LED



## LUMI 50 BLACK



**FRAME** Kellys Aluminium alloy MTB 20 **FORK** SR Suntour M3010, 40mm, coil spring **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90



## LUMI 50 PINK

20

**FRAME** Kellys Aluminium alloy MTB 20  
**FORK** SR Suntour M3010, 40mm, coil spring  
**CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90



## LUMI 30 WHITE

20

**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten unicrown **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90

## LUMI 30 RED

20

**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten unicrown **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90





## LUMI 30 PINK



**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten unicrown **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90

## LUMI 30 GREEN



**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten unicrown **CRANKSET** Prowheel (32) **R/SHIFTER** Shimano RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90





## MAGGIE

24

**FRAME** Kellys Aluminium alloy monotube 24  
**FORK** hi-ten unicrown **CRANKSET** Prowheel (38) **R/SHIFTER** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub  
**RIMS** KLS **TYRES** Mitas Walrus 24x1.75x2 ReflectiveLine



20

## CINDY

**FRAME** Kellys Aluminium alloy monotube 20 **FORK** hi-ten unicrown **CRANKSET** Prowheel (36), 1-speed **BRAKES** Tektro V-brake / coaster brake **HUBS** alloy / coaster brake hub **RIMS** KLS **TYRES** Mitas Walrus 20x1.75x2



## WASPER BLUE

16

**FRAME** Kellys Aluminium alloy MTB 16 **FORK** hi-ten unicrown **CRANKSET** 1-speed **BRAKES** V-brake / coaster brake **HUBS** steel / coaster brake hub



## WASPER YELLOW

16

**FRAME** Kellys Aluminium alloy MTB 16 **FORK** hi-ten unicrown **CRANKSET** 1-speed **BRAKES** V-brake / coaster brake **HUBS** steel / coaster brake hub

## EMMA PINK

16

**FRAME** Kellys Aluminium alloy monotube 16  
**FORK** hi-ten unicrown **CRANKSET** 1-speed  
**BRAKES** V-brake / coaster brake **HUBS** steel /  
coaster brake hub



## EMMA SKY

16

**FRAME** Kellys Aluminium alloy monotube 16 **FORK** hi-ten unicrown **CRANKSET**  
1-speed **BRAKES** V-brake / coaster brake **HUBS** steel / coaster brake hub



KELLYS BIKESEASON 2019 / BICYCLES / E-BIKES



JUNIOR

# FIRST BIKE



## KITE 12 RACE

Stylish balance bike Kellys KITE 12 helps your child to get used to riding a bike. Children naturally learn to keep their balance without the fear of falling. Riding on a balance bike is a lot of fun. It teaches your child to ride on two wheels, helps to improve their motor skills, riding control and coordination. The best riders have the opportunity to keep their feet on the integrated foot pegs and develop advanced riding skills. Adjustable handlebars and quick-clamps on seat allow easy customization for each child. Ease of riding is ensured by inflatable 12 inch wheels with denser tread which improve grip on variety of terrains, be it grass, mud or pavement. Balance bike Kellys KITE12 meets the highest safety standards for the European market and is certified to EN-71 norm.





KITE 12





## TECHNOLOGIES

 <b>WHEEL SWAP</b>	The unique ability of the frame to utilise <b>both 29-inch or 27.5+ wheels</b> .
 <b>BOOST THRU AXLE</b>	Boost thru axles <b>increases the stiffness</b> even more, resulting in more effective and <b>more precise bike handling</b> . Thanks to the wider rear hub the <b>wheels are stiffer</b> , <b>the tyre clearance is bigger</b> , and so the wider rear wheel and shorter chainstay can be applied.
 <b>Di2 COMPATIBLE</b>	The frame is <b>electronic shifting Shimano Di2 system ready</b> .
 <b>DRIVE CORE</b>	Drive Core bottom bracket is the heart of Kellys' new generation frames. Thanks to its tough structure it <b>can withstand the great loads occurring during aggressive ride</b> both from suspension system and drivetrain.
 <b>FLAT MOUNT</b>	Flat mount standard is based on the same principles as post mount, but it is intended for road bikes <b>allowing to use smaller 140-millimetre rotors</b> .
 <b>FOUR BAR LINKAGE SUSPENSION SYSTEM</b>	The advanced system of the rear suspension characterized by <b>high sensitivity and pedalling efficiency</b> . Versatile characteristics ensures the best damping and riding performance regardless of the condition.
 <b>HYDRO FORMING</b>	Hydroforming is a way of the 3-D shaping of the frame tubes. This technology allows creating <b>lighter, stiffer and more beautiful frames</b> thanks shape-to-strength optimization.
 <b>INTEGRATED FRAME PROTECTION</b>	Integrated Frame Protection ensures the best possible frame protection. Its <b>exclusive design, precise fitment and durability</b> make the rider feel confident to hit the toughest parts of the trail without any fear of damaging the frame.
 <b>INTERNAL CABLEROUTING</b>	The derailleur, brake, dropper and electrical cables are routed internally inside of the frame which results in a <b>cleaner design, better performance and durability</b> .
 <b>ISCG05</b>	It is a chain guide, bash guard or front derailleur direct mount standard. It is widely used in extreme mountain bikes.
 <b>KELLYS RE-CHARGE LI-ION INTEGRATED BATTERY</b>	This unique power source is <b>compact, lightweight and has unparalleled volume-to-capacity ratio</b> . This is why our engineers were able to pack <b>massive 630Wh/17Ah of energy</b> into small, <b>fully integrated power cell hidden in the frame</b> . Thanks to its compactness the bottom tube of the frame, where the battery is placed, is single-wall, narrow and has undisrupted structure which makes it stiffer and lighter in compare to the other designs.

 <b>KICKSTAND DIRECTMOUNT</b>	<p>This feature allows to <b>directly mount the kickstand to the frame</b> without unnecessary intermediary parts like additional brackets or clamps. It's <b>lighter, simpler and more durable</b>.</p>
 <b>POST MOUNT</b>	<p>It is the way of the direct mount of the brake calliper which results in stiffer and more precise connection to the frame, thus <b>better braking performance and durability</b> is provided.</p>
 <b>POWER CORE</b>	<p>Power Core design is the way of <b>weight-to-stiffness frame optimization</b> which bases on reinforced structure connecting head tube, bottom bracket and chainstays to ensure <b>virtually lossless power transfer, razor-sharp handling and low weight</b>.</p>
 <b>PRESS FIT BOTTOM BRACKET</b>	<p>This technology allows putting bottom bracket bearings directly into the frame, which results in <b>lighter, stiffer and more durable system</b>. Bigger diameter of the bottom bracket tube also creates <b>tougher frame structure</b>.</p>
 <b>SIDE SWING</b>	<p>New standard for front derailleurs. Thanks to simplified construction it allows to <b>shorten the chainstays</b>, provides <b>better shifting performance</b> and <b>more tyre clearance</b>.</p>
 <b>TAPERED HEADTUBE</b>	<p>The tapered head tube serves up a significant <b>increase in rough terrain tracking and stability</b> by use of oversized 1.5" bottom bearing.</p>
 <b>THINKLINK SUSPENSION SYSTEM</b>	<p>Think Link Suspension System is a <b>unique design of totally independent rear suspension</b>. It ensures <b>no negative influence from a drivetrain and brakes, no pedal kickback and constant rear triangle geometry</b> with absolutely <b>no chain growth</b>. Think Link Suspension keeps the grip at the best possible level and provides smooth stroke allowing uninterrupted power transfer from a crank to the rear wheel.</p>
 <b>THRU AXLE</b>	<p>Thru axle is really important feature of the frame <b>increasing the stiffness of the whole structure, better braking and pedalling performance</b>. It also results in improved steering and handling, especially at high speeds and rough terrain.</p>
 <b>UNI-BODY INTEGRATED DESIGN</b>	<p>As in F1 racing cars this unique way of design is based on monolith, unified body of the e-bike creating lightweight and extra-stiff structure for the best possible performance. Having <b>extremely high stiffness-to-weight ratio</b>, with fully integrated components and undisturbed, uniform construction it ensures the <b>best possible performance</b>.</p>
 <b>VARIO GEOMETRY SYSTEM</b>	<p>VGS is a unique feature of new NOID's allowing <b>fine tuning of the frame geometry</b> to match bike's characteristics to the riders needs. The chainstays and wheelbase length, bottom bracket height along with the head and seat tube angles can be adjusted within minutes.</p>
 <b>KELLYS LADYCONCEPT</b>	<p>Kellys Lady Concept stands for unique approach to the design of frames. KLS mark means <b>specially adapted geometry and sizing to meet the feminine bikers needs</b>. Also the gearing, suspension and, of course, the unique style are taken into account.</p>



## E-BIKES

### MTB

	<b>TYGON 70 29"</b>	<b>TYGON 70 27.5"</b>	<b>TYGON 50 29"</b>	<b>TYGON 50 27.5"</b>	<b>TYGON 30</b>
<b>FRAME</b>	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Frame 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L / XL	S / M / L	<b>BLACK</b> M / L / XL <b>RED</b> M / L / XL	<b>BLACK</b> S / M / L <b>RED</b> S / M / L	M / L / XL
<b>MOTOR</b>	Shimano STEPS E8000, 36V	Shimano STEPS E8000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E6100, 36V
<b>BATTERY</b>	Kellys Re-Charge Li-ion internal 630Wh / capacity 17Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah
<b>FORK</b>	Rock Shox Revelation RC (29) Boost, 120mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Revelation RC (27.5) Boost, 120mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	SR Suntour XCR 34 LOR Air (29) Boost, 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR 34 LOR Air (27.5) Boost, 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCM ATB HLO (29), 100mm, coil / Speed Lockout
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	-	-	-	-	-
<b>CRANKSET</b>	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm	Shimano FC-E6100 (38) length 170mm
<b>SHIFTERS</b>	Shimano SLX M7000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano SLX M7000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano Deore SL-M6000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano Deore SL-M6000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano Deore SL-M6000 Rapidfire Plus / SW-E6010 switch for motor assist
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M8000 (direct mount)	Shimano SLX M7000-10 (direct mount)	Shimano SLX M7000-10 (direct mount)	Shimano Deore M6000 (direct mount)
<b>SPEED</b>	11	11	10	10	10
<b>FREEWHEEL</b>	Shimano CS-M7000-11 (11-46)	Shimano CS-M7000-11 (11-46)	Shimano CS-HG500-10 (11-42)	Shimano CS-HG500-10 (11-42)	Shimano CS-HG500-10 (11-42)
<b>CHAIN</b>	KMC X11e (116 links)	KMC X11e (116 links)	KMC X10e (108 links)	KMC X10e (108 links)	KMC X10e (108 links)
<b>BRAKES</b>	Shimano SLX M7000 Hydraulic Disc	Shimano SLX M7000 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano M315 Hydraulic Disc
<b>Brake Rotors</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
<b>Brake Levers</b>	Shimano SLX BL-M7000	Shimano SLX BL-M7000	Shimano BL-MT400	Shimano BL-MT400	Shimano BL-M315
<b>HUBS</b>	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano TX505 Disc Center Lock / MT400-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	Novatec 12x148mm rear
<b>RIMS</b>	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Cartel Disc 622x21 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding	Schwalbe Hans Dampf 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding	Schwalbe Nobby Nic Performance 65-584 (27.5x2.60) folding	Schwalbe Rapid Rob 57-622 (29x2.25)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (M), 70mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (S - M), 70mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (M), 70mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (S - M), 70mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (M), 70mm (L - XL)
<b>HANDLEBAR</b>	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (M - XL)	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (S - L)	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (M - XL)	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (S - L)	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (M - XL)
<b>GRIPS</b>	KLS Poison	KLS Poison	KLS Poison	KLS Poison	KLS Token 2Density
<b>SEAT POST</b>	KS - Remote Telescopic - diam 30.9mm / length 485mm, travel 150mm	KS - Remote Telescopic - diam 30.9mm / length 485mm, travel 150mm	KLS Active - diam 30.9mm / length 350mm (M), 400mm (L - XL)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active - diam 30.9mm / length 350mm (M), 400mm (L - XL)
<b>SADDLE</b>	KLS Avenger	KLS Avenger	KLS Avenger	KLS Avenger	KLS Avenger
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master
<b>FRONT LIGHT</b>	-	-	-	-	Spanninga LED
<b>REAR LIGHT</b>	-	-	-	-	Spanninga LED
<b>FENDERS</b>	-	-	-	-	SKS
<b>ACCESSORIES</b>	-	-	-	-	alloy carrier, chainguard, kickstand, bell

Specification are subject to change without notice.

## E-BIKES

MTB					
	TAYEN 50 29"	TAYEN 50 27.5"	TYGON 10	THEOS 60	THEOS 50
<b>FRAME</b>	Kellys e-Frame KLC 29 Uni-Body Integrated Design, Drive Core tapered HT, internal routing, 12x148mm Boost thru axle	Kellys e-Frame KLC 27.5 Uni-Body Integrated Design, Drive Core tapered HT, internal routing 12x148mm Boost thru axle	Kellys e-Power 29 tapered HT, internal routing 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Four-bar link, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Four-bar link, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L	S / M	S / M / L	M / L / XL	S / M / L
<b>MOTOR</b>	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V	Shimano STEPS E8000, 36V	Shimano STEPS E7000, 36V
<b>BATTERY</b>	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Kellys Re-Charge Li-ion internal 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8010 504Wh / capacity 14Ah
<b>FORK</b>	SR Suntour XCR 34 LOR Air (29) Boost, 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR 34 LOR Air (27.5) Boost, 120mm, air / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCM 32 (29) Boost, 120mm, coil spring / 15mm thru axle	Rock Shox Yari RC (27.5) Boost, 150mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (27.5) Boost, 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	-	-	-	Rock Shox Monarch RT Solo Air / Rapid Recovery / Open-Pedal (200x57mm)	Rock Shox Monarch RT Solo Air / Rapid Recovery / Open-Pedal (200x57mm)
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	-	-	-	-	-
<b>CRANKSET</b>	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm	Shimano FC-E8000 (34) length 170mm
<b>SHIFTERS</b>	Shimano Deore SL-M6000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano Deore SL-M6000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano Altus SL-M2000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano SLX M7000 Rapidfire Plus / SW-E7000 switch for motor assist	Shimano Deore SL-M6000 Rapidfire Plus / SW-E7000 switch for motor assist
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	Shimano SLX M7000-10 (direct mount)	Shimano SLX M7000-10 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M781 (direct mount)
<b>SPEED</b>	10	10	9	11	10
<b>FREEWHEEL</b>	Shimano CS-HG500-10 (11-42)	Shimano CS-HG500-10 (11-42)	Shimano CS-HG400-9 (11-36)	Shimano CS-M7000-11 (11-46)	Shimano CS-HG500-10 (11-42)
<b>CHAIN</b>	KMC X10e (108 links)	KMC X10e (108 links)	KMC X9e (116 links)	KMC X11e (110 links)	KMC X10e (108 links)
<b>BRAKES</b>	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano M315 Hydraulic Disc	Shimano Deore XT M8020 Hydraulic Disc	Shimano MT520 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	203mm front / 203mm rear	203mm front / 203mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT400	Shimano BL-MT400	Shimano BL-M315	Shimano Deore XT BL-M8000	Shimano BL-MT501
<b>HUBS</b>	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)
<b>THRU AXLE</b>	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear
<b>RIMS</b>	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding	Schwalbe Nobby Nic Performance 65-584 (27.5x2.60) folding	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Magic Mary 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Hans Dampf Evo 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Schwalbe Magic Mary 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Hans Dampf Evo 65-584 (27.5x2.60) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (M), 70mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (S - M)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 60mm (S - M), 70mm (L)	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm (S - L)
<b>HANDLEBAR</b>	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (M - L)	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (S - M)	KLS Active RiseBar - diam 31.8mm / rise 15mm / width 720mm (S - L)	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	KLS Alm/En 70 RiseBar - diam 31.8mm / rise 25mm / width 760mm
<b>GRIPS</b>	KLS Poison	KLS Poison	KLS Cryption LockOn	KLS Poison	KLS Poison
<b>SEAT POST</b>	KLS Active - diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KS - Remote Telescopic - diam 31.6mm / length 485mm, travel 150mm	KS - Remote Telescopic - diam 31.6mm / length 485mm, travel 150mm
<b>SADDLE</b>	KLS Diversa	KLS Diversa	KLS Avenger	KLS Styx	KLS Styx
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.



## E-BIKES

## MOUNTAIN

CITY		DOWNHILL			ENDURO
ESTIMA 50		NOID 90 29"	NOID 90 27.5"	NOID 70 27.5"	SWAG 50
<b>FRAME</b>	Kellys e-Power Aluminium alloy monotube 28	Kellys Gravity DH 29 / Think Link suspension system, 205mm rear travel, internal routing, ISCG 05, 12x150mm thru axle	Kellys Gravity DH 27.5 / Think Link suspension system, 205mm rear travel, internal routing, ISCG 05, 12x150mm thru axle	Kellys Gravity DH 27.5 / Think Link suspension system, 205mm rear travel, internal routing, ISCG 05, 12x150mm thru axle	Kellys Enduro 27.5 / Think Link suspension system, 165mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	S / M	L	M / L / XL	M / L / XL	S / M / L
<b>MOTOR</b>	Shimano STEPS E5000, 36V	-	-	-	-
<b>BATTERY</b>	Shimano BT-E6000 418Wh / capacity 11.6Ah	-	-	-	-
<b>FORK</b>	SR Suntour NEX-E25 HLO, 63mm, coil / Speed Lockout (threaded steerer 28.6mm)	Rock Shox Boxxer World Cup DebonAir (29) Boost, 200mm, Charger Damper 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox Boxxer World Cup DebonAir (27.5) Boost, 200mm, Charger Damper 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox Boxxer RC DebonAir (27.5) Boost, 200mm, Charger RC Damper / Maxle Stealth 20mm thru axle	Rock Shox Lyrik RC (27.5) Boost, 170mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	-	Rock Shox Super Deluxe Coil RC / Rapid Recovery (250x75mm)	Rock Shox Super Deluxe Coil RC / Rapid Recovery (250x75mm)	Rock Shox Super Deluxe Coil R / Rapid Recovery (250x75mm)	Rock Shox Super Deluxe Coil RCT / Rapid Recovery / Open-Pedal (230x65mm)
<b>HEAD PARTS</b>	semi-integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	-	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Sram DUB PressFit
<b>CRANKSET</b>	Shimano FC-E5000 (38) length 170mm	Shimano Saint M825 Hollowtech II (34) length 165mm	Shimano Saint M825 Hollowtech II (34) length 165mm	Shimano Zee M645 (34) length 165mm	Truvativ Descendant 6K Eagle DUB 1x X-Sync 2 (32) - length 175mm
<b>SHIFTERS</b>	Shimano Nexus SL-8S31 Revoshift / SW-E6010 switch for motor assist	Shimano Zee SL-M640 Rapidfire Plus	Shimano Zee SL-M640 Rapidfire Plus	Shimano Zee SL-M640 Rapidfire Plus	Sram GX Eagle Trigger
<b>F/DERAILLEUR</b>	-	chain guide Mozart HXR, ISCG 05	chain guide Mozart HXR, ISCG 05	chain guide Mozart HXR, ISCG 05	chain guide Mozart HXR, ISCG 05
<b>R/DERAILLEUR</b>	-	Shimano Saint M820 (direct mount)	Shimano Saint M820 (direct mount)	Shimano Zee M640 (direct mount)	Sram GX Eagle X-Horizon
<b>SPEED</b>	7	10	10	10	12
<b>FREEWHEEL</b>	Shimano for internal hub 18T	Shimano CS-HG500-10 (11-25)	Shimano CS-HG500-10 (11-25)	Shimano CS-HG500-10 (11-25)	Sram PG-1230-12 Eagle (11-50)
<b>CHAIN</b>	KMC e1 (108 links)	KMC X10 EL (102 links)	KMC X10 EL (102 links)	KMC X10 EL (106 links)	Sram GX Eagle (112 links)
<b>BRAKES</b>	Shimano M315 Hydraulic Disc	Shimano Saint M820 Hydraulic Disc	Shimano Saint M820 Hydraulic Disc	Shimano Zee M640 Hydraulic Disc	Shimano Deore XT M8000 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear Center Lock	203mm front / 203mm rear	203mm front / 203mm rear	203mm front / 203mm rear	180mm front / 180mm rear
<b>BRAKE LEVERS</b>	Shimano BL-M315	Shimano Saint BL-M820	Shimano Saint BL-M820	Shimano Zee BL-M640	Shimano Deore XT BL-M8000
<b>HUBS</b>	Shimano TX505 Disc Center Lock / Shimano Nexus C3001 Inter-7 Disc Center Lock (36 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)
<b>THRU AXLE</b>	-	Rock Shox Maxle Stealth 20x110 front / Mr.Control 12x150mm rear	Rock Shox Maxle Stealth 20x110 front / Mr.Control 12x150mm rear	Rock Shox Maxle Stealth 20x110 front / Mr.Control 12x150mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear
<b>RIMS</b>	KLS Scart 622x20 (36 holes / eyelets)	KLS Brav Disc 622x23 (32 holes)	KLS Brav Disc 584x23 (32 holes)	KLS Brav Disc 584x23 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)
<b>SPOKES</b>	steel steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Impac Streetpac 47-622 (28x1.75) ReflectiveLine	Schwalbe Magic Mary 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Magic Mary 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Magic Mary 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Hans Dampf 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear
<b>STEM</b>	Kalloy - adjustable - diam 25.4mm / length 90mm (S), 100mm (M)	Race Face Atlas DM direct mount / bar bore 31.8mm	Race Face Atlas DM direct mount / bar bore 31.8mm	Race Face Chester DM 35 direct mount / bar bore 35mm	Race Face Aeffect R 35 - diam 28.6mm / bar bore 35mm / 0° / length 50mm
<b>HANDLEBAR</b>	alloy RiseBar diam 25.4mm / width 600mm	Race Face Atlas RiseBar diam 31.8mm / rise 13mm / width 785mm	Race Face Atlas RiseBar diam 31.8mm / rise 13mm / width 785mm	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Poison	KLS Poison	KLS Poison	KLS Poison
<b>SEAT POST</b>	suspension - diam 27.2mm / length 300mm (S), 350mm (M)	Race Face Chester diam 30.9mm / length 325mm	Race Face Chester diam 30.9mm / length 325mm	Race Face Chester diam 30.9mm / length 325mm	KS - Remote Telescopic - diam 30.9mm / length 485mm, travel 150mm
<b>SADDLE</b>	Selle Royal Freedom Royalgel	KLS Styx	KLS Styx	KLS Styx	KLS Styx
<b>PEDALS</b>	NonSlip - alloy	-	-	-	KLS Master
<b>FRONT LIGHT</b>	Spanninga LED	-	-	-	-
<b>REAR LIGHT</b>	Spanninga LED	-	-	-	-
<b>FENDERS</b>	RPZ	-	-	-	-
<b>ACCESSORIES</b>	alloy carrier, chainguard, kickstand, bell	-	-	-	-

Specification are subject to change without notice.

# MOUNTAIN

	<b>ENDURO</b>	<b>TRAIL</b>			
	<b>SWAG 30</b>	<b>SWAG 10</b>	<b>SLANGER 50</b>	<b>SLANGER 30</b>	<b>THORX 50 29"</b>
<b>FRAME</b>	Kellys Enduro 27.5 / Think Link suspension system, 165mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Enduro 27.5 / Think Link suspension system, 165mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain Carbon Composite 29/27.5+ / Four-bar link, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain Carbon Composite 29/27.5+ / Four-bar link, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	M / L
<b>FORK</b>	Rock Shox Yari RC (27.5) Boost, 170mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	SR Suntour Aion 35 LOR (27.5) Boost, 160mm, air / Speed Lockout / FIT Grip 3-Position / 15QR thru axle	Fox 34 Performance (29) Boost, 140mm, Float Evol air / FIT Grip 3-Position / 15QR thru axle	Rock Shox Revelation RC (29) Boost, 150mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Pike RC (29) Boost, 150mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal (230x65mm)	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal (230x65mm)	Fox Float DPS Performance, Evol air / 3-Position (200x50mm)	Rock Shox Monarch RT3, DebonAir / Rapid Recovery / Open-Pedal-Lock (200x51mm)	Rock Shox Super Deluxe RC3, DebonAir / Rapid Recovery / Open-Pedal-Lock (210x55mm)
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB71-41A	Sram PressFit GXP	Sram DUB PressFit	Sram DUB PressFit	Sram DUB PressFit
<b>CRANKSET</b>	Shimano SLX M7000-11-B1 Hollowtech II (30) - length 175mm	Sram NX 1x X-Sync (30) length 175mm	Truvativ Stylo 7K Eagle DUB 1x X-Sync 2 (34) - length 175mm (S - L)	Truvativ Stylo 6K Eagle DUB 1x X-Sync 2 (34) - length 170mm (S - L)	Truvativ Stylo 7K Eagle DUB 1x X-Sync 2 (34) - length 170mm
<b>SHIFTERS</b>	Shimano SLX SL-M7000 1-spec II Rapidfire Plus	Sram NX 11-Speed Trigger	Sram GX Eagle Trigger	Sram NX Eagle Trigger	Sram GX Eagle Trigger
<b>F/DERAILLEUR</b>	-	-	chain guide Mozart Piano	chain guide Mozart Piano	-
<b>R/DERAILLEUR</b>	Shimano Deore XT M8000 (direct mount)	Sram NX 1x11 X-Horizon	Sram GX Eagle X-Horizon	Sram NX Eagle X-Horizon	Sram GX Eagle X-Horizon
<b>SPEED</b>	11	11	12	12	12
<b>FREEWHEEL</b>	Shimano CS-M7000-11 (11-46)	Shimano CS-M7000-11 (11-46)	Sram PG-1230-12 Eagle (11-50)	Sram PG-1230-12 Eagle (11-50)	Sram XG-1275-12 Eagle (10-50)
<b>CHAIN</b>	KMC X11 (110 links)	KMC X11 (110 links)	Sram GX Eagle (120 links)	Sram NX Eagle (120 links)	Sram GX Eagle (112 links)
<b>BRAKES</b>	Shimano SLX M7000 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano Deore XT M8000 Hydraulic Disc	Shimano Deore M6000 Hydraulic Disc	Shimano Deore XT M8000 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear Center Lock	180mm front / 180mm rear	180mm front / 180mm rear
<b>BRAKE LEVERS</b>	Shimano SLX BL-M7000	Shimano BL-MT400	Shimano Deore XT BL-M8000	Shimano Deore BL-M6000	Shimano Deore XT BL-M8000
<b>HUBS</b>	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	-	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Mr.Control 12x148mm rear	Fox 15QR 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear
<b>RIMS / WHEELSET</b>	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	DT Swiss M1700 SplineTwo 29 Center Lock (15x110mm / 12x148mm)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	-	stainless steel black	-
<b>TYRES</b>	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear	Schwalbe Hans Dampf 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding rear	Schwalbe Hans Dampf 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear
<b>STEM</b>	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm (S), 60mm (M - L)	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm (S - M), 60mm (L)	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm (S), 60mm (M - L)	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm (S - M), 60mm (L)	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 60mm (M - L)
<b>HANDLEBAR</b>	Race Face Chester 35 RiseBar diam 35mm / rise 20mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 780mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 780mm	Race Face Ride RiseBar - diam 35mm / rise 20mm / width 760mm
<b>GRIPS</b>	KLS Crypton	KLS Crypton	KLS Crypton	KLS Crypton	KLS Poison
<b>SEAT POST</b>	KS - Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1- Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M - L)	KS - LEV Integra - Remote Telescopic diam 30.9mm / length 440mm, travel 150mm	EXAform JAG1- Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M - L)	KS - Remote Telescopic diam 30.9mm / length 485mm, travel 150mm
<b>SADDLE</b>	KLS Styx	KLS Styx	KLS Styx	KLS Styx	KLS Styx
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.



## MOUNTAIN

### TRAIL

	<b>THORX 30 29"</b>	<b>THORX 10 29"</b>	<b>THORX 50 27.5"</b>	<b>THORX 30 27.5"</b>	<b>THORX 10 27.5"</b>
<b>FRAME</b>	Kellys Allmountain 29 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L	M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Rock Shox Yari RC (29) Boost, 150mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (29) Boost, 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle	Rock Shox Pike RC (27.5) Boost, 150mm, DebonAir / Charger 2 Damper / Maxle Stealth 15mm thru axle	Rock Shox Yari RC (27.5) Boost, 150mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (27.5) Boost, 150mm, DebonAir / Motion Control RL / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal (210x55mm)	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal (210x55mm)	Rock Shox Super Deluxe RC3, DebonAir / Rapid Recovery / Open-Pedal-Lock (210x55mm)	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal (210x55mm)	Rock Shox Deluxe RT, DebonAir / Rapid Recovery / Open-Pedal (210x55mm)
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB71-41A	Sram PressFit GXP	Sram DUB PressFit	Shimano Press-Fit BB71-41A	Sram PressFit GXP
<b>CRANKSET</b>	Shimano SLX M7000-11-B1 Hollowtech II (30) - length 175mm	Sram NX 1x X-Sync (30) length 175mm	Truvativ Stylo 7K Eagle DUB 1x X-Sync 2 (34) - length 170mm	Shimano SLX M7000-11-B1 Hollowtech II (30) - length 175mm	Sram NX 1x X-Sync (30) length 170mm (S), 175mm (M-L)
<b>SHIFTERS</b>	Shimano SLX SL-M7000 I-spec II Rapidfire Plus	Sram NX 11-Speed Trigger	Sram GX Eagle Trigger	Shimano SLX SL-M7000 I-spec II Rapidfire Plus	Sram NX 11-Speed Trigger
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	Shimano Deore XT M8000 (direct mount)	Sram NX 1x11 X-Horizon	Sram GX Eagle X-Horizon	Shimano Deore XT M8000 (direct mount)	Sram NX 1x11 X-Horizon
<b>SPEED</b>	11	11	12	11	11
<b>FREEWHEEL</b>	Shimano CS-M7000-11 (11-46)	Shimano CS-M7000-11 (11-46)	Sram XG-1275-12 Eagle (10-50)	Shimano CS-M7000-11 (11-46)	Shimano CS-M7000-11 (11-46)
<b>CHAIN</b>	KMC X11 (110 links)	KMC X11 (110 links)	Sram GX Eagle (112 links)	KMC X11 (110 links)	KMC X11 (110 links)
<b>BRAKES</b>	Shimano SLX M7000 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano Deore XT M8000 Hydraulic Disc	Shimano SLX M7000 Hydraulic Disc	Shimano MT400 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear Center Lock	180mm front / 180mm rear Center Lock	180mm front / 180mm rear	180mm front / 180mm rear Center Lock	180mm front / 180mm rear Center Lock
<b>BRAKE LEVERS</b>	Shimano SLX BL-M7000	Shimano BL-MT400	Shimano Deore XT BL-M8000	Shimano SLX BL-M7000	Shimano BL-MT400
<b>HUBS</b>	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear
<b>RIMS</b>	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)
<b>SPOKES</b>	-	-	-	-	-
<b>TYRES</b>	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding rear	Schwalbe Hans Dampf Performance 60-622 (29x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX, folding rear	Schwalbe Hans Dampf 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Speedgrip, folding rear	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear	Schwalbe Hans Dampf Performance 60-584 (27.5x2.35) Tubeless Ready, ADDIX, folding front / Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX, folding rear
<b>STEM</b>	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 60mm (M-L)	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm (S), 60mm (M-L)	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm (S), 60mm (M-L)	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm
<b>HANDLEBAR</b>	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm
<b>GRIPS</b>	KLS Crypton	KLS Crypton	KLS Poison	KLS Crypton	KLS Crypton
<b>SEAT POST</b>	KS - Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 - Remote Telescopic diam 30.9mm / length 485mm, travel 150mm (M-L)	KS - Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS - Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 - Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M-L)
<b>SADDLE</b>	KLS Styx	KLS Styx	KLS Styx	KLS Styx	KLS Styx
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.

# MOUNTAIN

	TRAIL	MTB-XC			
	GIBON 70	GIBON 50	GIBON 30	HACKER 90	HACKER 70
<b>FRAME</b>	Kellys Dynamic Trail 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys iCAD Carbon Pro 29 Power Core, Flex stays tapered HT, internal routing, 12x148mm Boost thru axle	Kellys iCAD Carbon Pro 29 Power Core, Flex stays tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Rock Shox Revelation RC (27.5) Boost, 130mm, DebonAir / Motion Control RC / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (27.5) Boost, 130mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	SR Suntour XCM 32 LO (27.5) Boost, 120mm, coil / Speed Lockout / 15mm thru axle	Fox 32 Factory SC Kashima Coat (29) Boost, 100mm, Float Evol air / FIT4 damper / 2-Position Remote / Open Mode Adjust / 15QR thru axle	Fox 32 Performance (29) Boost, 100mm, Float Evol air / FIT Grip damper / 2-Position Remote / 15QR thru axle
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Sram DUB	Sram GXP	Shimano BB52	Sram DUB PressFit	Shimano Press-Fit BB71-41A
<b>CRANKSET</b>	Truvativ Stylo 6K Eagle DUB 1x X-Sync 2 (32) length 170mm (S), 175mm (M - L)	Sram NX 1x X-Sync (32) length 170mm (S), 175mm (M - L)	Shimano MT210-2 (36x22) length 170mm (S), 175mm (M - L)	Sram X01 Eagle DUB 1x X-Sync 2 (34) length 170mm (S), 175mm (M - L)	Shimano Deore XT M8000-B2 Hollowtech II (36x26) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Sram NX Eagle Trigger	Sram NX 11-Speed Trigger	Shimano Altus SL-M2000 Rapidfire Plus	Sram X01 Eagle Trigger	Shimano Deore XT SL-M8000 I-spec II Rapidfire Plus
<b>F/DERAILLEUR</b>	-	-	Shimano Alivio (19) MT400-D (direct mount)	-	Shimano Deore XT M8020-E (E-type)
<b>R/DERAILLEUR</b>	Sram NX Eagle X-Horizon	Sram NX 1x11 X-Horizon	Shimano Alivio M4000 (direct mount)	Sram X01 Eagle X-Horizon	Shimano Deore XT M8000 (direct mount)
<b>SPEED</b>	12	11	18	12	22
<b>FREEWHEEL</b>	Sram PG-1230-12 Eagle (11-50)	Shimano CS-M7000-11 (11-46)	Shimano CS-HG200-9 (11-34)	Sram XG-1295-12 Eagle (10-50)	Shimano CS-M7000-11 (11-42)
<b>CHAIN</b>	Sram NX Eagle (118 links)	KMC X11 (110 links)	KMC X9 (108 links)	Sram X01 Eagle (114 links)	Shimano HG-600-11 (116 links)
<b>BRAKES</b>	Shimano SLX M7000 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano XTR M9100 Hydraulic Disc	Shimano Deore XT M8000 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 160mm rear	180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano SLX BL-M7000	Shimano BL-MT400	Shimano BL-MT201	Shimano XTR BL-M9100	Shimano Deore XT BL-M8000
<b>HUBS</b>	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	-	-
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	Fox 15QR 15x110mm front / Mr.Control 12x148mm rear	Fox 15QR 15x110mm front / Mr.Control 12x148mm rear
<b>RIMS / WHEELSET</b>	KLS Valor 2 Disc 58x27 (32 holes)	KLS Valor 2 Disc 58x27 (32 holes)	KLS Valor 2 Disc 58x27 (32 holes)	Mavic Crossmax Elite 29 (15x110mm / 12x148mm)	Mavic Crossmax 29 (15x110mm / 12x148mm) wheelset
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	-	-
<b>TYRES</b>	Schwalbe Rocket Ron Performance 65-584 (27.5x2.60) folding	Schwalbe Rocket Ron Performance 65-584 (27.5x2.60) folding	Schwalbe Rocket Ron Performance 65-584 (27.5x2.60) folding	Schwalbe Racing Ray Performance / Schwalbe Racing Ralph Performance 57-622 (29x2.25) folding	Schwalbe Racing Ray Performance / Schwalbe Racing Ralph Performance 57-622 (29x2.25) folding
<b>STEM</b>	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	Ritchey WCS C220 840 diam 28.6mm / bar bore 31.8mm / 6° / length 80mm (S), 90mm (M - L)	KLS Ultimate diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 90mm (L)
<b>HANDLEBAR</b>	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	Ritchey WCS FlatBar - diam 31.8mm / width 710mm (S), 740mm (M - L)	KLS Ultimate FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)
<b>GRIPS</b>	KLS Crypton	KLS Crypton	KLS Advancer	KLS Silica	KLS Crypton
<b>SEAT POST</b>	EXAform JAG1-Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M - L)	EXAform JAG1-Remote Telescopic diam 30.9mm / length 430mm, travel 125mm (S) length 485mm, travel 150mm (M - L)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)	KS-LEV Integra - Remote Telescopic diam 30.9mm / length 392mm, travel 125mm	KLS Ultimate diam 30.9mm / length 350mm (S), 400mm (M - L)
<b>SADDLE</b>	KLS Avenger	KLS Avenger	KLS Avenger	fi'zi:k Antares R7 Manganese	fi'zi:k Antares R7 Manganese
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.



## MOUNTAIN

### MTB-XC

	<b>HACKER 50</b>	<b>HACKER 30</b>	<b>GATE 90 29"</b>	<b>GATE 70 29"</b>	<b>GATE 50 29"</b>
<b>FRAME</b>	Kellys iCAD Carbon Pro 29 Power Core, Flex stays tapered HT, internal routing, 12x148mm Boost thru axle	Kellys iCAD Carbon Sport 29 Power Core, Flex stays tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Rock Shox Reba RL (29) Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (29) Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	Rock Shox Sektor RL (29) Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (29) Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (29) Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Lite 15mm thru axle
<b>REAR SHOCK</b>					
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Sram DUB PressFit	Sram DUB PressFit	Sram DUB PressFit	Shimano MT500 Press-Fit	Shimano MT500 Press-Fit
<b>CRANKSET</b>	Sram GX Eagle DUB 1x X-Sync 2 (34) length 170mm (S), 175mm (M-L)	Sram NX Eagle DUB 1x X-Sync 2 (34) length 170mm (S), 175mm (M-L)	Sram NX Eagle DUB 1x X-Sync 2 (34) length 170mm (S), 175mm (M-L)	Shimano SLX M7000-11-B2 HolowTech II (36x26) length 170mm (S), 175mm (M-L)	Shimano MT600-B2 (36x26) length 170mm (S), 175mm (M-L)
<b>SHIFTERS</b>	Sram GX Eagle Trigger	Sram NX Eagle Trigger	Sram NX Eagle Trigger	Shimano SLX SL-M7000 Rapidfire Plus	Shimano SLX SL-M7000 Rapidfire Plus
<b>F/DERAILLEUR</b>	-	-	-	Shimano SLX M7020-D (direct mount)	Shimano SLX 07020-D (direct mount)
<b>R/DERAILLEUR</b>	Sram GX Eagle X-Horizon	Sram NX Eagle X-Horizon	Sram NX Eagle X-Horizon	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M8000 (direct mount)
<b>SPEED</b>	12	12	12	22	22
<b>FREEWHEEL</b>	Sram PG-1230-12 Eagle (11-50)	Sram PG-1230-12 Eagle (11-50)	Sram PG-1230-12 Eagle (11-50)	Shimano CS-M7000-11 (11-42)	Shimano CS-M7000-11 (11-42)
<b>CHAIN</b>	Sram GX Eagle (114 links)	Sram NX Eagle (114 links)	Sram NX Eagle (116 links)	KMC X11 (112 links)	KMC X11 (112 links)
<b>BRAKES</b>	Shimano Deore M6000 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 160mm rear Center Lock	180mm front / 160mm rear Center Lock	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore BL-M6000	Shimano BL-MT500	Shimano BL-MT500	Shimano BL-MT400	Shimano BL-MT400
<b>HUBS</b>	Shimano Deore M6010-B Disc Center Lock (15x110mm / 12x148mm)	Shimano Deore M6010-B Disc Center Lock (15x110mm / 12x148mm)	-	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Mr.Control 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Mr.Control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear
<b>RIMS / WHEELSET</b>	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	Mavic Crossmax 29 (15x110mm / 12x148mm)	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)
<b>SPOKES</b>	Sapim - stainless steel black	Sapim - stainless steel black	-	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Racing Ray Performance / Schwalbe Racing Ralph Performance 57-622 (29x2.25) folding	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S-M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S-M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S-M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S-M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S-M), 100mm (L)
<b>HANDLEBAR</b>	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)
<b>GRIPS</b>	KLS Crypton	KLS Crypton	KLS Crypton	KLS Crypton	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Advanced - diam 30.9mm / length 350mm (S), 400mm (M-L)	KLS Advanced - diam 30.9mm / length 350mm (S), 400mm (M-L)	KLS Advanced - diam 30.9mm / length 350mm (S), 400mm (M-L)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M), 400 (L)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M), 400 (L)
<b>SADDLE</b>	fit'z!k Antares R7 Manganese	KLS Avenger	KLS Avenger	KLS Avenger	KLS Avenger
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.

# MOUNTAIN

## MTB-XC

	<b>GATE 30 29"</b>	<b>GATE 90 27.5"</b>	<b>GATE 70 27.5"</b>	<b>GATE 50 27.5"</b>	<b>GATE 30 27.5"</b>
<b>FRAME</b>	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 27.5 tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	S / M / L	S / M	S / M	S / M	S / M
<b>FORK</b>	SR Suntour XCR RLR Air (29) Boost, 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle	Rock Shox Sektor RL (27.5) Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Sektor RL (27.5) Boost, 100mm, DebonAir / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (27.5) Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	SR Suntour XCR RLR Air (27.5) Boost, 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano MT500 Press-Fit	Sram DUB PressFit	Shimano MT500 Press-Fit	Shimano MT500 Press-Fit	Shimano MT500 Press-Fit
<b>CRANKSET</b>	Shimano MT500-B2 (36x26) length 170mm (S), 175mm (M - L)	Sram NX Eagle DUB 1x X-Sync 2 (34) length 170mm (S), 175mm (M)	Shimano SLX M7000-11-B2 HolowTech II (36x26) length 170mm (S), 175mm (M)	Shimano MT600-B2 (36x26) length 170mm (S), 175mm (M)	Shimano Deore M6000-2 (36x26) length 170mm (S), 175mm (M)
<b>SHIFTERS</b>	Shimano Deore SL-M6000 Rapidfire Plus	Sram NX Eagle Trigger	Shimano SLX SL-M7000 Rapidfire Plus	Shimano SLX SL-M7000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore M6020-D (direct mount)	-	Shimano SLX M7020-D (direct mount)	Shimano SLX M7020-D (direct mount)	Shimano Deore M6020-D (direct mount)
<b>R/DERAILLEUR</b>	Shimano Deore XT M781 (direct mount)	Sram NX Eagle X-Horizon	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M781 (direct mount)
<b>SPEED</b>	20	12	22	22	20
<b>FREEWHEEL</b>	Shimano CS-HG50-10 (11-36)	Sram PG-1230-12 Eagle (11-50)	Shimano CS-M7000-11 (11-42)	Shimano CS-M7000-11 (11-42)	Shimano CS-HG50-10 (11-36)
<b>CHAIN</b>	KMC X10 EL (110 links)	Sram NX Eagle (114 links)	KMC X11 (112 links)	KMC X11 (112 links)	KMC X10 EL (108 links)
<b>BRAKES</b>	Shimano M365 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano MT400 Hydraulic Disc	Shimano M365 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-M365	Shimano BL-MT500	Shimano BL-MT400	Shimano BL-MT400	Shimano BL-M365
<b>HUBS</b>	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	-	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)
<b>THRU AXLE</b>	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear
<b>RIMS / WHEELSET</b>	KLS MadMax Disc 62x218 (32 holes)	Mavic Crossmax 27.5 (15x110mm / 12x148mm)	KLS MadMax Disc 58x418 (32 holes)	KLS MadMax Disc 58x418 (32 holes)	KLS MadMax Disc 58x418 (32 holes)
<b>SPOKES</b>	stainless steel black	-	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M)
<b>HANDLEBAR</b>	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M)	KLS Advanced FlatBar - diam 31.8mm / width 680mm (S), 700mm (M)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Crypton	KLS Crypton	KLS Crypton	KLS Crypton
<b>SEAT POST</b>	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M), 400 (L)	KLS Advanced - diam 30.9mm / length 350mm (S), 400mm (M)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M)	KLS Active - diam 30.9mm / length 300mm (S), 350mm (M)
<b>SADDLE</b>	KLS Avenger	KLS Avenger	KLS Avenger	KLS Avenger	KLS Avenger
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.



## MOUNTAIN

### MTB-XC

	<b>SPIDER 90 29"</b>	<b>SPIDER 70 29"</b>	<b>SPIDER 60 29"</b>	<b>SPIDER 50 29"</b>	<b>SPIDER 30 29"</b>
<b>FRAME</b>	Kellys Alutec RRC 29 Race Ready Concept, tapered HT	Kellys Alutec RRC 29 Race Ready Concept, tapered HT	Kellys Alutec RRC 29 Race Ready Concept, tapered HT	Kellys Alutec RRC 29 Race Ready Concept, tapered HT	Kellys Alutec RRC 29 Race Ready Concept, tapered HT
<b>FRAME SIZE</b>	S / M / L / XL	S / M / L	M / L	<b>BLACK BLUE</b> S / M / L / XL <b>BLACK ORANGE</b> S / M / L / XL	<b>BLACK</b> S / M / L <b>RED</b> S / M / L
<b>FORK</b>	SR Suntour XCR RL (29), 100mm, coil / Remote Speed Lockout	SR Suntour XCM RL (29), 100mm, coil / Remote Speed Lockout	SR Suntour XCT HLO (29), 100mm, coil / Speed Lockout	SR Suntour XCM HLO (29), 100mm, coil / Speed Lockout	SR Suntour XCM HLO (29), 100mm, coil / Speed Lockout
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (113mm)	cartridge (124.5mm)	cartridge (122mm)	cartridge (122mm)	cartridge (126mm)
<b>CRANKSET</b>	KLS Active (38x24) length 170mm (S), 175mm (M - XL)	Shimano Altus M2000 (40x30x22) length 170mm (S), 175mm (M - L)	Shimano MT100 (40x30x22) length 175mm (M - L)	Shimano MT100 (40x30x22) length 170mm (S), 175mm (M - XL)	Shimano TY501 (42x34x24) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore M618 (34.9mm)	Shimano Acera M3000 (34.9mm)	Shimano Altus M2000 (diam 34.9mm)	Shimano Altus M2000 (diam 34.9mm)	Shimano TY700 (diam 34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore M610 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)
<b>SPEED</b>	20	27	27	27	24
<b>FREEWHEEL</b>	Shimano CS-HG50-10 (11-36)	Shimano CS-HG201-9 (11-34)	Shimano CS-HG201-9 (11-34)	Shimano CS-HG201-9 (11-34)	Shimano CS-HG31-8 (11-32)
<b>CHAIN</b>	KMC X10 EL (112 links)	KMC X9 (112 links)	KMC X9 (112 links)	KMC X9 (112 links)	KMC Z8 (112 links)
<b>BRAKES</b>	Shimano M315 Hydraulic Disc	Shimano M315 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Tektro Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-M315	Shimano BL-M315	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus	Tektro
<b>HUBS</b>	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)
<b>THRU AXLE</b>	-	-	-	-	-
<b>RIMS</b>	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel	stainless steel	steel
<b>TYRES</b>	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Rapid Rob 57-622 (29x2.25)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-622 (29x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L - XL)	KLS Active RiseBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)	KLS Active RiseBar diam 31.8mm / width 700mm (M), 720mm (L)	KLS Active RiseBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L - XL)	KLS Active RiseBar diam 31.8mm / width 680mm (S), 700mm (M), 720mm (L)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L - XL)	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L - XL)	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)
<b>SADDLE</b>	KLS Sentinel	KLS Sentinel	KLS Sentinel	KLS Sentinel	KLS Sentinel
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master
<b>FRONT LIGHT</b>	-	-	Büchel Urban halogen	-	-
<b>REAR LIGHT</b>	-	-	Büchel LED - standlight	-	-
<b>FENDERS</b>	-	-	SKS	-	-
<b>ACCESSORIES</b>	-	-	kickstand, bell	-	-

Specification are subject to change without notice.

# MOUNTAIN

## MTB-XC

	<b>SPIDER 10 29"</b>	<b>SPIDER 90 27.5"</b>	<b>SPIDER 70 27.5"</b>	<b>SPIDER 60 27.5"</b>	<b>SPIDER 50 27.5"</b>
<b>FRAME</b>	Kellys Alutec RRC 29 Race Ready Concept, tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept, tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept, tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept, tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept, tapered HT
<b>FRAME SIZE</b>	<b>BLACK</b> S / M / L <b>TURQUOISE</b> S / M / L	S / M / L	S / M / L	S / M / L	<b>BLACK BLUE</b> S / M / L <b>BLACK ORANGE</b> XS / S / M / L
<b>FORK</b>	SR Suntour XCT HLO (29), 100mm, coil / Speed Lockout	SR Suntour XCR RL (27.5), 100mm, coil / Remote Speed Lockout	SR Suntour XCM RL (27.5), 100mm, coil / Remote Speed Lockout	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCM HLO (27.5), 100mm, coil / Speed Lockout
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (126mm)	cartridge (113mm)	cartridge (124.5mm)	cartridge (122mm)	cartridge (113mm)
<b>CRANKSET</b>	Shimano TY501 (42x34x24) length 170mm (S), 175mm (M - L)	KLS Active (38x24) length 170mm (S), 175mm (M - L)	Shimano Altus M2000 (40x30x22) length 170mm (S), 175mm (M - L)	Shimano MT100 (40x30x22) length 170mm (S), 175mm (M - L)	Shimano MT100 (40x30x22) length 170mm (XS - S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY700 (34.9mm)	Shimano Deore M618 (34.9mm)	Shimano Acera M3000 (34.9mm)	Shimano Altus M2000 (diam 34.9mm)	Shimano Altus M2000 (diam 34.9mm)
<b>R/DERAILLEUR</b>	Shimano Altus M2000 (direct mount)	Shimano Deore M610 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)
<b>SPEED</b>	24	20	27	27	27
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG201-9 (11-34)	Shimano CS-HG201-9 (11-34)	Shimano CS-HG201-9 (11-34)
<b>CHAIN</b>	KMC Z8 (112 links)	KMC X10 EL (108 links)	KMC X9 (108 links)	KMC X9 (108 links)	KMC X9 (108 links)
<b>BRAKES</b>	C-Star CX7 Mechanical Disc	Shimano M315 Hydraulic Disc	Shimano M315 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear Center Lock			
<b>BRAKE LEVERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano BL-M315	Shimano BL-M315	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus
<b>HUBS</b>	KLS Firework Disc (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)
<b>THRU AXLE</b>	-	-	-	-	-
<b>RIMS</b>	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)
<b>SPOKES</b>	steel	stainless steel black	stainless steel black	stainless steel	stainless steel black
<b>TYRES</b>	Impac Ridgepac 54-622 (29x2.10)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Schwalbe Rapid Rob 57-584 (27.5x2.25)	Impact Ridgepac 54-584 (27.5x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (XS - M), 100mm (L)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / width 620mm (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 620mm (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 600mm (XS), 620mm (S), 640mm (M), 660mm (L)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Active diam 30.9mm / length 300mm (XS), 350mm (S), 400mm (M - L)
<b>SADDLE</b>	KLS Sentinel	KLS Apex	KLS Apex	KLS Apex	KLS Apex
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master
<b>FRONT LIGHT</b>	-	-	-	Büchel Urban halogen	-
<b>REAR LIGHT</b>	-	-	-	Büchel LED - standlight	-
<b>FENDERS</b>	-	-	-	SKS	-
<b>ACCESSORIES</b>	-	-	-	Kickstand, bell	-

Specification are subject to change without notice.



## MOUNTAIN

### MTB-XC

	<b>SPIDER 30 27.5"</b>	<b>SPIDER 10 27.5"</b>	<b>MADMAN 60 29"</b>	<b>MADMAN 60 27.5"</b>	<b>MADMAN 50 29"</b>
<b>FRAME</b>	Kellys Alutec RRC 27.5 Race Ready Concept, tapered HT	Kellys Alutec RRC 27.5 Race Ready Concept, tapered HT	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept
<b>FRAME SIZE</b>	<b>BLACK XS / S / M / L</b> <b>RED XS / S / M / L</b>	<b>BLACK XS / S / M / L</b> <b>TURQUOISE XS / S / M / L</b>	M / L	XS / S / M	<b>BLACK GREEN M / L</b> <b>NEON LIME M / L</b>
<b>FORK</b>	SR Suntour XCM HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (29), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (29), 100mm, coil / Speed Lockout
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (12mm)	cartridge (12mm)	cartridge (12mm)	cartridge (12mm)	cartridge (12mm)
<b>CRANKSET</b>	Shimano TY501 (42x34x24) length 170mm (XS - S), 175mm (M - L)	Shimano TY501 (42x34x24) length 170mm (XS - S), 175mm (M - L)	SR Suntour XCC (42x32x22) length 175mm (M - L)	SR Suntour XCC (42x32x22) length 170mm (XS - S), 175mm (M)	Shimano TY501 (42x34x24) length 175mm (M - L)
<b>SHIFTERS</b>	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano TY700 (diam 34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Acera M3000 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M370 (direct mount)	Shimano Altus M370 (direct mount)	Shimano Altus M370 (direct mount)
<b>SPEED</b>	24	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG31-8 (11-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z8 (110 links)	KMC Z8 (110 links)	KMC Z8 (110 links)
<b>BRAKES</b>	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Tektro	Tektro	Tektro
<b>HUBS</b>	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	Shimano Dynamo 3D32 Disc / KLS Firework Disc (32 holes)	Shimano Dynamo 3D32 Disc / KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
<b>THRU AXLE</b>	-	-	-	-	-
<b>RIMS</b>	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (XS - M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - M)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / width 600mm (XS), 620mm (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 620mm (XS), 640mm (S), 660mm (M - L)	KLS Active RiseBar diam 31.8mm / width 680mm (M - L)	KLS Active RiseBar diam 31.8mm / width 620mm (XS), 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / width 680mm (M - L)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 300mm (XS), 350mm (S), 400mm (M - L)	KLS Active diam 30.9mm / length 350mm (XS - S), 400mm (M - L)	KLS Active diam 27.2mm / length 400mm (M - L)	KLS Active diam 27.2mm / length 350mm (XS - S), 400mm (M)	KLS Active diam 27.2mm / length 400mm (M - L)
<b>SADDLE</b>	KLS Apex	KLS Apex	KLS DriveLine	KLS DriveLine	KLS DriveLine
<b>PEDALS</b>	KLS Master	KLS Master	alloy	alloy	alloy
<b>FRONT LIGHT</b>	-	-	Büchel Urban halogen	Büchel Urban halogen	-
<b>REAR LIGHT</b>	-	-	Büchel LED - standlight	Büchel LED - standlight	-
<b>FENDERS</b>	-	-	SKS	SKS	-
<b>ACCESSORIES</b>	-	-	kickstand, bell	kickstand, bell	-

Specification are subject to change without notice.

# MOUNTAIN

## MTB-XC

	<b>MADMAN 50 27.5"</b>	<b>MADMAN 30 27.5"</b>	<b>MADMAN 30 26"</b>	<b>MADMAN 10 27.5"</b>	<b>MADMAN 10 26"</b>
<b>FRAME</b>	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 26 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 26 Race Ready Concept
<b>FRAME SIZE</b>	<b>BLACK GREEN XS / S / M</b> <b>NEON LIME XS / S / M</b>	<b>BLACK S / M / L</b> <b>TURQUOISE S / M / L</b>	<b>BLACK XXS / XS / S</b> <b>TURQUOISE XXS / XS / S</b>	<b>BLACK BLUE S / M / L</b> <b>NEON ORANGE S / M / L</b>	<b>BLACK BLUE XXS / XS / S</b> <b>NEON ORANGE XXS / XS / S</b>
<b>FORK</b>	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (26), 100mm, coil / Speed Lockout	SR Suntour XCE (27.5), 80mm, coil spring	SR Suntour XCE (26), 80mm, coil spring
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (120mm)	cartridge (120mm)
<b>CRANKSET</b>	Shimano TY501 (42x34x24) length 170mm (XS - S), 175mm (M)	Shimano TY301 (42x34x24) length 170mm (S), 175mm (M - L)	Shimano TY301 (42x34x24) length 170mm (XXS - S)	Prowheel (42x34x24) length 170mm (S - L)	Prowheel (42x34x24) length 170mm (XXS - S)
<b>SHIFTERS</b>	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TY700 (31.8mm)	Shimano TZ30 (31.8mm)	Shimano TZ30 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Altus M370 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TY500 (direct mount)	Shimano TY500 (direct mount)
<b>SPEED</b>	24	24	24	21	21
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)
<b>CHAIN</b>	KMC Z8 (110 links)	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
<b>BRAKES</b>	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc	Apse Artek V-brake	Apse Artek V-brake
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear		
<b>BRAKE LEVERS</b>	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
<b>HUBS</b>	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	alloy / Shimano TY500 (32 holes)	alloy / Shimano TY500 (32 holes)
<b>THRU AXLE</b>	-	-	-	-	-
<b>RIMS</b>	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 584x19 (32 holes)	KLS Draft Disc 559x19 (32 holes)	KLS Draft 584x19 (32 holes)	KLS Draft 559x19 (32 holes)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - M)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XXS - S)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XXS - S)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / width 620mm (XS), 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / width 660mm (S), 680mm (M - L)	KLS Active RiseBar diam 31.8mm / width 600mm (XXS) / 620mm (XS), 660mm (S)	steel RiseBar diam 25.4mm / width 660mm (S) / 680mm (M - L)	KLS Active RiseBar diam 31.8mm / width 600mm (XXS) / 620mm (XS), 660mm (S)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer
<b>SEAT POST</b>	KLS Active diam 27.2mm / length 350mm (XS - S), 400mm (M)	KLS Active diam 27.2mm / length 350mm (S), 400mm (M - L)	KLS Active diam 27.2mm / length 350mm (XXS - S)	KLS Active diam 27.2mm / length 350mm (S), 400mm (M - L)	KLS Active diam 27.2mm / length 350mm (XXS - S)
<b>SADDLE</b>	KLS DriveLine	KLS DriveLine	KLS DriveLine	KLS DriveLine	KLS DriveLine
<b>PEDALS</b>	alloy	alloy	alloy	plastic	plastic

Specification are subject to change without notice.



## MOUNTAIN

### MTB-XC WOMEN

	<b>DESIRE 90</b>	<b>DESIRE 70</b>	<b>DESIRE 50</b>	<b>DESIRE 30</b>	<b>VANITY 70 29"</b>
<b>FRAME</b>	Kellys Dynamic KLC Lite 29 LSG, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys KLC Lite 29 Lady Sport Geometry
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	M / L
<b>FORK</b>	Rock Shox Reba RL (29) Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon RL (29) Boost, 100mm, Solo Air / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	SR Suntour XCR 32 RLR Air (29) Boost, 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR 32 RLR (29) Boost, 100mm, coil / Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR RL (29), 100mm, coil / Remote Speed Lockout
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	semi-integrated
<b>B.B.PARTS</b>	Sram DUB PressFit	Shimano BB52	-	cartridge (113mm)	cartridge (122mm)
<b>CRANKSET</b>	Sram NX Eagle DUB 1xX-Sync 2 (34) length 170mm (S), 175mm (M - L)	Shimano Deore M6000-B2 Hollowtech II (36x26) length 170mm (S), 175mm (M - L)	KLS Advanced integrated (36x26) length 170mm (S), 175mm (M - L)	Shimano Acera M3000-B2 (36x22) length 170mm (S - M), 175mm (L)	Shimano Altus M2000 (40x30x22) length 170mm (M), 175mm (L)
<b>SHIFTERS</b>	Sram NX Eagle Trigger	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus
<b>F/DERAILLEUR</b>	-	Shimano Deore M6020-D (direct mount)	Shimano Deore M6020-D (direct mount)	Shimano Alivio (19) M4020-D (direct mount)	Shimano Acera M3000 (34.9)
<b>R/DERAILLEUR</b>	Sram NX Eagle X-Horizon	Shimano Deore XT M781 (direct mount)	Shimano Deore XT M781 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)
<b>SPEED</b>	12	20	20	18	27
<b>FREEWHEEL</b>	Sram PG-1230-12 Eagle (11-50)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG201-9 (11-34)	Shimano CS-HG200-9 (11-34)
<b>CHAIN</b>	Sram NX Eagle (114 links)	KMC X10 EL (108 links)	KMC X10 EL (110 links)	KMC X9 (112 links)	KMC X9 (110 links)
<b>BRAKES</b>	Shimano MT500 Hydraulic Disc	Shimano M365 Hydraulic Disc	Shimano M365 Hydraulic Disc	Shimano M315 Hydraulic Disc	Shimano M315 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear Center Lock	180mm front / 160mm rear Center Lock	180mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock
<b>BRAKE LEVERS</b>	Shimano BL-MT500	Shimano BL-M365	Shimano BL-M365	Shimano BL-M315	Shimano BL-M315
<b>HUBS</b>	Novatec Disc (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano MT400-B Disc Center Lock (15x110mm / 12x148mm / 32 holes)	Shimano TX505 Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x142mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x142mm rear	
<b>RIMS</b>	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS MadMax Disc 622x18 (32 holes)	KLS Draft Disc 622x19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10)
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 80mm (M), 100mm (L)
<b>HANDLEBAR</b>	KLS Advanced RiseBar diam 31.8mm / width 640mm (S - M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / width 640mm (M), 660mm (L)
<b>GRIPS</b>	KLS Token 3Density	KLS Token 3Density	KLS Token 3Density	KLS Token 3Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Advanced diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)
<b>SADDLE</b>	KLS Diversa	KLS Diversa	KLS Diversa	KLS Diversa	KLS Ebony Women
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.

# MOUNTAIN

## MTB-XC WOMEN

	<b>VANITY 70 27.5"</b>	<b>VANITY 50 29"</b>	<b>VANITY 50 27.5"</b>	<b>VANITY 40 27.5"</b>	<b>VANITY 30 29"</b>
<b>FRAME</b>	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 29 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 29 Lady Sport Geometry
<b>FRAME SIZE</b>	S / M / L	M / L	S / M / L	S / M / L	M / L
<b>FORK</b>	SR Suntour XCR RL (27.5), 100mm, coil / Remote Speed Lockout	SR Suntour XCT HLO (29), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCT HLO (29), 100mm, coil / Speed Lockout
<b>REAR SHOCK</b>	-	-	-	-	-
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano Altus M2000 (40x30x22) length 170mm (S - M), 175mm (L)	Shimano TY501 (42x34x24) length 170mm (M), 175mm (L)	Shimano TY501 (42x34x24) length 170mm (S - M), 175mm (L)	Shimano TY301 (42x32x24) length 170mm (S - M), 175mm (L)	Shimano TY301 (42x32x24) length 170mm (M), 175mm (L)
<b>SHIFTERS</b>	Shimano Altus SL-M2000 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano Acera M3000 (34.9)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M4000 (direct mount)	Shimano Acera M360 (direct mount)	Shimano Acera M360 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	27	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-9 (11-34)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC X9 (108 links)	KMC Z8 (110 links)	KMC Z8 (108 links)	KMC Z8 (110 links)	KMC Z8 (110 links)
<b>BRAKES</b>	Shimano M315 Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear Center Lock	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-M315	Tektro	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>HUBS</b>	Shimano TX505 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	Shimano Dynamo 3D32 Disc / KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
<b>THRU AXLE</b>	-	-	-	-	-
<b>RIMS</b>	KLS Draft Disc 58x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)	KLS Draft Disc 58x19 (32 holes)	KLS Draft Disc 58x19 (32 holes)	KLS Draft Disc 622x19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Rapid Rob 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 80mm (S), 90mm (M), 100mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / width 620 (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 600mm (S), 640mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 620mm (S - M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 620mm (M), 660mm (L)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)
<b>SADDLE</b>	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	alloy
<b>FRONT LIGHT</b>	-	-	-	Büchel Urban LED	-
<b>REAR LIGHT</b>	-	-	-	Büchel Champs-Elysées LED - standlight	-
<b>FENDERS</b>	-	-	-	SKS	-
<b>ACCESSORIES</b>	-	-	-	kickstand, bell	-

Specification are subject to change without notice.



## MOUNTAIN

### MTB-XC WOMEN

	<b>VANITY 30 27.5"</b>	<b>VANITY 20 27.5"</b>	<b>VANITY 20 26"</b>	<b>VANITY 10 27.5"</b>	<b>VANITY 10 26"</b>
<b>FRAME</b>	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 26 Lady Sport Geometry	Kellys KLC Lite 27.5 Lady Sport Geometry	Kellys KLC Lite 26 Lady Sport Geometry
<b>FRAME SIZE</b>	S / M / L	<b>NEON ORANGE BLUE</b> M / L <b>WHITE</b> M / L	<b>NEON ORANGE BLUE</b> XS / S <b>WHITE</b> XS / S	<b>PURPLE GREY</b> M / L <b>PINK</b> M / L	<b>PURPLE GREY</b> XS / S <b>PINK</b> XS / S
<b>FORK</b>	SR Suntour XCT HLO (27.5), 100mm, coil / Speed Lockout	SR Suntour XCE (27.5), 80mm, coil spring	SR Suntour XCE (26), 80mm, coil spring	SR Suntour XCE (27.5), 80mm, coil spring	SR Suntour XCE (26), 80mm, coil spring
<b>REAR SHOCK</b>					
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (120mm)	cartridge (120mm)
<b>CRANKSET</b>	Shimano TY301 (42x32x24) length 170mm (S - M), 175mm (L)	Shimano TY301 (42x32x24) length 170mm (M), 175mm (L)	Shimano TY301 (42x32x24) length 170mm (XS - S)	Prowheel (42x34x24) length 170mm	Prowheel (42x34x24) length 170mm
<b>SHIFTERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY500 (34.9mm)	Shimano TY500 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)
<b>SPEED</b>	24	24	24	21	21
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)
<b>CHAIN</b>	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z7 (108 links)	KMC Z7 (108 links)
<b>BRAKES</b>	C-Star CX7 Mechanical Disc	Apse Artek V-brake	Apse Artek V-brake	Apse Artek V-brake	Apse Artek V-brake
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	-	-	-	-
<b>BRAKE LEVERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
<b>HUBS</b>	KLS Firework Disc (32 holes)	alloy / Shimano TX500 (32 holes)	alloy / Shimano TX500 (32 holes)	alloy / Shimano TY500 (32 holes)	alloy / Shimano TY500 (32 holes)
<b>THRU AXLE</b>	-	-	-	-	-
<b>RIMS</b>	KLS Draft Disc 584x19 (32 holes)	KLS Draft 584x19 (32 holes)	KLS Draft 559x19 (32 holes)	KLS Draft 584x19 (32 holes)	KLS Draft 559x19 (32 holes)
<b>SPOKES</b>	stainless steel black	steel	steel	steel	steel
<b>TYRES</b>	Impac Ridgepac 54-584 (27.5x2.10)	Innova 54-584 (27.5x2.0)	Innova 54-559 (26x2.0)	Innova 54-584 (27.5x2.0)	Innova 54-559 (26x2.0)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - S)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (XS - S)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / width 620mm (S - M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 600mm (XS), 620mm (S)	KLS Active RiseBar diam 31.8mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / width 600mm (XS), 620mm (S)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Advancer	KLS Advancer
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (XS - S)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (XS - S)
<b>SADDLE</b>	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
<b>PEDALS</b>	alloy	alloy	alloy	plastic	plastic

Specification are subject to change without notice.

# MOUNTAIN

DIRT				
	WHIP 70	WHIP 50	WHIP 30	WHIP 10
<b>FRAME</b>	Kellys Dirt 26 tapered HT, single speed	Kellys Dirt 26 tapered HT, ISCG 05	Kellys Dirt 26 tapered HT, single speed	Kellys Dirt 26 tapered HT, ISCG 05
<b>FRAME SIZE</b>	M / L	M / L	M / L	M / L
<b>FORK</b>	Manitou Circus Expert, 100mm, ACT Air / Absolute+ / Jump Stack / Lockout / Hexlock 20mm thru axle	RST Dirt T, 100mm, coil spring	RST Dirt T, 100mm, coil spring	SR Suntour XCT, 100mm, coil spring
<b>REAR SHOCK</b>	-	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge	cartridge	cartridge	cartridge (124.5mm)
<b>CRANKSET</b>	Samox (32) length 170mm	Samox (34) length 170mm	Samox (32) length 170mm	Samox (34) length 170mm
<b>SHIFTERS</b>	-	Sram X5 9-Speed Trigger	-	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	-	chain guide Mozart Presto, ISCG 05	-	chain guide Mozart Presto, ISCG 05
<b>R/DERAILLEUR</b>	-	Sram X4	-	Shimano Acera M360 (direct mount)
<b>SPEED</b>	1	9	1	7
<b>FREEWHEEL</b>	single speed 15T sprocket	Shimano CS-HG300-9 (11-28)	single speed 15T sprocket	Shimano CS-HG200-7 (12-32)
<b>CHAIN</b>	KMC Z1 (88 links)	KMC X9 (104 links)	KMC Z1 (88 links)	KMC Z7 (106 links)
<b>BRAKES</b>	Shimano MT500 Hydraulic Disc	Shimano MT200 Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	160mm rear	160mm front / 160mm rear	160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT501	Shimano BL-MT200	Tektro	Apse
<b>HUBS</b>	Formula Disc / KT Disc single speed (20x110mm front thru axle / 32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc / KT Disc single speed (32 holes)	KT Disc (32 holes)
<b>THRU AXLE</b>	Manitou Hexlock 20x110mm front	-	-	-
<b>RIMS</b>	KLS Brave Disc 559x23 (32 holes)	KLS Brave Disc 559x23 (32 holes)	KLS Brave Disc 559x23 (32 holes)	KLS Draft Disc 559x19 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	steel
<b>TYRES</b>	Schwalbe Table Top Performance 57-559 (26x2.25) ADDIX	Schwalbe Nobby Nic Performance 57-559 (26x2.25) ADDIX	Schwalbe Table Top Performance 57-559 (26x2.25) ADDIX	Schwalbe Nobby Nic Performance 57-559 (26x2.25) ADDIX
<b>STEM</b>	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm	KLS Aim/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Aim/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Aim/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm
<b>HANDLEBAR</b>	Race Face Chester RiseBar diam 35mm / rise 35mm / width 780mm	KLS Aim/En 70 RiseBar diam 31.8mm / rise 25mm / width 740mm	KLS Aim/En 70 RiseBar diam 31.8mm / rise 25mm / width 740mm	KLS Aim/En 70 RiseBar diam 31.8mm / rise 25mm / width 740mm
<b>GRIPS</b>	Dirt	KLS Advancer	kraton	KLS Advancer
<b>SEAT POST</b>	BMX pivotal diam 30.9mm / length 200mm	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm	Kalloy diam 30.9mm / length 300mm
<b>SADDLE</b>	Pivotal	KLS Vader	KLS Vader	KLS Vader
<b>PEDALS</b>	HT Pedals - nylon composite	HT Pedals - nylon composite	HT Pedals - nylon composite	HT Pedals - nylon composite

Specification are subject to change without notice.



## ROAD

### RACING

	<b>URC 90</b>	<b>URC 70</b>	<b>URC 50</b>	<b>URC 30</b>	<b>ARC 50</b>
<b>FRAME</b>	Kellys iCAD RC Carbon Pro Power Core, tapered HT, internal routing	Kellys iCAD RC Carbon Pro Disc Power Core, flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys iCAD RC Carbon Pro Disc Power Core, flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys iCAD RC Carbon Sport Power Core, tapered HT, internal routing	Kellys Endurance Concept Aluminium alloy Disc flat mount, tapered HT, internal routing
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer post mount disc brake
<b>HEAD PARTS</b>	Ritchey WCS Logic Zero 1.5 integrated	Ritchey Pro Logic Zero 1.5 integrated	Ritchey Pro Logic Zero 1.5 integrated	FSA 1.5 integrated	FSA 1.5 semi-integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano BB-RS500
<b>CRANKSET</b>	Shimano Ultegra R8000 Hollowtech II (52x36) length 172.5mm (S - M), 175mm (L)	Shimano Ultegra R8000 Hollowtech II (50x34) length 172.5mm (S - M), 175mm (L)	Shimano 105 (19) R7000 Hollowtech II (52x36) length 172.5mm (S - M), 175mm (L)	Shimano 105 (19) R7000 Hollowtech II (52x36) length 172.5mm (S - M), 175mm (L)	Shimano RS510 (50x34) length 172.5mm (S - M), 175mm (L)
<b>SHIFTERS</b>	Shimano Ultegra Di2 ST-R8050 Dual Control	Shimano Ultegra ST-R8020 Dual Control	Shimano ST-RS505 Dual Control	Shimano 105 (19) ST-R7000 Dual Control	Shimano 105 (19) ST-R7000 Dual Control
<b>F/DERAILLEUR</b>	Shimano Ultegra Di2 R8050 (brazed on)	Shimano Ultegra R8000 (brazed on)	Shimano 105 (19) R7000 (brazed on)	Shimano 105 (19) R7000 (brazed on)	Shimano 105 (19) R7000 (brazed on)
<b>R/DERAILLEUR</b>	Shimano Ultegra Di2 R8050 (direct mount)	Shimano Ultegra R8000 (direct mount)	Shimano 105 (19) R7000 (direct mount)	Shimano 105 (19) R7000 (direct mount)	Shimano 105 (19) R7000 (direct mount)
<b>SPEED</b>	22	22	22	22	22
<b>FREEWHEEL</b>	Shimano Ultegra CS-R8000-11 (11-28)	Shimano CS-5800-11 (11-32)	Shimano CS-R7000-11 (11-32)	Shimano CS-R7000-11 (11-32)	Shimano CS-R7000-11 (11-32)
<b>CHAIN</b>	Shimano CN-HG701-11 (106 links)	Shimano CN-HG701-11 (106 links)	Shimano HG-601-11 (110 links)	KMC X11 EL (106 links)	Shimano HG-601-11 (108 links)
<b>BRAKES</b>	Shimano Ultegra R8000 / R8010	Shimano Ultegra R8070 Hydraulic Disc	Shimano RS505 Hydraulic Disc	Shimano 105 (19) R7000 / 7010	Tektro Spyre Mechanical Disc
<b>Brake Rotors</b>	-	140mm front / 140mm rear Center Lock	160mm front / 160mm rear Center Lock	-	160mm front / 160mm rear
<b>Brake Levers</b>	Shimano Ultegra Di2 ST-R8050 Dual Control	Shimano Ultegra ST-R8020 Dual Control	Shimano ST-RS505 Dual Control	Shimano 105 (19) ST-R7000 Dual Control	Shimano 105 (19) ST-R7000 Dual Control
<b>HUBS</b>	-	-	-	Shimano 105 (19) R7000 (32 holes)	Novatec Disc (28 holes)
<b>THRU AXLE</b>	-	Mr.Control 12x100mm front / 12x142mm rear	Mr.Control 12x100mm front / 12x142mm rear	-	-
<b>RIMS / WHEELSET</b>	Mavic Ksyrium Elite UST	Mavic Ksyrium UST Disc Center Lock (12x100mm / 12x142mm)	Mavic Aksium Disc Center Lock (12x100mm / 12x142mm)	Kellys Spark 622x15 (32 holes / eyelets)	Kellys Spark 622x15 (28 holes / eyelets)
<b>SPOKES</b>	-	-	-	stainless steel black	stainless steel black
<b>TYRES</b>	Mavic Yksion Pro UST 26-622 (700x25C) folding	Mavic Yksion Elite 28-622 (700x28C) folding	Schwalbe Durano - RaceGuard 25-622 (700x25C)	Schwalbe Lugano K-Guard 25-622 (700x25C)	Schwalbe Lugano K-Guard 25-622 (700x25C)
<b>STEM</b>	Ritchey WCS C220 diam 28.6mm / bar bore 31.8mm / 84° / length 90mm (S), 100mm (M), 110mm (L)	Ritchey WCS C220 diam 28.6mm / bar bore 31.8mm / 84° / length 90mm (S), 100mm (M), 110mm (L)	Ritchey Comp 4-Axis diam 28.6mm / bar bore 31.8mm / 84° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
<b>HANDLEBAR</b>	Ritchey WCS diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	Ritchey Comp Logic II diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	Ritchey Comp Logic II diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)
<b>GRIPS</b>	fi'zi:k microtex bar tape	fi'zi:k microtex bar tape	Kellys bar tape - gel padding	Kellys bar tape	Kellys bar tape
<b>SEAT POST</b>	Ritchey WCS Carbon 1-Bolt monocoque diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	Ritchey WCS Carbon 1-Bolt monocoque diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	Ritchey Comp 2-Bolt diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active Road diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active Road diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)
<b>SADDLE</b>	fi'zi:k Antares R7 Manganese	fi'zi:k Antares R7 Manganese	fi'zi:k Antares R7 Manganese	fi'zi:k Antares R7 Manganese	KLS SlipStream cr-mo
<b>PEDALS</b>	-	-	-	-	-

Specification are subject to change without notice.

# ROAD

RACING		GRAVEL			
ARC 30	ARC 10	SOOT 70	SOOT 50	SOOT 30	
<b>FRAME</b>	Kellys Endurance Concept Aluminium alloy tapered HT, internal routing	Kellys Endurance Concept Aluminium alloy tapered HT, internal routing	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing, 12x142mm thru axle
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Kellys Carbon 1.5 tapered steerer	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated
<b>B.B.PARTS</b>	Shimano BB-RS500	Shimano BB-RS500	Sram GXP	Shimano BB-RS500	Shimano BB-RS500
<b>CRANKSET</b>	Shimano Sora R3000 (50x34) length 170mm (S), 175mm (M-L)	Shimano Claris R2000 (50x34) length 170mm (S-M), 175mm (L)	Sram Apex 1 X-Sync (44) length 172.5mm (S-M), 175mm (L)	Shimano 105 (19) R7000 Hollowtech II (50x34) length 172.5mm (S-M), 175mm (L)	Shimano Claris R2000 (50x34) length 170mm (S-M), 175mm (L)
<b>SHIFTERS</b>	Shimano Sora ST-R3000 Dual Control	Shimano Claris ST-R2000 Dual Control	Sram Apex 1 11-Speed ExactActuation	Shimano ST-RS505 Dual Control	Shimano Claris ST-R2000 Dual Control
<b>F/DERAILLEUR</b>	Shimano Sora R3000 (brazed on)	Shimano Claris R2000 (brazed on)	-	Shimano 105 (19) R7000 (brazed on)	Shimano Claris R2000 (brazed on)
<b>R/DERAILLEUR</b>	Shimano Sora R3000 (direct mount)	Shimano Claris R2000 (direct mount)	Sram Apex 1 X-Horizon	Shimano 105 (19) R7000 (direct mount)	Shimano Claris R2000 (direct mount)
<b>SPEED</b>	18	16	11	22	16
<b>FREEWHEEL</b>	Shimano CS-HG300-9 (11-32)	Shimano CS-HG50-8 (11-32)	Sram PG-1130-11 (11-42)	Shimano CS-HG700-11 (11-34)	Shimano CS-HG50-8 (11-32)
<b>CHAIN</b>	KMC X9 (108 links)	KMC Z8 (108 links)	Sram PC-1110 (114 links)	Shimano HG-601-11 (108 links)	KMC Z8 (110 links)
<b>BRAKES</b>	Tektro	Tektro	Sram Apex 1 Hydraulic Disc	Shimano RS505 Hydraulic Disc	Tektro Spyre Mechanical Disc
<b>BRAKE ROTORS</b>	-	-	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Sora ST-R3000 Dual Control	Shimano Claris ST-R2000 Dual Control	Sram Apex 1	Shimano ST-RS505 Dual Control	Shimano Claris ST-R2000 Dual Control
<b>HUBS</b>	Shimano Claris 2400 (32 holes)	Shimano Claris 2400 (32 holes)	Novatec Disc (32 holes)	Novatec Disc (32 holes)	Novatec Disc (32 holes)
<b>THRU AXLE</b>	-	-	Mr.Control 12x100mm front / Novatec 12x142mm rear	Mr.Control 12x100mm front / Novatec 12x142mm rear	Mr.Control 12x100mm front / Novatec 12x142mm rear
<b>RIMS</b>	Kellys Spark 622x15 (32 holes / eyelets)	Kellys Spark 622x15 (32 holes / eyelets)	Kellys Grind 622x17 (32 holes / eyelets)	Kellys Grind 622x17 (32 holes / eyelets)	Kellys Grind 622x17 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Lugano K-Guard 25-622 (700x25C)	Schwalbe Lugano K-Guard 25-622 (700x25C)	Schwalbe G-One Allround - RaceGuard 40-622 (700x38C) folding	Schwalbe Smart Sam Performance 42-622 (700x40C) ADDIX	Schwalbe Smart Sam Performance 42-622 (700x40C) ADDIX
<b>STEM</b>	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
<b>HANDLEBAR</b>	KLS Active Road diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400m (S), 420mm (M), 440mm (L)
<b>GRIPS</b>	Kellys bar tape	Kellys bar tape	Kellys bar tape	Kellys bar tape	Kellys bar tape
<b>SEAT POST</b>	KLS Active Road diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active Road diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KS - Remote Telescopic diam 30.9mm / length 320mm, travel 75mm	KLS Active Road diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)	KLS Active Road diam 30.9mm / length 300mm (S), 350mm (M), 400mm (L)
<b>SADDLE</b>	KLS SlipStream cr-mo	KLS SlipStream cr-mo	KLS SlipStream cr-mo	KLS SlipStream cr-mo	KLS SlipStream cr-mo
<b>PEDALS</b>	-	-	-	-	-

Specification are subject to change without notice.



## TOUR

### CROSS

	<b>PHANATIC 90</b>	<b>PHEEVE 90</b>	<b>PHANATIC 70</b>	<b>PHANATIC 50</b>	<b>PHANATIC 40</b>
<b>FRAME</b>	Kellys Crossforce Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing, integrated kickstand mount
<b>FRAME SIZE</b>	S / M / L	S / M	S / M / L / XL	S / M / L	S / M / L
<b>FORK</b>	SR Suntour NXR-D RL Air, 75mm, air / Remote Speed Lockout	SR Suntour NXR-D RL Air, 75mm, air / Remote Speed Lockout	SR Suntour NXR-D RL Air, 75mm, air / Remote Speed Lockout	SR Suntour NXR HLO, 75mm, coil / Speed Lockout	SR Suntour NEX HLO, 75mm, coil / Speed Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	Shimano BB52	Shimano BB52	Shimano BB52	Shimano BB-E300 Octalink	cartridge (122.5mm)
<b>CRANKSET</b>	Shimano Deore XT T8000-3 Hollowtech II (48x36x26) length 170mm (S), 175mm (M - L)	Shimano Deore XT T8000-3 Hollowtech II (48x36x26) length 170mm (17"), 175mm (19")	Shimano Deore T6010 Hollowtech II (48x36x26) length 170mm (S), 175mm (M - XL)	Shimano T521 Hollowtech Octalink (48x36x26) length 170mm (S), 175mm (M - L)	Shimano Acera T3010 (48x36x26) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano SLX SL-M670 Rapidfire Plus	Shimano SLX SL-M670 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore XT T8000 (31.8mm)	Shimano Deore XT T8000 (31.8mm)	Shimano Deore T6000 (31.8mm)	Shimano Deore T6000 (31.8mm)	Shimano Acera T3000 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT M781 (direct mount)	Shimano Deore XT M781 (direct mount)	Shimano Deore XT M781 (direct mount)	Shimano Deore T6000 (direct mount)	Shimano Alivio M4000 (direct mount)
<b>SPEED</b>	30	30	30	30	27
<b>FREEWHEEL</b>	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG50-10 (11-36)	Shimano CS-HG300-9 (11-34)
<b>CHAIN</b>	KMC X10 EL (114 links)	KMC X10 EL (114 links)	KMC X10 EL (114 links)	KMC X10 EL (114 links)	KMC X9 (114 links)
<b>BRAKES</b>	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock
<b>BRAKE LEVERS</b>	Shimano BL-MT500	Shimano BL-MT500	Shimano BL-MT500	Shimano BL-MT201	Shimano BL-MT200
<b>HUBS</b>	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / Shimano TX505 Disc Center Lock (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 100mm (S), 110mm (M), 120mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 100mm (S), 110mm (M)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 100mm (S), 110mm (M), 120mm (L-XL)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M - L)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M - L)
<b>HANDLEBAR</b>	KLS Advanced FlatBar diam 31.8mm / width 640mm (S - M), 660mm (L)	KLS Advanced FlatBar diam 31.8mm / width 640mm	KLS Advanced FlatBar diam 31.8mm / width 640mm (S - M), 660mm (L-XL)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Advanced diam 27.2mm / length 350mm	KLS Advanced diam 27.2mm / length 350mm	KLS Advanced diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm
<b>SADDLE</b>	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel	KLS Mirage
<b>PEDALS</b>	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy
<b>FRONT LIGHT</b>	-	-	-	-	Büchel Urban halogen
<b>REAR LIGHT</b>	-	-	-	-	Büchel LED - standlight
<b>FENDERS</b>	-	-	-	-	RPZ
<b>ACCESSORIES</b>	-	-	-	-	kickstand, bell

Specification are subject to change without notice.

# TOUR

## CROSS

	<b>PHANATIC 30</b>	<b>PHEEBE 30</b>	<b>PHANATIC 10</b>	<b>PHEEBE 10</b>	<b>CLIFF 90</b>
<b>FRAME</b>	Kellys Crossforce Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing, integrated kickstand mount	Kellys Crosslite
<b>FRAME SIZE</b>	<b>BLACK</b> S / M / L / XL <b>OLIVE</b> S / M / L	<b>WHITE</b> S / M <b>DARK PINK</b> S / M	<b>RED</b> S / M / L <b>DARK OCEAN</b> S / M / L	<b>DARK BLUE</b> S / M <b>DARK PURPLE</b> S / M	<b>GREY</b> S / M / L / XL <b>BLACK RED</b> S / M / L
<b>FORK</b>	SR Suntour NVX HLD, 75mm, coil / Speed Lockout	SR Suntour NVX HLD, 75mm, coil / Speed Lockout	SR Suntour NEX HLD, 63mm, coil / Speed Lockout	SR Suntour NEX HLD, 63mm, coil / Speed Lockout	SR Suntour NEX HLD, 63mm, coil / Speed Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122.5mm)	cartridge (122.5mm)	cartridge (113mm)	cartridge (113mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano Acera T3010 (48x36x26) length 170mm (S), 175mm (M - XL)	Shimano Acera T3010 (48x36x26) length 170mm (S), 175mm (M)	SR Suntour XCM (48x36x26) length 170mm (S), 175mm (M - L)	SR Suntour XCM (48x36x26) length 170mm (S), 175mm (M)	Shimano TY501 (48x38x28) length 170mm (S), 175mm (M - XL)
<b>SHIFTERS</b>	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus	Shimano Altus SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Acera T3000 (31.8mm)	Shimano Acera T3000 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Acera M3000 (direct mount)	Shimano Altus M370 (direct mount)
<b>SPEED</b>	27	27	27	27	24
<b>FREEWHEEL</b>	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG200-9 (11-34)	Shimano CS-HG200-9 (11-34)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC Z8 (114 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Shimano ST-EF505 / MT200 Hydraulic Disc	Tektro Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear Center Lock	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano ST-EF505-9 EZ-fire Plus	Shimano ST-EF505-9 EZ-fire Plus	Tektro
<b>HUBS</b>	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	Shimano TX505 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel
<b>TYRES</b>	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine	Schwalbe CX Comp Puncture Protection 40-622 (700x38C) ReflectiveLine	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
<b>STEM</b>	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M - L), 125mm (XL)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M - L)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M - L), 125mm (XL)
<b>HANDLEBAR</b>	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm
<b>SADDLE</b>	KLS Mirage	KLS Mirage Lady	KLS Mirage	KLS Mirage Lady	KLS CrossLine
<b>PEDALS</b>	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy	NonSlip - alloy
<b>FRONT LIGHT</b>	-	-	-	-	-
<b>REAR LIGHT</b>	-	-	-	-	-
<b>FENDERS</b>	-	-	-	-	-
<b>ACCESSORIES</b>	-	-	-	-	-

Specification are subject to change without notice.



## TOUR

### CROSS

	<b>CLEA 90</b>	<b>CLIFF 70</b>	<b>CLEA 70</b>	<b>CLIFF 30</b>	<b>CLEA 30</b>
<b>FRAME</b>	Kellys Crosslite Lady	Kellys Crosslite	Kellys Crosslite Lady	Kellys Crosslite	Kellys Crosslite Lady
<b>FRAME SIZE</b>	<b>DARK CORAL S / M</b> <b>BLACK AQUA S / M</b>	<b>BLUE S / M / L</b> <b>BLACK GREEN S / M / L / XL</b>	<b>WHITE S / M</b> <b>VIOLET S / M</b>	<b>BLACK ORANGE S / M / L / XL</b> <b>BLUE RED S / M / L</b>	<b>BLACK PINK S / M</b> <b>BERMUDA MINT S / M</b>
<b>FORK</b>	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout	SR Suntour NEX HLO, 63mm, coil / Speed Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M-XL)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M-XL)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)
<b>SHIFTERS</b>	Shimano Altus SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Altus M370 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	24	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)
<b>BRAKES</b>	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc	Tektro V-brake	Tektro V-brake
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	-	-
<b>BRAKE LEVERS</b>	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>HUBS</b>	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	alloy / Shimano RM30 (32 holes)	alloy / Shimano RM30 (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel	stainless steel	stainless steel	steel	steel
<b>TYRES</b>	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
<b>STEM</b>	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M), 125mm (XL)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M-L), 125mm (XL)	KLS Cross - adjustable diam 28.6mm / bar bore 31.8mm / length 90mm (S), 110mm (M)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 15° / length 90mm (S), 105mm (M-L), 120mm (XL)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 30° / length 90mm (S-M)
<b>HANDLEBAR</b>	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS Cross RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M)	Kalloy Uno RiseBar diam 25.4mm / width 620mm (S - M), 640mm (L - XL)	Kalloy Uno RiseBar diam 25.4mm / width 620mm (S - M)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm
<b>SADDLE</b>	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine
<b>PEDALS</b>	NonSlip - alloy	alloy	alloy	plastic	plastic

Specification are subject to change without notice.

# TOUR

CROSS		TREKKING		
CLIFF 10	CLEA 10	CARSON 70	CARSON 60	CRISTY 60
<b>FRAME</b>	Kellys Crosslite	Kellys Crosslite Lady	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount
<b>FRAME SIZE</b>	<b>BLACK BLUE S / M / L RED S / M / L</b>	<b>GREY PINK S / M BLACK RED S / M</b>	S / M / L / XL	S / M / L / XL
<b>FORK</b>	SR Suntour M3010, 50mm, coil spring	SR Suntour M3010, 50mm, coil spring	SR Suntour NEX DX, 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated (threaded)	semi-integrated (threaded)
<b>B.B.PARTS</b>	cartridge (124.5mm)	cartridge (124.5mm)	cartridge (122.5mm)	cartridge (122mm)
<b>CRANKSET</b>	Prowheel (48x38x28) length 170mm	Prowheel (48x38x28) length 170mm	Shimano Acera T3010 (48x36x26) length 170mm	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M - XL)
<b>SHIFTERS</b>	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano Acera SL-M3000 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M360 (direct mount)
<b>SPEED</b>	21	21	27	24
<b>FREEWHEEL</b>	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-9 (11-34)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC X9 (114 links)	KMC Z8 (114 links)
<b>BRAKES</b>	Apse Artek V-brake	Apse Artek V-brake	Shimano MT200 Hydraulic Disc	Tektro V-brake
<b>BRAKE ROTORS</b>	-	-	160mm front / 160mm rear Center Lock	-
<b>BRAKE LEVERS</b>	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano BL-MT200	Shimano ST-EF510-8 EZ-fire Plus
<b>HUBS</b>	alloy / Shimano TY500 (32 holes)	alloy / Shimano TY500 (32 holes)	Shimano Dynamo 3037 / TX505 Disc Center Lock (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)
<b>RIMS</b>	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft Disc 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)
<b>SPOKES</b>	steel	steel	steel	steel
<b>TYRES</b>	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Schwabe Road Cruiser K-Guard 42-622 (700x42C) ReflectiveLine	Innova 42-622 (700x42C)
<b>STEM</b>	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 15° / length 90mm (S), 105mm (M - L)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 30° / length 90mm (S - M)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M - XL)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M - XL)
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / width 620mm (S), 640mm (M - L)	steel RiseBar diam 25.4mm / width 620mm (S), 640mm (M)	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm
<b>GRIPS</b>	KLS Token	KLS Token	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
<b>SEAT POST</b>	steel diam 27.2mm / length 350mm	steel diam 27.2mm / length 350mm	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M - XL)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M - XL)
<b>SADDLE</b>	KLS CrossLine	KLS ComfortLine	Selle Royal Lookin Men Visual Royalgel	Selle Royal Lookin Women Visual Royalgel
<b>PEDALS</b>	plastic	plastic	NonSlip - alloy	NonSlip - plastic
<b>FRONT LIGHT</b>	-	-	Büchel Urban LED	Büchel Urban LED
<b>REAR LIGHT</b>	-	-	Büchel Champs Elysees LED	Büchel Champs Elysees LED
<b>FENDERS</b>	-	-	RPZ	RPZ
<b>ACCESSORIES</b>	-	-	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell

Specification are subject to change without notice.



# TOUR

## TREKKING

	<b>CARSON 50</b>	<b>CRISTY 50</b>	<b>CARSON 40</b>	<b>CRISTY 40</b>	<b>CARSON 30</b>
<b>FRAME</b>	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount
<b>FRAME SIZE</b>	S / M / L / XL	S / M	S / M / L / XL	S / M	S / M / L
<b>FORK</b>	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour NEX, 63mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010, 50mm, coil spring (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus			
<b>F/DERAILLEUR</b>	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Acera M360 (direct mount)	Shimano Acera M360 (direct mount)	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)
<b>SPEED</b>	24	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC Z8 (114 links)	KMC Z8 (114 links)			
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake	Apse V-brake	Apse V-brake	Apse V-brake
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus			
<b>HUBS</b>	alloy (32 holes)	alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	alloy (32 holes)
<b>RIMS</b>	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes / eyelets)			
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)
<b>STEM</b>	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M - XL)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M - XL)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M - L)
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic			
<b>SEAT POST</b>	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M - XL)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M - XL)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M - L)
<b>SADDLE</b>	Selle Royal Lookin Men Visual Royalgel	Selle Royal Lookin Women Visual Royalgel	KLS CrossLine	KLS ComfortLine	KLS CrossLine
<b>PEDALS</b>	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic
<b>FRONT LIGHT</b>	battery LED	battery LED	Büchel Urban halogen	Büchel Urban halogen	battery LED
<b>REAR LIGHT</b>	Büchel Champs Elysees battery LED	Büchel Champs Elysees battery LED	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees battery LED
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell			

Specification are subject to change without notice.

## TOUR

## URBAN

TREKKING			CITY	
CRISTY 30	CARSON 10	CRISTY 10	AVENUE 90	AVENUE 70
<b>FRAME</b>	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Aluminium alloy monotube 28
<b>FRAME SIZE</b>	S / M	S / M / L	S / M	430mm / 480mm
<b>FORK</b>	SR Suntour M3010, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour M3010, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)	SR Suntour CR-8V, 50mm, coil spring (threaded steerer 28.6mm)
<b>HEAD PARTS</b>	Semi-integrated (threaded)	Semi-integrated (threaded)	Semi-integrated (threaded)	Semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (118mm)
<b>CRANKSET</b>	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M - L)	Shimano TY301 (48x38x28) length 170mm (S), 175mm (M)	Prowheel (38) length 170mm
<b>SHIFTERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano Nexus SL-7S20 Revoshift
<b>F/DERAILLEUR</b>	Shimano TY510 (34.9mm)	Shimano TY510 (34.9mm)	Shimano TY510 (34.9mm)	-
<b>R/DERAILLEUR</b>	Shimano Altus M310 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	-
<b>SPEED</b>	24	21	21	7
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano for internal hub 21T
<b>CHAIN</b>	KMC Z8 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC Z6 (102 links)
<b>BRAKES</b>	Apse V-brake	Apse V-brake	Apse V-brake	Tektro V-brake
<b>BRAKE ROTORS</b>	-	-	-	-
<b>BRAKE LEVERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Apse	Apse	Tektro
<b>HUBS</b>	alloy (32 holes)	alloy / Shimano TY500 (32 holes)	alloy / Shimano TY500 (32 holes)	Shimano Dynamo Nexus C3000 / Shimano C3000 Inter-7 (36 holes)
<b>RIMS</b>	KLS Draft 622x19 (32 holes / eyelets)	KLS Draft 622x19 (32 holes)	KLS Draft 622x19 (32 holes)	KLS Draft 622x19 (36 holes / eyelets)
<b>SPOKES</b>	steel	steel	steel	steel
<b>TYRES</b>	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Innova 42-622 (700x42C)	Schwalbe Citizen - K-Guard 47-622 (28x1.75) ReflectiveLine
<b>STEM</b>	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M - L)	Kalloy Uno - adjustable diam 25.4mm / length 90mm (S), 100mm (M)	Kalloy - adjustable diam 25.4mm / length 90mm
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / rise 35mm / width 630mm	steel RiseBar diam 25.4mm / width 610mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	2Density	2Density	KLS Wave 2Density ergonomic
<b>SEAT POST</b>	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M - L)	Kalloy - suspension diam 31.6mm / length 300mm (S), 350mm (M)	Kalloy - suspension diam 27.2mm / length 350mm
<b>SADDLE</b>	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	Selle Royal Freedom Royalgel
<b>PEDALS</b>	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	VP NonSlip - alloy
<b>FRONT LIGHT</b>	battery LED	battery LED	battery LED	Büchel Urban LED
<b>REAR LIGHT</b>	Büchel Champs Elysees battery LED	Büchel Champs Elysees battery LED	Büchel Champs Elysees battery LED	Büchel Champs Elysees LED
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, chainguard, kickstand, bell

Specification are subject to change without notice.



## URBAN

	CITY				CLASSIC
	AVENUE 50	AVENUE 30	AVENUE 20	AVENUE 10	ROYAL DUTCH
<b>FRAME</b>	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 26	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 26	van Kellys Dutch - Aluminium alloy 28
<b>FRAME SIZE</b>	430mm / 480mm	430mm	430mm / 480mm	430mm	<b>BLACK</b> 460mm <b>MENTHOL</b> 460mm
<b>FORK</b>	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	hi-ten unicrown (threaded steerer 28.6mm)	unicrown steel (threaded steerer)
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	threaded
<b>B.B.PARTS</b>	cartridge (118mm)	cartridge (118mm)	cartridge (118mm)	cartridge (118mm)	cartridge (115mm)
<b>CRANKSET</b>	Prowheel (38) length 170mm	Prowheel (38) length 170mm	Prowheel (38) length 170mm	Prowheel (38) length 170mm	Prowheel (38) length 170mm
<b>SHIFTERS</b>	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S41E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S41E Revoshift	Shimano Nexus SL-7S20 Revoshift
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	-	-	-	-	-
<b>SPEED</b>	3	3	3	3	7
<b>FREEWHEEL</b>	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 16T
<b>CHAIN</b>	KMC Z6 (102 links)	KMC Z6 (98 links)	KMC Z6 (102 links)	KMC Z6 (98 links)	KMC Z6 (98 links)
<b>BRAKES</b>	Apse Artek V-brake front / Shimano coaster brake	Apse Artek V-brake front / Shimano coaster brake	Apse Artek V-brake front / Shimano coaster brake	Apse Artek V-brake front / Shimano coaster brake	Apse Artek V-brake front / Shimano coaster brake
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Tektro	Tektro	Tektro	Tektro	Tektro
<b>HUBS</b>	Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 (36 holes)	Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus C3000 Inter-7 (36 holes)
<b>RIMS</b>	KLS Draft 622x19 (36 holes / eyelets)	Kellys Event 559x19 (36 holes)	Kellys Event 622x19 (36 holes)	Kellys Event 559x19 (36 holes)	KLS Event 622x19 (36 holes)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Mitas Flash 47-622 (28x1.75) ReflectiveLine	Mitas Cobra 50-559 (26x1.90)	Mitas Flash 47-622 (28x1.75) ReflectiveLine	Mitas Cobra 50-559 (26x1.90)	Impac Bigpac 50-622 (28x2.0) ReflectiveLine
<b>STEM</b>	Kalloy - adjustable diam 25.4mm / length 90mm	Kalloy - adjustable diam 25.4mm / length 90mm	Zoom diam 25.4mm / 25° / length 80mm	Zoom diam 25.4mm / 25° / length 80mm	alloy / steel diam 25.4mm / 30° / length 80mm
<b>HANDLEBAR</b>	Steel RiseBar diam 25.4mm / width 610mm	Steel RiseBar diam 25.4mm / width 680mm	Steel RiseBar diam 25.4mm / width 610mm	Steel RiseBar diam 25.4mm / width 680mm	Steel RiseBar diam 25.4mm / width 610mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	HollandGrip
<b>SEAT POST</b>	Kalloy - suspension diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 300mm	Kalloy Uno diam 27.2mm / length 300mm	Kalloy Uno diam 27.2mm / length 300mm	steel diam 27.2mm / length 350mm
<b>SADDLE</b>	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	van Kellys
<b>PEDALS</b>	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	VP NonSlip - plastic	NonSlip - alloy
<b>FRONT LIGHT</b>	Büchel Urban halogen	Büchel Urban halogen	Büchel Retro battery	Büchel Retro battery	<b>MENTHOL:</b> Büchel Retro battery
<b>REAR LIGHT</b>	Büchel Champs Elysees LED	Büchel Champs Elysees LED	Büchel Champs Elysees battery LED	Büchel Champs Elysees battery LED	battery LED, 3 modes
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	steel with coat guard
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	alloy carrier, kickstand, bell	<b>BLACK:</b> front rack, alloy carrier, basket, bell, chainguard, kickstand <b>MENTHOL:</b> front basket, alloy carrier, bell, chainguard, kickstand

Specification are subject to change without notice.

# URBAN

	CLASSIC		FITNESS			
	ARWEN DUTCH		CLASSIC DUTCH	PHYSIO 50	PHYSIO 30	PHYSIO 10
<b>FRAME</b>	van Kellys Dutch - Aluminium alloy 28		van Kellys Dutch - Aluminium alloy 28	Kellys Urban Move Concept Aluminium alloy, flat mount, tapered HT, internal routing	Kellys Urban Move Concept Aluminium alloy, tapered HT, internal routing	Kellys Urban Move Concept Aluminium alloy, tapered HT, internal routing
<b>FRAME SIZE</b>	BLACK 460mm MENTHOL 460mm	RED 460mm BEIGE 460mm	BLUE 460mm CORAL 460mm	S / M / L	S / M / L	S / M / L
<b>FORK</b>	unicrown steel (threaded steerer)		unicrown steel (threaded steerer)	Aluminium alloy 1.5 tapered steerer, flat mount	Aluminium alloy 1.5 tapered steerer	Aluminium alloy 1.5 tapered steerer
<b>HEAD PARTS</b>	threaded		threaded	1.5 semi-integrated	1.5 semi-integrated	1.5 semi-integrated
<b>B.B.PARTS</b>	cartridge (115mm)		cartridge (115mm)	Shimano BB-RS500	cartridge (113mm)	cartridge (113mm)
<b>CRANKSET</b>	Prowheel (38) length 170mm		Prowheel (38) length 170mm	Shimano Sora R3000 (50x34) length 170mm (S), 175mm (M - L)	SR Suntour XCR6 (48x36x26) length 170mm (S), 175mm (M - L)	Samox (44) length 175mm
<b>SHIFTERS</b>	Shimano Nexus SL-3S42E Revoshift		-	Shimano Sora SL-3000 Rapidfire Plus	Shimano Altus SL-M370 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	-		Shimano Sora R3000 (34.9mm)	Shimano Altus M371 (34.9mm)	-	-
<b>R/DERAILLEUR</b>	-		Shimano Sora R3000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Claris R2000 (direct mount)	-
<b>SPEED</b>	3		1	18	27	8
<b>FREEWHEEL</b>	Shimano for internal hub 16T		single 16T	Shimano CS-HG300-9 (11-34)	Shimano CS-HG300-9 (11-34)	Shimano CS-HG200-8 (12-32)
<b>CHAIN</b>	KMC Z6 (98 links)		KMC X9 (112 links)	KMC X9 (112 links)	KMC Z8 (108 links)	-
<b>BRAKES</b>	Apse Artek V-brake front / Shimano coaster brake		Apse Artek V-brake front / coaster brake	Shimano UR300 Hydraulic Disc	Shimano Alivio T4000 V-brake	Tektro V-brake
<b>BRAKE ROTORS</b>	-		-	160mm front / 160mm rear	-	-
<b>BRAKE LEVERS</b>	Tektro		Tektro	Shimano BL-MT200	Shimano Alivio BL-T4010	Tektro
<b>HUBS</b>	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)		alloy / coaster brake hub (36 holes)	Novatec Disc (32 holes)	Shimano Claris 2400 (32 holes)	alloy (32 holes)
<b>RIMS</b>	KLS Event 622x19 (36 holes)		KLS Event 622x19 (36 holes)	Kellys Spark 622x15 (32 holes / eyelets)	Kellys Spark 622x15 (32 holes / eyelets)	Kellys Spark 622x15 (32 holes / eyelets)
<b>SPOKES</b>	steel		steel	stainless steel black	stainless steel black	steel
<b>TYRES</b>	Impac Bigpac 50-622 (28x2.0) ReflectiveLine		Impac Bigpac 50-622 (28x2.0) ReflectiveLine	Schwalbe Spicer 35-622 (700x35C) ReflectiveLine	Schwalbe Spicer 35-622 (700x35C) ReflectiveLine	Schwalbe Spicer 35-622 (700x35C) ReflectiveLine
<b>STEM</b>	alloy / steel diam 25.4mm / 30° / length 80mm		alloy / steel diam 25.4mm / 30° / length 80mm	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 90mm (M), 110mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 90mm (M), 110mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 90mm (M), 110mm (L)
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / width 610mm		steel RiseBar diam 25.4mm / width 610mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 660mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 660mm	KLS Active RiseBar diam 31.8mm / rise 15mm / width 660mm
<b>GRIPS</b>	HollandGrip		HollandGrip	KLS Token 2Density	KLS Token 2Density	KLS Token
<b>SEAT POST</b>	steel diam 27.2mm / length 350mm		steel diam 27.2mm / length 350mm	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)
<b>SADDLE</b>	van Kellys		van Kellys	KLS SlipStream	KLS SlipStream	KLS SlipStream
<b>PEDALS</b>	NonSlip - alloy		NonSlip - alloy	KLS Master	KLS Master	KLS Master
<b>FRONT LIGHT</b>	Büchel Retro battery		Büchel Retro battery	-	-	-
<b>REAR LIGHT</b>	battery LED, 3 modes		battery LED, 3 modes	-	-	-
<b>FENDERS</b>	steel with coat guard		steel with coat guard	SKS	-	-
<b>ACCESSORIES</b>	front basket, alloy carrier, bell, chainguard, kickstand		front basket, alloy carrier, bell, chainguard, kickstand	-	-	-

Specification are subject to change without notice.



## JUNIOR

### JUNIOR

	<b>NAGA 90</b>	<b>NAGA 80</b>	<b>NAGA 70</b>	<b>MARC 90</b>	<b>MARC 70</b>	<b>MARC 50</b>
<b>FRAME</b>	Kellys Aluminium alloy MTB 26	Kellys Aluminium alloy MTB 26	Kellys Aluminium alloy MTB 26	Kellys Alutec RRC MTB 24 Race Ready Concept	Kellys Alutec RRC Junior plus Race Ready Concept	Kellys Alutec RRC MTB 24 Race Ready Concept
<b>FRAME SIZE</b>	340mm	340mm	<b>NEON LIME</b> 340mm <b>BLUE</b> 340mm	315mm	315mm	315mm
<b>FORK</b>	SR Suntour M3010 (26), 63mm, coil spring	Aluminium alloy	SR Suntour M3010 (26), 63mm, coil spring	SR Suntour XCT (24), 50mm, coil spring	Aluminium alloy (post mount)	SR Suntour XCT (24), 50mm, coil spring
<b>HEAD PARTS</b>	threadless a-head	threadless a-head	threadless a-head	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)	cartridge (118mm)	cartridge (126mm)	cartridge (126mm)
<b>CRANKSET</b>	Prowheel (42x34x24) length 152mm	Prowheel (36) length 152mm	Prowheel (42x34x24) length 152mm	SR Suntour XCT (42x32x22) length 160mm	Prowheel (36) length 152mm	Prowheel (36) length 152mm
<b>SHIFTERS</b>	Shimano ST-EF41-7 EZ-fire Plus	Shimano Altus SL-M370 Rapidfire Plus	Shimano ST-EF41-7 Revoshift	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano TY500 (31.8mm)	-	Shimano TY500 (31.8mm)	Shimano TY710 (31.8mm)	-	-
<b>R/DERAILLEUR</b>	Shimano TY300 (direct mount)	Shimano Altus M370 (direct mount)	Shimano TY300 (direct mount)	Shimano Altus M310 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	21	9	21	24	7	7
<b>FREEWHEEL</b>	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-9 (11-34)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-8 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)
<b>CHAIN</b>	KMC Z7 (106 links)	KMC X9 (106 links)	KMC Z7 (106 links)	KMC Z8 (104 links)	KMC Z7 (102 links)	KMC Z7 (102 links)
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake	Tektro V-brake	Tektro Hydraulic Disc	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	-	-	-	160mm / 160mm	160mm / 160mm	160mm / 160mm
<b>BRAKE LEVERS</b>	Shimano ST-EF41-7 EZ-fire Plus	Apse	Apse	Tektro	Tektro	Apse
<b>HUBS</b>	Shimano Dynamo Nexus C3000 / Shimano TY500 (32 holes)	alloy / Shimano TX500 (32 holes)	alloy / Shimano TY500 (32 holes)	KLS Firework Disc (32 holes)	KT alloy Disc (32 holes)	KT alloy Disc (32 holes)
<b>RIMS</b>	KLS Draft 559x19 (32 holes)	KLS Draft 559x19 (32 holes)	KLS Draft 559x19 (32 holes)	KLS Draft Disc 507x19 (32 holes)	KLS Brave Disc 507x23 (32 holes)	KLS Draft Disc 507x19 (32 holes)
<b>SPOKES</b>	steel black	steel black	steel black	steel black	steel black	steel black
<b>TYRES</b>	Innova 54-559 (26x2.0)	Innova 54-559 (26x2.0)	Innova 54-559 (26x2.0)	Mitas Winner 50-507 (24x1.95)	Innova 24x2.35	Mitas Winner 50-507 (24x1.95)
<b>STEM</b>	Kalloy diam 28.6mm / length 60mm	Promax diam 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Promax diam 31.8mm / length 45mm	Promax diam 31.8mm / length 45mm	Promax diam 31.8mm / length 45mm
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / width 580mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 580mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm
<b>GRIPS</b>	kraton 2Density	kraton 2Density	kraton 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	plastic / steel	plastic / steel	plastic / steel	plastic / steel	plastic / steel	plastic / steel
<b>FRONT LIGHT</b>	Büchel Urban halogen	-	-	-	-	-
<b>REAR LIGHT</b>	Büchel Champs Elysees LED	-	-	-	-	-
<b>FENDERS</b>	SKS	-	-	-	-	-
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	-	-	-	-	-

Specification are subject to change without notice.

# JUNIOR

## JUNIOR

	KITER 70	KITER 50	KITER 30	LUMI 70	LUMI 50
<b>FRAME</b>	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20
<b>FRAME SIZE</b>	280mm	<b>AQUA</b> 280mm <b>BLACK RED</b> 280mm <b>WHITE</b> 280mm <b>BLACK</b> 280mm	<b>DEEP BLUE</b> 280mm <b>NEON ORANGE</b> 280mm <b>YELLOW NEON</b> 280mm <b>PINK</b> 280mm	255mm	<b>BLACK</b> 255mm <b>PINK</b> 255mm
<b>FORK</b>	SR Suntour M3010 (24), 50mm, coil spring	SR Suntour M3010 (24), 50mm, coil spring	hi-ten unicrown	hi-ten unicrown	SR Suntour M3010 (20), 40mm, coil spring
<b>HEAD PARTS</b>	threadless a-head	threadless a-head	threadless a-head	threadless a-head	threadless a-head
<b>B.B.PARTS</b>	cartridge (126mm)	cartridge (120mm)	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)
<b>CRANKSET</b>	Prowheel (32) length 140mm	Prowheel (42x34x24) length 152mm	Prowheel (36) length 152mm	Prowheel (32) length 140mm	Prowheel (32) length 140mm
<b>SHIFTERS</b>	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano SL-RS35-7 Revoshift
<b>F/DERAILLEUR</b>	-	Shimano TY500 (31.8mm)	-	-	-
<b>R/DERAILLEUR</b>	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	-	Shimano TY300 (direct mount)
<b>SPEED</b>	7	21	7	3	7
<b>FREEWHEEL</b>	Shimano CS-HG200-7 (12-32)	Shimano CS-HG200-7 (12-32)	Shimano MF-TZ21-7 (14-28)	Shimano for internal hub 21T	Shimano CS-HG200-7 (12-32)
<b>CHAIN</b>	KMC Z7 (102 links)	KMC Z7 (102 links)	KMC Z7 (102 links)	KMC Z1 (84 links)	KMC Z7 (96 links)
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake	Tektro V-brake	Tektro V-brake front / Shimano coaster brake	Tektro V-brake
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Apse	Apse	Apse	Apse	Apse
<b>HUBS</b>	Shimano Dynamo Nexus C3000 / alloy (32 holes)	alloy (32 holes)	alloy (32 holes)	Shimano Dynamo Nexus C3000 / Shimano Nexus 3C41 Inter-3 (32 holes)	alloy (28 holes)
<b>RIMS</b>	KLS Wasper 507x19 (32 holes)	KLS Wasper 507x19 (32 holes)	KLS Wasper 507x19 (32 holes)	KLS 406x21 (32 holes)	KLS 406x21 (28 holes)
<b>SPOKES</b>	steel black	steel black	steel black	steel black	steel black
<b>TYRES</b>	Mitas Winner 50-507 (24x1.90)	Mitas Winner 50-507 (24x1.95)	Mitas Winner 50-507 (24x1.90)	Mitas Winner 50-406 (20x1.90)	Mitas Winner 50-406 (20x1.90)
<b>STEM</b>	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 550mm	steel RiseBar diam 25.4mm / width 550mm
<b>GRIPS</b>	kraton 2Density	kraton 2Density	kraton	kraton	kraton
<b>SEAT POST</b>	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	steel diam 27.2mm / length 300mm	steel diam 27.2mm / length 300mm	steel diam 27.2mm / length 300mm
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic
<b>FRONT LIGHT</b>	Büchel Urban halogen	-	-	Büchel Urban halogen	-
<b>REAR LIGHT</b>	Büchel Champs Elysees LED	-	-	Büchel Champs Elysees LED	-
<b>FENDERS</b>	RPZ	-	-	RPZ	-
<b>ACCESSORIES</b>	alloy carrier, kickstand, bell	-	-	alloy carrier, kickstand, bell	-

Specification are subject to change without notice.




## JUNIOR

### JUNIOR

	LUMI 30	MAGGIE	CINDY	WASPER	EMMA
<b>FRAME</b>	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy monotube 24	Kellys Aluminium alloy monotube 20	Kellys Aluminium alloy MTB 16	Kellys Aluminium alloy monotube 16
<b>FRAME SIZE</b>	<b>WHITE</b> 255mm <b>PINK</b> 255mm <b>RED</b> 255mm <b>GREEN</b> 255mm	355mm	295mm	<b>BLUE</b> 245mm <b>YELLOW</b> 245mm	<b>SKY</b> 245mm <b>PINK</b> 245mm
<b>FORK</b>	hi-ten unicrown	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown (threaded steerer 25.4mm)	hi-ten unicrown	hi-ten unicrown
<b>HEAD PARTS</b>	threadless a-head	threaded	threaded	threaded	threaded
<b>B.B.PARTS</b>	cartridge (126mm)	cartridge (119mm)	cartridge (116mm)		
<b>CRANKSET</b>	Prowheel (32) length 140mm	Prowheel (38) length 152mm	Prowheel (36) length 140mm	steel chainwheel (32)	steel chainwheel (32)
<b>SHIFTERS</b>	Shimano SL-RS35-6 Revoshift	Shimano Nexus SL-3S41E Revoshift	-	-	-
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	Shimano TY21 (direct mount)	-	-	-	-
<b>SPEED</b>	6	3	1	1	1
<b>FREEWHEEL</b>	Shimano MF-TZ20-6 (14-28)	Shimano for internal hub 20T	single 18T sprocket	single 16T sprocket	single 16T sprocket
<b>CHAIN</b>	KMC Z6 (96 links)	KMC Z6 (94 links)	KMC Z6 (84 links)		
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake front / Shimano coaster brake	Tektro V-brake front / coaster brake	V-brake front / coaster brake	V-brake front / coaster brake
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Apse	Apse	Apse	plastic	plastic
<b>HUBS</b>	alloy (28 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / coaster brake (28 holes)	steel / coaster brake hub	steel / coaster brake hub
<b>RIMS</b>	KLS 406x21 (28 holes)	KLS Wasper 507x19 (36 holes)	KLS 406x21 (28 holes)	305x20 (20 holes)	305x20 (20 holes)
<b>SPOKES</b>	steel black	Steel	steel	steel	steel
<b>TYRES</b>	Mitas Winner 50-406 (20x1.90)	Mitas Walrus 47-507 (24x1.75x2) ReflectiveLine	Mitas Walrus 47-406 (20x1.75x2)	nylon 47-305 (16x1.75)	nylon 47-305 (16x1.75)
<b>STEM</b>	Kallyo diam 28.6mm / length 60mm	alloy diam 22.2mm / 30° / length 40mm	alloy diam 22.2mm / 30° / length 40mm	steel	steel
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / width 550mm	steel diam 25.4mm / width 660mm	steel diam 25.4mm / width 610mm	steel RiseBar	steel RiseBar
<b>GRIPS</b>	kraton	3D density ergonomic	3D density ergonomic	PVC plastic	PVC plastic
<b>SEAT POST</b>	steel diam 27.2mm / length 300mm	steel diam 27.2mm / length 300mm	steel diam 27.2mm / length 260mm	steel	steel
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	plastic	NonSlip - plastic	NonSlip - plastic	plastic	plastic
<b>FENDERS</b>	-	RPZ	RPZ	plastic	plastic
<b>ACCESSORIES</b>	-	kickstand, bell	kickstand, bell	h/bar & stem pads, training wheels, bell	h/bar & stem pads, training wheels, bell


Specification are subject to change without notice.



#### E-BIKES: TYGON 70 (29), TYGON 50 (29)

Kellys e-Frame 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623.3	440	639.2	130	74°	67.5°	48	435	1175
L	490	650.9	465	650.9	140	74°	67.5°	48	435	1204
XL	520	673.6	485	657.6	150	74°	67.5°	48	435	1227.7



#### E-BIKES: TAYEN 50 (29)

Kellys e-Frame KLC 29, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	425	599.8	415	644.3	130	74°	68.5°	48	435	1139.7
L	470	617.4	430	653.6	140	74°	68.5°	48	435	1158.4

#### E-BIKES: TAYEN 50 (27.5)

Kellys e-Frame 27.5, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	395	586.1	410	614.3	120	74°	67.5°	48	430	1124.4
M	420	603.8	425	623.5	130	74°	67.5°	48	430	1143.2
L	455	631.4	450	632.8	140	74°	67.5°	48	430	1172

#### E-BIKES: TAYEN 50 (27.5)


Kellys e-Frame KLC 27.5, Uni-Body Integrated Design

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	380	576.8	400	616.7	120	74°	68°	48	430	1109.4
M	405	585.2	405	628.5	130	74°	68.5°	48	430	1113

#### E-BIKES: TYGON 30 (29)

Kellys e-Frame 29, Uni-Body Integrated Design


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623.3	440	639.2	130	74°	67.5°	48	445	1185
L	490	650.9	465	648.4	140	74°	67.5°	48	445	1214
XL	520	673.6	485	657.6	150	74°	67.5°	48	445	1237.7



#### E-BIKES: TYGON 10

Kellys e-Power 29


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	580	389.7	622.3	110	73°	67.5°	51.5	465	1143.5
M	440	605	411.9	631.6	120	73°	67.5°	51.5	465	1169.5
L	490	635	439.1	640.8	130	73°	67.5°	51.5	465	1200.5



#### E-BIKES: THEOS 60, THEOS 50

Kellys Allmountain 27.5


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	585	420.6	613.7	110	75°	68°	25	455	1167.7
M	420	605	440.6	613.7	110	75°	68°	25	455	1187.7
L	460	625	458.2	622.9	120	75°	68°	25	455	1209.4
XL	500	645	475.6	632.2	130	75°	68°	25	455	1230.2



#### E-BIKES: ESTIMA 50

CITY: Kellys e-Power Aluminium alloy monotube 28


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
450mm	450	585	140	72°	70.5°	65	505	1125
480mm	480	590	140	72°	70.5°	65	505	1130



#### MOUNTAIN - DOWNHILL: NOID 90 (29)

Kellys Gravity DH 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
L	380	622.7	471.4	616.3	120	55.6°	62.6°	1	447.7	1301.2



#### MOUNTAIN - ENDURO: SWAG 50, SWAG 30, SWAG 10


Kellys Enduro 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	551.2	439	572.5	105	74°	66°	11.6	418	1163
M	425	584.7	469.8	581.7	115	74°	66°	11.6	418	1198
L	480	603.3	486	590.8	125	74°	66°	11.6	418	1218

#### MOUNTAIN - DOWNHILL: NOID 90 (27.5), NOID 70 (27.5)

Kellys Gravity DH 27.5


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	380	545.8	415	593.5	120	56°	63°	14	421.4	1199.7
L	380	590.8	460	593.5	120	56°	63°	14	421.4	1244.7
XL	380	615.9	485	593.5	120	56°	63°	14	421.4	1270



#### MOUNTAIN - TRAIL: THORX 50 (27.5), THORX 30 (27.5), THORX 10 (27.5)

Kellys Allmountain 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	563.5	442.1	561.4	105	73°	67°	10.2	418.2	1148.5
M	425	597.4	473.2	570.6	115	73°	67°	10.2	418.2	1183.5
L	480	616.3	489.2	579.8	125	73°	67°	10.2	418.2	1203.5



#### MOUNTAIN - TRAIL: SLANGER 50, SLANGER 30


Kellys Allmountain Carbon Composite 29/27.5+

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	394	567	416	598	90	75.85°	67°	30	450	1161
M	453	610	434	607	100	74.0°	67°	30	450	1184
L	498	635	455	617	110	74.0°	67°	30	450	1208

#### MOUNTAIN - TRAIL: THORX 50 (29), THORX 30 (29), THORX 10 (29)

Kellys Allmountain 29


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	578.7	446.3	591.8	105	72°	67°	6.6	429.5	1179.6
M	440	606.8	471.4	601	115	72°	67°	6.6	429.5	1208.6
L	500	624.9	486.5	610.3	125	72°	67°	6.6	429.5	1227.6



#### MOUNTAIN - TRAIL: GIBON 70, GIBON 50, GIBON 30

Kellys Dynamic Trail 27.5


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	590	411	603	105	73.5°	67°	44	430	1126
M	445	615	434	612	115	73.5°	67°	44	430	1152
L	490	635	451	621	125	73.5°	67°	44	430	1173



#### MOUNTAIN - MTB-XC: HACKER 90, HACKER 70, HACKER 50, HACKER 30

Kellys iCAD Carbon Pro 29


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	419.1	580.7	419.8	593.5	95	74°	69°	48	422.7	1094.2
M	462.1	602.5	439	602.8	105	74°	69°	48	422.7	1116.9
L	526.1	630.7	463	616.9	120	74°	69°	48	422.7	1146.5



#### MOUNTAIN - MTB-XC: GATE 90 (29), GATE 70 (29), GATE 50 (29), GATE 30 (29)

Kellys Dynamic RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	420	580	401	604.5	100	73.5°	69.5°	52	435	1088.5
M	470	610	428.2	613.8	110	73.5°	69.5°	52	435	1119.2
L	520	640	455.4	623.2	120	73.5°	69.5°	52	435	1150



#### MOUNTAIN - MTB-XC: SPIDER 90 (29), SPIDER 70 (29), SPIDER 30 (29), SPIDER 10 (29)


Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	600	414.5	623.8	105	73.5°	70°	55	440	1107
M	480	620	432.8	628.5	110	73.5°	70°	55	440	1127
L	530	640	451.1	633.2	115	73.5°	70°	55	440	1147
XL	580	660	467.6	642.5	125	73.5°	70°	55	440	1167

#### MOUNTAIN - MTB-XC: SPIDER 60 (29)

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	432.8	628.5	110	73.5°	70°	55	445	1132
L	530	640	451.1	633.2	115	73.5°	70°	55	445	1152



#### MOUNTAIN - MTB-XC: SPIDER 90 (27.5), SPIDER 70 (27.5), SPIDER 30 (27.5), SPIDER 10 (27.5)


Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	375	580	397.7	594.4	105	73°	70°	45	430	1070
S	425	600	416	599.1	110	73°	70°	45	430	1090
M	475	620	434.3	603.8	115	73°	70°	45	430	1110
L	525	650	460.8	613.2	125	73°	70°	45	430	1140

#### MOUNTAIN - MTB-XC: SPIDER 60 (27.5)

Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	425	600	416	599.1	110	73°	70°	45	440	1100
M	475	620	434.3	603.8	115	73°	70°	45	440	1120
L	525	650	460.8	613.2	125	73°	70°	45	440	1150



#### MOUNTAIN - MTB-XC: MADMAN 60 (29)

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	430	641.4	110	73.5°	70°	55	455	1144.1
L	530	640	448.6	646.1	115	73.5°	70°	55	455	1164.4

#### MOUNTAIN - MTB-XC: MADMAN 50 (29)

Kellys Alutec RRC 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	480	620	432.8	632	110	73.5°	70°	55	440	1128.3
L	530	640	451.4	636.7	115	73.5°	70°	55	440	1148.6

#### MOUNTAIN - MTB-XC: MADMAN 60 (27.5)

Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	395	560	371.5	615.7	115	73°	70°	45	440	1052.1
S	445	580	390	620.4	120	73°	70°	42	440	1072.3
M	495	600	405.8	634.5	135	73°	70°	42	440	1093.2

#### MOUNTAIN - MTB-XC: MADMAN 50 (27.5)


Kellys Alutec RRC 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	395	560	388.8	559.3	115	73°	70°	45	430	1051.3
S	445	580	407.2	564	120	73°	70°	42	430	1071.4
M	495	600	423.3	578	135	73°	70°	42	430	1092.6

#### MOUNTAIN - MTB-XC: MADMAN 30 (26), MADMAN 10 (26)

Kellys Alutec RRC 26


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XXS	345	540	370.7	536.8	115	72.5°	70°	32	420	1017.3
XS	395	560	390.7	536.8	115	72.5°	70°	32	420	1037.3
S	445	580	409.3	541.5	120	72.5°	70°	32	420	1057.6
M	495	600	405.8	634.5	135	73°	70°	42	440	1093.2



#### MOUNTAIN - MTB-XC WOMEN: DESIRE 90, DESIRE 70, DESIRE 50, DESIRE 30

Kellys Dynamic KLC Lite 29 LSG

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	380	552	90	73.5	70.5°	63.5	442	1051.3		
M	432	574	100	73.5	71°	63.5	442	1068.2		
L	483	594	115	73.5	71°	63.5	442	1088.4		



#### MOUNTAIN - MTB-XC WOMEN: VANITY 70 (29), VANITY 50 (29), VANITY 30 (29)

Kellys KLC LITE 29

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	430	580	386.7	632.3	110	73°	69.5°	63	440	1084
L	480	610	413.8	641.7	120	73°	69.5°	63	440	1114.8

#### MOUNTAIN - MTB-XC WOMEN: VANITY 70 (27.5), VANITY 50 (27.5), VANITY 40 (27.5), VANITY 30 (27.5)

Kellys KLC LITE 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	365.4	603.7	120	73°	69.5°	42	430	1048
M	425	570	380.6	619.6	135	73°	70°	42	430	1062.6
L	475	590	397.7	629	145	73°	70°	42	430	1084

#### MOUNTAIN - MTB-XC WOMEN: VANITY 20 (27.5), VANITY 10 (27.5)


Kellys KLC LITE 27.5

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	365.4	603.7	120	73°	69.5°	42	430	1048
M	425	570	385	605.5	135	73°	70°	42	430	1062.6
L	475	590	402	615	145	73°	70°	42	430	1083.2

#### MOUNTAIN - MTB-XC WOMEN: VANITY 20 (26), VANITY 10 (26)

Kellys KLC LITE 26

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	343	526	363	550	100	73.5°	69.5°	30	405	1004
S	375	545	361.2	582.8	120	72.5°	70.5°	40	425	1018.4



#### MOUNTAIN - DIRT: WHIP 70, WHIP 30



Kellys Dirt 26

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	320	581	390	555	120	71°	70°	5	397	1030
L	320	606	415	555	120	71°	70°	5	397	1055

#### MOUNTAIN - DIRT: WHIP 50, WHIP 10

Kellys Dirt 26

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	340	570	400	420	120	73°	68°	15	405	1066
L	340	590	556	556	120	73°	68°	15	405	1086



#### ROAD - RACING: URC 90, URC 70, URC 50, URC 30


Kellys iCAD RC Carbon Composite

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	475	540	391.6	517.4	120	74°	71°	70	43	405	990
M	520	563.1	403.2	540	140	73.5°	72°	70	43	405	1000
L	565	587.5	414.1	567.1	165	73°	73°	70	43	405	1010

#### ROAD - GRAVEL: SOOT 70, SOOT 50, SOOT 30

Kellys Gravel Concept - Aluminium alloy


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	490	536	372.4	552.4	130	73.5°	70.5°	70	48	430	1016
M	515	552	377.3	571.4	150	73°	70.5°	70	48	430	1027.3
L	540	568	386.3	594.3	170	73°	71.5°	70	48	430	1033.5



#### ROAD - RACING: ARC 50, ARC 30, ARC 10


Kellys Endurance Concept - Aluminium alloy

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	500	536	373.2	549.5	150	73.5°	71.5°	72.5	42	415	985.7
M	532	547	379	567	170	73.5°	72.0°	71.5	42	415	993
L	559	560	386	587.8	190	73.5°	72.5°	71.5	42	415	1001




**TOUR - CROSS:**  
Kellys Crossforce Lite - Sport Cross Geometry

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	570	384	610	120	73°	70.5°	57	445	1063
M	480	590	403	617	130	73°	70.5°	57	445	1084
L	530	610	418	626	140	73°	70.5°	57	445	1104
XL	580	630	435	636	150	73°	70.5°	57	445	1124




**TOUR - CROSS:**  
Kellys Crossforce Lady Lite - Sport Cross Geometry

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	570	384	608	120	73°	70.5°	57	445	1063
M	480	590	399	627	140	73°	70.5°	57	445	1083




**TOUR - CROSS: CLIFF 90, CLIFF 70, CLIFF 30, CLIFF 10**  
Kellys Crosslite

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	580	396	603	120	73°	70.5°	53.5	445	1077
M	480	590	403	612	130	73°	70.5°	53.5	445	1087
L	530	605	415	622	140	73°	70.5°	53.5	445	1102
XL	580	620	427	631	150	73°	70.5°	53.5	445	1118




**TOUR - CROSS: CLEA 90, CLEA 70, CLEA 30, CLEA 10**  
Kellys Crosslite Lady

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	568	381	612	120	73°	70.5°	53.5	445	1065
M	480	583	396	612	130	73°	70.5°	53.5	445	1080




**TOUR - TREKKING: CARSON 70, CARSON 60, CARSON 50, CARSON 40, CARSON 30, CARSON 10**  
Kellys Tour Profile

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	558	376	595	110	73°	70°	60	445	1056,5
M	480	569	381	616	130	73°	70.5°	60	445	1063,1
L	530	583	388	637	150	73°	71°	60	445	1072,3
XL	580	598	397	656	170	73°	71°	60	445	1088,0



**TOUR - TREKKING: CRISTY 60, CRISTY 50, CRISTY 40, CRISTY 30, CRISTY 10**  
Kellys Tour Profile Lady


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	410	563	369	636	150	73°	70.5°	60	445	1058,0
M	460	578	383	636	150	73°	71°	60	445	1067,3



#### URBAN - CITY: AVENUE 90

Aluminum alloy monotube 28


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	608,5	165	70°	71°	55	455	1074,2
480mm	480	633,7	190	68,5°	71°	55	455	1079,3



#### URBAN - CITY: AVENUE 30, AVENUE 10

Aluminum alloy monotube 26


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	432	599,4	140	69,5°	71°	35	430	1047,6



#### URBAN - CITY: AVENUE 50, AVENUE 20

Aluminum alloy monotube 28


size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	605,8	165	70°	71°	55	455	1074,2
480mm	480	630	190	68,5°	71°	55	455	1079,3



#### URBAN - CITY: ROYAL DUTCH, ARWEN DUTCH, CLASSIC DUTCH

van Kellys Dutch - Aluminum alloy 28

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
460mm	460	617,5	173	69,5°	69°	65	460	1102,1



#### URBAN - FITNESS: PHYSIO 50, PHYSIO 30, PHYSIO 10

Kellys Urban Move Concept - Aluminium alloy

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	FO (mm)	WB (mm)
S	460	575	406	553	145	73°	71°	55	430	43,5	1050
M	510	595	420	572	165	73°	71°	55	430	45	1072
L	560	615	435	591	185	73°	71°	55	430	45	1093

## CONTACTS

### AUSTRALIA

Ride Sports ANZ Pty Ltd  
East Building 6,  
605 Zillmere Road  
4034 Aspley, Queensland  
Tel.: +61 1800 888 898  
e-mail: info@ridesports.com.au

### AUSTRIA

KELLYS BICYCLES s.r.o.  
SLNECNA CESTA 374  
922 01 VELKE ORVISTE  
tel.: +421 333 213 140  
fax: +421 333 213 199  
e-mail: vladimir.skarka@kellysbike.com

### BAHRAIN

Sabeel Trading S.P.C  
Shop No 2209, Road 90, Block 1014  
1014 Hamala  
Phone Number: +973 17 612 995  
e-mail: Sabeelbikeshop@gmail.com

### BELARUS

VeloDrive  
Papernynsky village council, N9037, 15/3  
220030 Minsk  
Tel.: +375 29 683 39 33  
e-mail: bonviko@mail.ru

### BULGARIA

VELOZONA LTD  
25 OTEC PAISIY STREET  
5100 GORNA ORHOVITSA  
tel.: +359 887 800 104  
e-mail: velozona@abv.bg

### CROATIA

L. K. D. D.O.O. KUTINA  
A.G. MATOSA 12  
KUTINA  
tel. / fax: +385 (0)44 683 504  
e-mail: mbjeljac@inet.hr  
www.bikeshop.hr

### CYPRUS

TASOS ALETRAS Ltd.  
266 TSERIOU AVENUE  
2044 NICOSIA STROVOLOS  
tel.: +35 722 321015  
fax: +35 722 321731  
e-mail: info@aletras-megabike.com  
www.aletras-megabike.com

### CZECH REPUBLIC

KELLYS BICYCLES CZECH REPUBLIC s.r.o.  
HAVLÍČKOVA 426  
753 01 HRANICE  
tel.: +420 581 698 810  
e-mail: infocz@kellysbike.com

### ESTONIA

VELOPLUS  
SAKU 3  
11314 TALLINN  
tel.: +372 6 556 977  
fax: +372 6 556 308  
e-mail: veloplus@veloplus.ee  
www.veloplus.ee

### FINLAND

Kuopion pyöräkauppa bikemania oy  
Puijonkatu 28  
70100 KUOPIO  
Tel.: +358 442 303 867  
e-mail: posti@bikemania.fi

### FRANCE

FREE SPORT SPIRIT  
33 rue Brechenmacher  
68380, Breitenbach  
Tel.: +33 695 853 578  
e-mail: contact-kellysbike@orange.fr

### GEORGIA

LTD Freeriders  
Shatberashvili street #2 Apartment #55  
0179 Tbilisi  
Tel.: +995 574 944 555  
e-mail: infogeoriders@gmail.com

### GERMANY

KELLYS BICYCLES DEUTSCHLAND  
AM WALDBERG 15  
12683 BERLIN  
tel.: +49 (0)30 510 61 837  
fax: +49 (0)30 510 61 838  
e-mail: kellysdeutschland@kellysbike.com

### HUNGARY

KELLYS BICYCLES s.r.o.  
1051 Budapest,  
Arany Janos u. 15.  
tel: +36 20 351 7141  
e-mail: Infohu@kellysbike.com

### ITALY

MODOLO ITALIA SRLS  
VIA VENZONE 17  
21028 VAZZOLA TV  
tel.: +39 327 566 3036  
tel.: +39 348 778 2801  
e-mail: serena@modolo.com  
e-mail: pietro.caschera@gmail.com

### IRELAND

A.B. CYCLE FACTORS Ltd.  
14A SOUTH SUMMER STREET  
DUBLIN 8  
tel.: +353 1 4532777  
fax: +353 1 4544793  
email: abcycles@eircom.net

### ISRAEL

BILUBKES  
Bilu 16, Jerusalem, Israel  
Phone number : +972-2-5619494  
Email: bilu.kellys@gmail.com

### LATVIA

SIA AQUA PRO  
GAROZES 1  
LV-1004 RIGA  
tel.: +371 762 6025  
fax: +371 789 2053  
e-mail: jurism@fans.lv

### LITHUANIA

UAB MyBike  
Draugystes 17  
LT-51229, Kaunas  
tel./fax: +370 3735 00 95  
e-mail: aistis@mybike.lt

### NORWAY

TEMPO AS  
TORVLIA 14  
1739 BORGENHAUGEN  
tel: +47 69 100 570  
fax: +47 69 166 252  
e-mail: john@tempoas.no  
www.tempoas.no

### POLAND

KELLYS Sp. z.o.o.  
UL. E. KWIATKOWSKIEGO 24  
55-011 SIECHNICE K. WROCŁAWIA  
tel.: +48 71 318 88 77  
fax: +48 71 318 88 99  
e-mail: infopl@kellysbike.com

### PORTUGAL

ALEXANDRE DIAS Lda  
AV. VILLAGARCIA DE AROSA, 1060  
4450-300 MATOSINHOS  
tel.: +351 229 398 990  
fax: +351 229 398 993  
e-mail: alex.dias@mail.telepac.pt  
www.alexandredias.net

### RUSSIA

VELOOLIMP  
MOSCOW, UL. ELEKTRODNAYA, DOM 2  
tel./fax: +7 (495) 788 19 52  
e-mail: mail@veloolimp.ru  
www.kellys-russia.ru

### SERBIA

IVA D.O.O.  
TOLSTOJEVA 14  
210 00 NOVI SAD  
tel.: +381 215 422 16  
e-mail: iva@iva.co.rs  
www.iva.co.rs

### SEYCHELLES

Maria Store,  
La passe, La Digue,  
Seychelles.  
Tel.: +2482546196  
e-mail: maria94@seychelles.net

### SLOVAKIA

KELLYS BICYCLES s.r.o.  
SLNECNÁ CESTA 374  
922 01 VELKÉ ORVIŠTE  
tel.: +421 333 213 111  
fax: +421 333 213 199  
e-mail: infosk@kellysbike.com

### SLOVENIA

PE BIKE CENTER  
ERJAVCEVA ULICA 5  
SI-2000 MARIBOR  
tel.: +386 242 018 36  
e-mail: info@bike-center.si  
www.bike-center.si

### SWEDEN

JAMTLANDS CYKELFABRIK  
KYRGATAN 27  
S-83131 ÖSTERSUND  
tel./fax: +46 63 12 72 22  
e-mail: info@jamtlandskykelfabrik.se

### SWITZERLAND

Loup Cycling SA  
Rue du Vion 2  
1587 Montmagny  
Tel.: +41 266 772 226  
e-mail: loup@loupcycling.ch

### TAIWAN

UNI-VICTOR INT'L CORP.  
NO. 1, RENHUAGONG 10th RD., DALI DIST.,  
TAICHUNG 41278  
TAIWAN  
tel.: +886 4 249 16 008  
fax: +886 4 249 16 007  
e-mail: infotw@kellysbike.com

### U.A.E

Sabeel Trading S.P.C  
Shop No 2209, Road 90, Block 1014  
1014 Hamala, Bahrain  
Phone Number: +971 56 706 8180  
Email: Sabeelbikeshop@gmail.com

### UKRAINE

VELOPORTAL LLC  
6-A, HETMANA STR.  
03057 KIEV  
tel./fax: +380 44 331 9050  
e-mail: admin@kellys.com.ua  
www.kellys.com.ua

— C O M M U N I T Y

# JOIN US



[INSTAGRAM.COM/KELLYSBIKES](https://www.instagram.com/kellysbikes)



[FACEBOOK.COM/KELLYSBICYCLES](https://www.facebook.com/kellysbicycles)



[YOUTUBE.COM/USER/KELLYSBICYCLES](https://www.youtube.com/user/kellysbicycles)



[KELLYSBIKE.COM](https://www.kellysbike.com)



**EVERY BIKE  
HAS A MISSION**

**KELLYSBIKE.COM**

©KELLYS BICYCLES. All rights reserved. KELLYS and KELLYS BICYCLES are protected trademarks of Kellys group.