

30 YEARS OF KELLYS BICYCLES | 1991 - 2021



CHANGE  
THE GAME

2021

BICYCLES / E-BIKES



**KELLYS**  
BIKE COMPANY



**EVERY BIKE  
HAS A MISSION**

## **E-BIKES**

- 0 0 8 MOUNTAIN
- 0 2 4 TOUR
- 0 2 8 URBAN
- 0 3 0 JUNIOR

## **BICYCLES**

### **MOUNTAIN**

- 0 3 6 DOWNHILL
- 0 4 2 ENDURO
- 0 4 8 TRAIL
- 0 5 4 XC
- 0 7 0 XC WOMEN
- 0 8 2 DIRT

### **ROAD**

- 0 9 0 RACING
- 0 9 8 GRAVEL

### **TOUR**

- 1 0 4 CROSS
- 1 1 8 TREKKING

### **URBAN**

- 1 2 8 CITY
- 1 3 2 CLASSIC
- 1 3 8 FITNESS

### **JUNIOR**

- 1 4 4 JUNIOR
- 1 5 8 FIRST BIKE

EVERY BIKE HAS A

# MISSION

When designing and developing, we are not only creating well-engineered and unique bicycles, we are creating something more... Something which goes beyond just joining the mechanical elements together. At Kellys, we believe that **EVERY BIKE HAS A MISSION** to fulfil in every human's life. We make our bikes in the spirit of this philosophy, to bring joy to the lives of millions of people riding Kellys around the globe for almost 30 years!



# E-BIKES

- 010 **MOUNTAIN** THEOS, TYGON, TAYEN
- 024 **TOUR** E-CARSON, E-CRISTY
- 028 **URBAN** ESTIMA
- 030 **JUNIOR** eMARC

RESEARCH  
& DEVELOPMENT




Ever since, the first bicycles, engineers began searching for better and better materials for frame building. Heavy carbon steel has been replaced by stronger and lighter chrome-steel alloys. Then the era of aluminium came, and shortly after that, at the turn of the 80s and 90s, carbon fibre resin composites began to be used in the bicycle industry. Back then it was a huge milestone – the carbon was much lighter and stronger than aluminium alloys, had much better vibration damping abilities and allowed engineers to create more aero- and strength-to-weight-optimized frames. When carbon fibre composite become more and more popular some disadvantages began to appear. Except for high price tag, the carbon fibre resin composite began to be known as a fragile material, low impact-resistant and easy-cracking. Therefore, many falls or rocks-dents resulted in the need to replace the expensive frame. It has been like that for over 20 years, until now...


INTRODUCING  
**THERMOPLASTIC  
HYBRID  
STEEL-CARBON  
COMPOSITE**



STANDARD CARBON



THERMOPLASTIC HYBRID  
STEEL-CARBON COMPOSITE



After more than 20 years of no significant change, the bicycle industry finally has undergone a great change, the revolution which changes the game entirely. Rein4ced company from Belgium came with the solution for basically all disadvantages of resin carbon fibre composite while keeping its most desirable qualities. Rein4ced engineers managed to create a material combining the lightness of carbon fibre with 200% better mechanical strength and resistance to damage and cracking.

The all-new, revolutionary **THERMOPLASTIC HYBRID STEEL-CARBON COMPOSITE** a.k.a. **FEATHER** combines carbon fibres, inox steel microfibres and thermoplastic binder to create a composite with properties not yet achievable within a single material.



Compared to carbon fibre resin composite the all-new **THERMOPLASTIC HYBRID STEEL-CARBON COMPOSITE** is:

- 200% DURABLE AND IMPACT-RESISTANT WITHOUT ANY WEIGHT PENALTY
- RECYCLABLE
- LIGHTWEIGHT

Not only the material is revolutionary, but also the way the frame is built out of it. **THERMOPLASTIC HYBRID STEEL-CARBON COMPOSITE** frames can be built by robots in a European factory for premium quality and ultimate performance.

# THEOS F

THEOS F IS A GAMECHANGER, THE FIRST FULL-SUSPENSION E-BIKE IN THE INDUSTRY WITH THE ADVANCED FRAME MADE OF ALL-NEW REVOLUTIONARY MATERIAL THERMOPLASTIC HYBRID STEEL-CARBON COMPOSITE IN ADVANCED FULLY ROBOTIZED PROCESS. THE THEOS F FRAME IS 200% STRONGER WITHOUT ANY WEIGHT PENALTY COMPARED TO RESIN CARBON FIBRE COMPOSITES. FROM NOW ON, THE RIDER CAN FULLY BENEFIT FROM THE LIGHTNESS OF THE FRAME WITHOUT ANY WORRIES ABOUT CRACKS, DENTS, FRACTURES...



## GEOMETRY AND SUSPENSION

All-new THEOS F comes in two variants: SUPER-ENDURO with 180/170 millimetres of travel and ENDURO with reduced travel of 150/140 millimetres. Despite the variant, THEOS F utilises mullet layout with 29" front, and 27.5+ rear wheel for swift cornering, much better handling and speed. All-new chassis is full-composite, which means there are no metallic inserts used to increase the durability even more and reduce weight.

The next generation progressive geometry was applied to achieve extremely reduced standover height and lowered centre of gravity for stability and grip combined with slack headtube angle for ultimate downhill performance. Thanks to unique design the frame is ready for long-travel dropper posts (up to 200 mm), so desired by today's progressive riders. The suspension utilises latest custom-tuned THINK LINK virtual-pivot suspension platform with asymmetrical damper kinematics to achieve desired geometry while keeping all THINK LINK benefits such as sensitivity, brake- and drivetrain-independence and no pedal kickback.

## RETRACTABLE BATTERY

THEOS F comes with a totally new power source. The Kellys Re-Charge K1 Li-ion battery is exclusively co-developed for THEOS F by Kellys-BMZ. The all-new battery is built out of the latest generation power cells to achieve exceptional capacity-to-weight ratio. The Re-Charge K1 offers mighty 720Wh and capacity of 20 Ah for outstanding range and performance.

On top of that, the new Kellys Re-Charge K1 battery comes with a totally new fixation system – RETRACTABLE BATTERY SYSTEM. This unique solution allows retracting the battery by sliding it out of the frame's downtube with ease while keeping the structure of the frame untouched. None of the mechanical properties of the frame was sacrificed during the designing process, as other brands do where the battery extraction hole needs to be made in the tube, drastically reducing its mechanical properties.

## DRIVETRAIN

To complete the picture of the next generation e-bike THEOS F is powered by the latest Shimano EP8 drive unit, quieter, lighter and more compact than its predecessor (STEPS E8000) while offering better performance and efficiency. From now on the mighty 85 Nm is at rider's disposal for even better riding experience.



## THEOS F90

**FRAME** Kellys THEOS F series - Thermoplastic Hybrid Steel-Carbon Composite a.k.a. FEATHER® by Rein4ced assembled by advanced robotic manufacturing / Think Link, 170mm rear travel, integrated removable battery / Made in EU **MOTOR** Shimano STEPS EP8, 85Nm **SWITCH UNIT** Shimano SW-E7000-L for assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge K1 Li-ion internal removable 720Wh / capacity 20Ah, co-developed by Kellys-BMZ **FORK** Fox 38 Float Factory, Kashima Coat, 180mm, Float Evol / GRIP2 damper **REAR SHOCK** Fox Float X2 Factory, Kashima Coat, 2-Position Open-Firm **SHIFTERS** Shimano Deore XT Di2 SW-M8050 Firebolt, 11-speed **R/DERAILLEUR** Shimano Deore XT Di2 M8050 **BRAKES** Shimano Deore XT M8120 Hydraulic Disc **F/R WHEELSET** DT Swiss H1700 Spline 29 / 27.5 Disc **F/R TYRE** Schwalbe Eddy Current Evo SuperTrail 29x2.60 ADDIX Soft / Schwalbe Eddy Current Evo SuperGravity 27.5x2.80 ADDIX Soft

**THINKLINK™**  
SUSPENSION SYSTEM

\* THEOS F90 model. Technology library on pages 164-165.



### THEOS F70

**FRAME** Kellys THEOS F series - Thermoplastic Hybrid Steel-Carbon Composite a.k.a. FEATHER® by Rein4ced assembled by advanced robotic manufacturing / Think Link, 170mm rear travel, integrated removable battery / Made in EU **MOTOR** Shimano STEPS EP8, 85Nm **SWITCH UNIT** Shimano SW-E7000-L for assist **COMPUTER DISPLAY** Shimano SC-E7000 **BATTERY** Kellys Re-Charge K1 Li-ion internal removable 720Wh / capacity 20Ah, co-developed by Kellys-BMZ **FORK** Rock Shox Zeb, 180mm, DebonAir / Charger R **REAR SHOCK** Rock Shox Super Deluxe Coil Select R **SHIFTERS** Shimano Deore SL-M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano MT420 Hydraulic Disc **HUBS** Shimano Deore MT410-B Disc **RIMS** KLS Bender Disc **F/R TYRE** Schwalbe 29x2.60 Eddy Current Evo SuperTrail ADDIX Soft / Schwalbe 27.5x2.80 Eddy Current Evo SuperGravity ADDIX Soft



**THINKLINK™**  
SUSPENSION SYSTEM



\* THEOS F70 model. Technology library on pages 164-165.



### THEOS F50 TEAL / ANTHRACITE

**FRAME** Kellys THEOS F series - Thermoplastic Hybrid Steel-Carbon Composite a.k.a. FEATHER® by Rein4ced assembled by advanced robotic manufacturing / Think Link, 140mm rear travel, integrated removable battery / Made in EU **MOTOR** Shimano STEPS EP8, 85Nm **COMPUTER DISPLAY** Shimano SC-E5003 cycle computer with assist switch **BATTERY** Kellys Re-Charge K1 Li-ion internal removable 720Wh / capacity 20Ah, co-developed by Kellys-BMZ **FORK** Rock Shox 35 Gold RL, 150mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe Select R, DebonAir **SHIFTERS** Shimano Deore SL-M4100-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M5120 **BRAKES** Shimano MT420 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Bender Disc **F/R TYRE** Schwalbe 29x2.60 Nobby Nic Performance ADDIX / Schwalbe 27.5x2.80 Nobby Nic Performance ADDIX



\* THEOS F50 models. Technology library on pages 164-165.



630 Wh  
CAPACITY 17.5Ah



### THEOS i50 DARK / LIGHT GREY

**FRAME** Kellys e-Frame Allmountain, Uni-Body Integrated Design / Four-bar link, 150mm rear travel **MOTOR** Shimano STEPS E7000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** Rock Shox 35 Gold RL, 160mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe Select R, DebonAir / Trunnion mount **SHIFTERS** Shimano Deore SL-M4100-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M5120 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Valor 3 Disc **F/R TYRE** Schwalbe 29x2.60 Nobby Nic Performance ADDIX / Schwalbe 27.5x2.80 Nobby Nic Performance ADDIX



630 Wh  
CAPACITY 17.5Ah



\* All THEOS i50 models. Technology library on pages 164-165.


## TYGON R90

**FRAME** Kellys TYGON R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E7000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** Rock Shox Recon Gold RL, 120mm, DebonAir / Motion Control **SHIFTERS** Shimano Deore SL-M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / Deore MT410-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance ADDIX



## KELLYS TYGON R & TAYEN R: E-BIKES OF A NEXT GENERATION

When introduced in 2019 Kellys TYGON and TAYEN were the milestones for Kellys and e-bike industry. Uncompromising Uni-Body Integrated Design philosophy allows our engineers to create the new generation e-MTB hardtail offering top-of-the-line performance and handling. The core of the TYGON and TAYEN was a fully-integrated battery allowing to create sleek and stylish chassis while keeping bike's stiffness and range at a world-class level. With new TYGON R and TAYEN R series for 2021 season, we made another big step forward by introducing all-new robotic-welded 6-series aluminium frame with removable Re-Charge V10 Li-ion battery powered by BMZ integrated with the down tube. Offering unsurpassed 720 Wh and capacity of 20 Ah for even better range, the Re-Charge V10 battery is now easy-removable while keeping top performance and handling of the bike. With all-new R-series, our e-MTB hardtails ensure the ultimate performance, sleek design and maintenance-ease for every rider looking for e-bike of the next generation.



## TAYEN R90

**FRAME** Kellys TAYEN R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E7000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** Rock Shox Recon Gold RL, 120mm, DebonAir / Motion Control **SHIFTERS** Shimano Deore SL-M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / Deore MT410-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance ADDIX



\* TYGON R90 model. Technology library on pages 164-165.

\*\* TAYEN R90 model. Technology library on pages 164-165.



## TYGON R50 BLUE / GREY / LIME

**FRAME** Kellys TYGON R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E7000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** Rock Shox 35 Silver RL, 120mm, Solo Air / Motion Control **SHIFTERS** Shimano Deore SL-M4100-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M5120 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance ADDIX



\* All TYGON R50 models. Technology library on pages 164-165.

29  
—  
27.5



**TAYEN R50 PINK / WHITE / SKY BLUE**

**FRAME** Kellys TAYEN R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E7000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** Rock Shox 35 Silver RL, 120mm, Solo Air / Motion Control **SHIFTERS** Shimano Deore SL-M4100-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M5120 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance ADDIX



29  
—  
27.5



\* All TAYEN R50 models. Technology library on pages 164-165.



630 Wh  
CAPACITY 17.5Ah

**TYGON 10** RED / GREY

**FRAME** Kellys e-FRAME, Uni-Body Integrated Design **MOTOR** Panasonic GX Ultimate, 90Nm **SWITCH UNIT** Panasonic gear shifter button **COMPUTER DISPLAY** Panasonic LCD **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** SR Suntour XCM32, 120mm, coil spring **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Draft Disc **TYRES** Michelin 2.10 Country Race'r



630 Wh  
CAPACITY 17.5Ah

\* All TYGON 10 models. Technology library on pages 164-165.



630 Wh  
CAPACITY 17.5Ah

**TAYEN 10** SKY BLUE / GREY

**FRAME** Kellys e-FRAME, Uni-Body Integrated Design **MOTOR** Panasonic GX Ultimate, 90Nm **SWITCH UNIT** Panasonic gear shifter button **COMPUTER DISPLAY** Panasonic LCD **BATTERY** Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah **FORK** SR Suntour XCM32, 120mm, coil spring **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B Disc **RIMS** KLS Draft Disc **TYRES** Michelin 2.10 Country Race'r



630 Wh  
CAPACITY 17.5Ah

\*\* All TAYEN 10 models. Technology library on pages 164-165.



## E-CARSON 70

**FRAME** Kellys E-CARSON R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E6100 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** Rock Shox Recon Silver RL, 100mm, Solo Air / Motion Control **SHIFTERS** Shimano Deore SL-M5100-R Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B / Alivio M4050 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Marathon Almotion Performance 28x2.15 ReflectiveLine



720 Wh  
CAPACITY 20Ah



720 Wh  
CAPACITY 20Ah



720 Wh  
CAPACITY 20Ah

## E-CARSON 30 GREY / BLUE

**FRAME** Kellys E-CARSON R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E5000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** SR Suntour NVX30 NLO, 100mm, coil spring **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac Bigpac 28x2.15 ReflectiveLine

\* All E-CARSON models. Technology library on pages 164-165.

## E-CRISTY 70

**FRAME** Kellys E-CRISTY R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E6100 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** Rock Shox Recon Silver RL, 100mm, Solo Air / Motion Control **SHIFTERS** Shimano Deore SL-M5100-R Rapidfire Plus, 11-speed **R/DERAILLEUR** Shimano Deore XT M8000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400-B / Alivio M4050 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Marathon Almotion Performance 28x2.15 ReflectiveLine



## E-CRISTY 30 WHITE / SKY BLUE / GREY

**FRAME** Kellys E-CRISTY R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery / Made in EU **MOTOR** Shimano STEPS E5000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** SR Suntour NVX30 NLO, 100mm, coil spring **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac Bigpac 28x2.15 ReflectiveLine



\* All E-CRISTY models. Technology library on pages 164-165.

## ESTIMA 80

**FRAME** Kellys ESTIMA R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery, Di2 Full-automatic shifting, 1.5" tapered HT / Made in EU **MOTOR** Shimano STEPS E6100 **SWITCH UNIT / SHIFTERS** Shimano SW-E7000-L for assist / SW-E6010-R, 5-speed **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** SR Suntour Mobie-A32, 75mm, coil spring **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400 / Shimano Nexus C7050-5 Disc with motor unit UR500 Di2 Full-automatic shifting **RIMS** KLS Draft Disc **TYRES** Schwalbe Super Moto-X Performance 27.5x2.40 ReflectiveLine



720 Wh  
CAPACITY 20Ah



720 Wh  
CAPACITY 20Ah

## ESTIMA 60

**FRAME** Kellys ESTIMA R series - advanced robotic welded 6-series aluminium alloy, integrated removable battery, 1.5" tapered HT / Made in EU **MOTOR** Shimano STEPS E5000 **SWITCH UNIT** Shimano SW-E6010-L for assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah, powered by BMZ **FORK** SR Suntour Mobie-A32, 75mm, coil spring **SHIFTERS** Shimano Nexus SL-C3000-7 Revoshift, 7-speed **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT400 / Shimano Nexus C3001-7 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe Super Moto-X Performance 27.5x2.40 ReflectiveLine



504 Wh  
CAPACITY 14Ah

## ESTIMA 50 WHITE / BLACK


**FRAME** Kellys e-Frame City Aluminium alloy monotube, semi-integrated battery **MOTOR** Shimano STEPS E5000 **SWITCH UNIT** Shimano SW-E6010 for assist **COMPUTER DISPLAY** Shimano SC-E6100 **BATTERY** Shimano BT-E8010, 504Wh / capacity 14Ah **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **SHIFTERS** Shimano Nexus SL-C6000-8 Revoshift, 8-speed **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 / Shimano Nexus C6001-8 Coaster brake / Disc brake **RIMS** KLS Draft Disc **TYRES** Impac Streetpac 28x1.75 ReflectiveLine



504 Wh  
CAPACITY 14Ah

\* ESTIMA 80 model. Technology library on pages 164-165.

\*\* ESTIMA 60 and ESTIMA 50 models. Technology library on pages 164-165.



### eMARC

**FRAME** Kellys eMARC series - Junior 24 Aluminium alloy, semi-integrated battery  
**MOTOR** Shimano STEPS E5000 **COMPUTER DISPLAY** Shimano SC-E5000 cycle computer with assist switch **BATTERY** Shimano BT-E8014, 418Wh / capacity 11.6Ah **FORK** SR Suntour XCR Air LO [24], 100mm, air / Speed Lockout **SHIFTERS** Shimano Altus SL-M2000 Rapidfire Plus, 9-speed **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



418 Wh  
CAPACITY 11.6Ah





036 **DOWNHILL**

NOID

042 **ENDURO**

SWAG

048 **TRAIL**

THORX, GIBON

054 **XC**

HACKER, GATE, SPIDER

070 **XC WOMEN**

MYSTERY, VANITY

082 **DIRT**

WHIP



# MOUNTAIN

# KELLYS



## KELLYS FACTORY TEAM

# THE PEOPLE WHO DRIVE US FORWARD


**KELLYS FACTORY TEAM IS A GROUP OF PEOPLE WHO RIDE THEIR LIVES. THEIR COMMITMENT AND DEDICATION TO CYCLING SPORTS IS SOMETHING WHICH MAKES US NOT ONLY PROUD BUT ALSO MOTIVATES US TO MOVE FORWARD.**



Kellys Factory Team is one of the key elements of the Kellys brand - it emphasises almost 30 years of Kellys' sporting legacy and traditions. Since 2015 Kellys Factory Team competes in many prestigious MTB events with European and World Downhill Championship, European and World Cup and many national championships and cups among them. Thousands of spectators, professional photo and video coverage and social media dedicated posts have built still growing recognition of the Team and Kellys brand.



Rasto Baranek, Stanislav Sehnal and Antonin Kral create the gravity-oriented trio of unique talents riding over the limits and testing our bicycles and gear under the most difficult race conditions. The Team cooperates with our R&D department to support the development and testing new prototypes and production models to ensure that every Kellys bicycle will fulfil its mission flawlessly.



### **RASTISLAV BARANEK**

one of the most talented and recognizable riders in Slovakia. Thanks to his wide experience both on European and World gravity scene, Rastislav is a very confident and result-oriented rider. Despite being super-concentrated every time he races, Rastislav entertains us with his unique style and tricks sent at full speed.

### **STANISLAV SEHNAL**

young but widely experienced Czech rider. With more than eight seasons of racing on the top European tracks facing the best downhill riders in Europe. Stanislav proved many times that he is a tough player with great potential, talent and one of a kind personality.

### **ANTONIN KRAL**

the latest talented addition to the team from the Czech Republic. Despite the young age, Antonin knows exactly how to reach the desired goal. His riding style is consistent, result-oriented and really fast.



## NOID 90 29"

**FRAME** Kellys Gravity DH 29 / Think Link, 205mm rear travel  
**FORK** Rock Shox BoXXer Ultimate, 200mm, DebonAir / Charger 2 RC2  
**REAR SHOCK** Rock Shox Super Deluxe Coil Ultimate DH RC  
**CRANKSET** Shimano Saint M825 Hollowtech II (34)  
**R/SHIFTER** Shimano Saint SL-M820 Rapidfire Plus, 10-speed  
**R/DERAILLEUR** Shimano Saint M820  
**BRAKES** Shimano Saint M820 Hydraulic Disc  
**HUBS** Novatec DH Disc  
**RIMS** KLS Brave 3 Disc  
**TYRES** Schwalbe 2.35 Magic Mary ADDIX Soft



**THINKLINK™**  
SUSPENSION SYSTEM



29



Shortly after its launch, Kellys NOID gained great recognition and respect among extreme riders around the world. Not only the unique design and beastly look but also innovative technical solutions distinguish it from the other DH bikes available today. Kellys NOID is just one of its kind allowing the riders to reach an absolutely new level of riding. Being the racing bike of Kellys Factory Team, Kellys NOID confirmed its race potential, durability and performance. Thanks to unique Kellys' Think Link Suspension System and Vario Geometry System, the NOID proved to be a versatile bike allowing to obtain the best results whatever the conditions, the type of track or rider preferences. Now available both in 27.5 and 29-inch option.

## NOID 90 27.5"

**FRAME** Kellys Gravity DH 27.5 / Think Link, 205mm rear travel  
**FORK** Rock Shox BoXXer Ultimate, 200mm, DebonAir / Charger 2 RC2  
**REAR SHOCK** Rock Shox Super Deluxe Coil Ultimate DH RC  
**CRANKSET** Shimano Saint M825 Hollowtech II (34)  
**R/SHIFTER** Shimano Saint SL-M820 Rapidfire Plus, 10-speed  
**R/DERAILLEUR** Shimano Saint M820  
**BRAKES** Shimano Saint M820 Hydraulic Disc  
**HUBS** Novatec DH Disc  
**RIMS** KLS Brave 3 Disc  
**TYRES** Schwalbe 2.35 Magic Mary ADDIX Soft

27.5





**THINKLINK™**  
SUSPENSION SYSTEM



## NOID 70

**FRAME** Kellys Gravity DH 27.5 / Think Link, 205mm rear travel **FORK** Rock Shox BoXXer Select, 200mm, DebonAir / Charger RC **REAR SHOCK** Rock Shox Super Deluxe Coil Select R **CRANKSET** Truvativ Descendant DH DUB X-Sync [34T] **R/SHIFTER** Sram GX DH X-Actuation Trigger, 7-speed **R/DERAILLEUR** Sram GX DH 1x X-Horizon **BRAKES** Sram G2 R Hydraulic Disc **HUBS** Novatec DH Disc **RIMS** KLS Brave 3 Disc **TYRES** Schwalbe 2.35 Magic Mary ADDIX Soft



\* All NOID models. Technology library on pages 164-165.



**THINKLINK™**  
SUSPENSION SYSTEM




## SWAG 50

**FRAME** Kellys Enduro / ThinkLink, 150mm rear travel **FORK** Rock Shox Lyrik Select, 170mm, DebonAir / Charger 2 RC **REAR SHOCK** Rock Shox Super Deluxe Coil Ultimate RCT / Open-Threshold **CRANKSET** Shimano SLX M7120-1 Hollowtech II [32T] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano SLX M7120 Hydraulic Disc **HUBS** Shimano SLX M7110-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Hans Dampf Evo SuperTrail ADDIX Soft / Nobby Nic Evo SuperTrail ADDIX Soft



29

## KELLYS SWAG: ENDURO RE-DEFINED



Since the new Kellys SWAG was introduced, its name becomes a synonym of tough, long-travel enduro bike offering not only race-proven performance but also countless amounts of fun factor. Its durability, neutral handling and solid feeling of the bike make SWAG's riders comfortable almost everywhere - from loamy steep trails, bikeparks, skill parks, through dirt jumps, pumptracks to enduro races and events. SWAG's Think Link suspension platform provides great gravity performance with a plush, but stable support and precision and a wide range of settings to meet a variety of riders' needs. For 2021 season we made all-new 29-inch SWAG which benefits from bigger wheels for more grip, comfort and efficiency. Refined geometry, re-tuned suspension and well-balanced specs make all-new 29-inch SWAG a modern, progressive enduro masterpiece for the most demanding gravity riders.

\* All SWAG models. Technology library on pages 164-165.



**THINKLINK™**  
SUSPENSION SYSTEM

29" — 27.5"



29" — 27.5"

**SWAG 10**

**FRAME** Kellys Enduro / Think Link, 150mm rear travel [29"] / 165mm rear travel [27.5"] **FORK** Rock Shox 35 Silver TK, 160mm, Solo Air / Turnkey **REAR SHOCK** Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold **CRANKSET** Samox [32T] **R/SHIFTER** Shimano Deore M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano MT400 Hydraulic Disc **HUBS** Shimano Deore MT410-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performanc, ADDIX



**SWAG 30**

**FRAME** Kellys Enduro / Think Link, 150mm rear travel [29"] / 165mm rear travel [27.5"] **FORK** Rock Shox Yari RC, 170mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold **CRANKSET** Shimano Deore MT510-1 [32T] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7100 **BRAKES** Shimano Deore M6100 Hydraulic Disc **HUBS** Shimano Deore MT410-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Hans Dampf Evo SuperTrail ADDIX soft / Nobby Nic Evo SuperTerrain ADDIX SpeedGrip



047

\* All SWAG models. Technology library on pages 164-165.



# TRAIL



## THORX 30

**FRAME** Kellys Allmountain / Think Link, 140mm rear travel **FORK** Rock Shox 35 Gold RL, 150mm, DebonAir / Motion Control **REAR SHOCK** Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold **CRANKSET** Shimano Deore MT510-1 (34T) **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7100 **BRAKES** Shimano SLX M7100 Hydraulic Disc **HUBS** Shimano Deore MT410-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Evo SuperTrail ADDIX Soft / Nobby Nic Evo SuperTrail ADDIX Soft



## THORX 50

**FRAME** Kellys Allmountain / Think Link, 140mm rear travel **FORK** Rock Shox Pike Select, 150mm, DebonAir / Charger 2 RC **REAR SHOCK** Rock Shox Deluxe Ultimate RCT, DebonAir / Open-Pedal **CRANKSET** Shimano Deore XT M8120-1 Hollowtech II (32T) **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore XT M8100 Hydraulic Disc **HUBS** Shimano SLX M7110-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Hans Dampf Evo SuperTrail ADDIX Soft / Nobby Nic Evo SuperTerrain ADDIX SpeedGrip



## THORX 10

**FRAME** Kellys Allmountain / Think Link, 140mm rear travel **FORK** Rock Shox 35 Silver TK, 150mm, Solo Air / TurnKey **REAR SHOCK** Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold **CRANKSET** Samox (34T) **R/SHIFTER** Shimano Deore M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano MT410 Hydraulic Disc **HUBS** Shimano Deore MT410-B Disc **RIMS** KLS Valor 2 Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance ADDIX



**THINKLINK™**  
SUSPENSION SYSTEM

## ALL-NEW KELLYS GIBON: SHRED THE TRAIL EVERYDAY



### GIBON 50

**FRAME** Kellys Dynamic Trail **FORK** Marzocchi Bomber Z2, 140mm, Float / Rail **CRANKSET** Shimano SLX M7100-1 Hollowtech II [32T] **R/SHIFTER** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano SLX M7100 Hydraulic Disc **HUBS** Shimano MT-400-B / Deore MT410-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Schwalbe 2.35 Nobby Nic Evo SuperTerrain ADDIX SpeedGrip



29  
—  
27.5

One of the Kellys' most respected trail bike has been reborn for 2021 season getting all-new frame and specs. 2021 GIBON is tougher, lighter and even more versatile. This trail masterpiece's progressive geometry with super-long reach and short stack makes it unstoppable no matter the trail. Thanks to short seat stays, 2021 GIBON is super-agile and precise while being well-balanced when coming to shred hard down the steepest hills. Long-travel forks and gravity-oriented geometry still do not compromise the climbing ability for enhanced versatility. On top of that all-new GIBON is available in 27.5- and 29-inch variants to meet your personal expectations.

### GIBON 30

**FRAME** Kellys Dynamic Trail **FORK** Rock Shox Recon Silver RL, 140mm, Solo Air / Motion Control **CRANKSET** Shimano Deore MT510-1 [32T] **SHIFTERS** Shimano Deore M6100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT-400-B / Deore MT410-B Disc **RIMS** KLS Valor 3 Disc **TYRES** Michelin 2.35 Wild AM Competition Line



29  
—  
27.5



### GIBON 10

**FRAME** Kellys Dynamic Trail **FORK** SR Suntour XCM34, 130mm, coil spring **CRANKSET** Samox [32T] **SHIFTERS** Shimano Deore M4100-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M5120 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT-400-B Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.35 Nobby Nic Performance ADDIX

29  
—  
27.5

\* GIBON 50 model. Technology library on pages 164-165.


\*\* GIBON 30 and GIBON 10 models. Technology library on pages 164-165.



**K**



iCAD  
CARBON



## KELLYS HACKER: THE ULTIMATE XC RACER

Being the ultimate XC racer, HACKER combines iCAD carbon fibre of the military-grade and latest standards to be compatible with the most advanced racing components. Kellys HACKER is a race-ready bolide with inner wiring, direct derailleur and brake callipers mounts, and also front and rear thru-axles with a tapered head tube for razor-sharp handling and excellent stiffness. To ensure flawless and effective power transfer Kellys' engineers implemented the Power Core high-efficiency design to the HACKER's frame. The shortened rear triangle with flex seat stays for unprecedented manoeuvrability in tight corners significantly improves ultra-efficient power transfer from the crank to the rear wheel and also damps the vibration to enhance long-distance comfort. Expansion of the front triangle allows increasing the wheelbase for the best stability at high speeds and on the steepest descents.



### HACKER 90

**FRAME** Kellys iCAD Carbon Pro 29 **FORK** Rock Shox SID Ultimate, 110mm, DebonAir / Charger Race Day / OneLoc Remote Lockout **CRANKSET** Sram X01 Eagle DUB X-Sync 2 (34T) **SHIFTERS** Sram X01 Eagle Trigger, 12-speed **R/DERAILLEUR** Sram X01 Eagle **BRAKES** Shimano XTR M9100 Hydraulic Disc **WHEELSET** DT Swiss XR 1700 Spline **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



\* All HACKER models. Technology library on pages 164-165.



iCAD  
CARBON



### HACKER 70

**FRAME** Kellys iCAD Carbon Pro 29 **FORK** Rock Shox SID Select+, 100mm, DebonAir / Charger 2 RL / OneLoc Remote Lockout **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II (34T) **SHIFTERS** Shimano Deore XT SL-M8100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore XT M8100 Hydraulic Disc **WHEELSET** Mavic Crossmax **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



### HACKER 50

**FRAME** Kellys iCAD Carbon Pro 29 **FORK** Rock Shox Reba RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano SLX M7100-1 Hollowtech II (34T) **SHIFTERS** Shimano SLX SL-M7100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore M6000 Hydraulic Disc **HUBS** Shimano MT400-B / MT510-B Disc Center Lock **TYRES** Schwalbe 2.25 Racing Ray Performance / Racing Ralph Performance



059




### HACKER 30

**FRAME** Kellys iCAD Carbon Sport 29 **FORK** Rock Shox Recon Silver RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano MT610 (34T) **SHIFTERS** Shimano Deore SL-M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7100 **BRAKES** Shimano MT410 Hydraulic Disc **HUBS** Shimano MT400-B / 510-B Disc Center Lock **TYRES** Schwalbe 2.25 Rapid Rob

\* All HACKER models. Technology library on pages 164-165.



**ALL-NEW KELLYS GATE:  
ENJOY THE PURE RACING  
SPIRIT**



For 2021 season we are proudly introducing the all-new Kellys GATE, aluminium MTB hardtail ready to meet the highest expectations of ambitious XC riders. The concept of 2021 GATE's new frame is based on a race-proven Kellys HACKER, the ultimate XC bolide, designed for top effectivity and precision. All-new GATE shares the same racing spirit while being more comfort-oriented and affordable. It's lighter than its predecessor and utilises all modern MTB standards such as thru-axles, internal cable routing (including dropper cable), tapered head tube and 1x drivetrain layout. Thanks to progressive geometry with super-short chainstays (430 mm) this sport twentyner provides stability, precision and ease of manoeuvring at the level encountered so far in much more expensive racing machines.



29

**GATE 90**

**FRAME** Kellys Dynamic RRC 29 **FORK** Rock Shox Recon Gold RL, 100mm, DebonAir / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II [34T] **SHIFTERS** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.25 Smart Sam Performance ADDIX





### GATE 70

**FRAME** Kellys Dynamic RRC 29 **FORK** Rock Shox Recon Gold RL, 100mm, DebonAir / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II [34T] **SHIFTERS** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / Deore MT410-B Disc Center Lock **RIMS** KLS Cartel Disc **TYRES** Michelin 2.10 Country Race'r



### GATE 50

**FRAME** Kellys Dynamic RRC 29 **FORK** Rock Shox Recon Silver RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano Deore MT510-1 [34T] **SHIFTERS** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / Deore MT410-B Disc Center Lock **RIMS** KLS Cartel Disc **TYRES** Michelin 2.10 Country Race'r

### GATE 30 WHITE / DARK

**FRAME** Kellys Dynamic RRC 29 **FORK** Rock Shox Recon Silver RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Samox [34T] **SHIFTERS** Shimano Deore SL-M6100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / Deore MT410-B Disc Center Lock **RIMS** KLS Cartel Disc **TYRES** Michelin 2.10 Country Race'r



\* All GATE models. Technology library on pages 164-165.



### SPIDER 80

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** Samox (36x26T) **SHIFTERS** Shimano Deore SL-M5100-L / M4100-R Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano Deore M618 / Deore M4120 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc Center Lock **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



### SPIDER 90

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** Samox (34T) **SHIFTERS** Shimano Deore SL-M6100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 / MT401 Disc Center Lock **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.10 Rapid Rob



\* SPIDER 90 model. Technology library on pages 164-165.

## SPIDER 70 *YELLOW / BLACK*

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano Alivio MT101-2 (36x22T) **SHIFTERS** Shimano Altus SL-M2010-9 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Altus M2020 / Altus M2000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



29  
—  
27.5



29  
—  
27.5  
—  
26



## SPIDER 50 *BLACK / RED*

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano TY501 (42x34x24T) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / Altus M310 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



### SPIDER 30 *BLUE / BLACK*

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCE28, 100mm, coil spring **CRANKSET** Shimano TY301 [42x34x24] **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



### SPIDER 10 *GREEN / NEON YELLOW*

**FRAME** Kellys Alutec RRC **FORK** SR Suntour XCE28, 80mm, coil spring **CRANKSET** Prowheel [42x34x24] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Impac 2.10 Ridgepac







## MYSTERY 90

**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** Rock Shox Recon Gold RL, 100mm, DebonAir / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano Deore XT M8100-1 Hollowtech II [34T] **SHIFTERS** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / MT510-B Disc Center Lock **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.10 Rapid Rob



## MYSTERY 70

**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** Rock Shox Recon Silver RL, 100mm, Solo Air / Motion Control / OneLoc Remote Lockout **CRANKSET** Shimano SLX M7100-1 Hollowtech II [34T] **SHIFTERS** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore XT M8100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT400-B / Deore MT410-B Disc Center Lock **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.10 Rapid Rob






## MYSTERY 50

**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** SR Suntour XCR32RLRAir, 100mm, air / Remote Speed Lockout **CRANKSET** Shimano Deore MT510-1 (34T) **SHIFTERS** Shimano SLX SL-M7100-IR Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano SLX M7100 **BRAKES** Shimano Deore MT410 Hydraulic Disc **HUBS** Shimano MT-400-B / Deore MT410-B Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.10 Rapid Rob



075



## MYSTERY 30

**FRAME** Kellys Dynamic KLC Lite 29 LSG **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** Samox (34T) **SHIFTERS** Shimano Deore SL-M6100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano MT-400-B / Deore MT410-B Disc **RIMS** KLS Cartel Disc **TYRES** Schwalbe 2.10 Rapid Rob



\* All MYSTERY models. Technology library on pages 164-165.




29  
—  
27.5

### VANITY 80

**FRAME** Kellys KLC LSG **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** Samox [36x26T] **SHIFTERS** Shimano Deore SL-M5100-L / M4100-R Rapidfire Plus, 20-speed **F/R DERAILLEUR** Shimano Deore M618 / Deore M4120 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgepac



29  
—  
27.5



### VANITY 90

**FRAME** Kellys KLC LSG **FORK** SR Suntour XCR32 RLR Air, 100mm, air / Remote Speed Lockout **CRANKSET** Samox [34T] **SHIFTERS** Shimano Deore SL-M6100-R Rapidfire Plus, 12-speed **R/DERAILLEUR** Shimano Deore M6100 **BRAKES** Shimano Deore MT200 Hydraulic Disc **HUBS** Shimano TX505 / MT401 Disc **RIMS** KLS Draft Disc **TYRES** Schwalbe 2.10 Rapid Rob



\* VANITY 90 model. Technology library on pages 164-165.

\*\* Vanity 80, 70, 50, 30 and 10 models. Technology library on pages 164-165.

## VANITY 70 WHITE / RASPBERRY

**FRAME** Kellys KLC LSG **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout  
**CRANKSET** Shimano MT101-2 (36x22T) **SHIFTERS** Shimano Altus SL-M2010-9  
 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Altus M2020 / Altus M2000  
**BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft  
 Disc **TYRES** Impac 2.10 Ridgepac



29

27.5



## VANITY 50 SKY BLUE / ULTRAVIOLET

**FRAME** Kellys KLC LSG **FORK** SR Suntour XCM HLO, 100mm, coil / Speed Lockout **CRANKSET** Shimano  
 TY501 (42x34x24T) **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano  
 TY700 / Altus M310 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft  
 Disc **TYRES** Impac 2.10 Ridgepac

29

27.5

26

\* VANITY 80, 70, 50, 30 and 10 models. Technology library on pages 164-165.



29  
—  
27.5  
—  
26

**VANITY 30** WHITE / GREY

**FRAME** Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE28, 100mm, coil spring **CRANKSET** Shimano TY301 [42x34x24T] **SHIFTERS** Shimano ST-EF510-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY700 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Impac 2.10 Ridgipac



29  
—  
27.5  
—  
26



**VANITY 10** AQUA GREEN / WHITE

**FRAME** Kellys KLC Lite - Lady Sport Geometry **FORK** SR Suntour XCE28, 80mm, coil spring **CRANKSET** Prowheel [42x34x24T] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY300 / TY200 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Impac 2.10 Ridgipac

\* VANITY 80, 70, 50, 30 and 10 models. Technology library on pages 164-165.



**DIRT**



## KELLYS WHIP: THE HIGH FLIER

For the dirt riders, every ride brings something new - it's all about going further, overcoming fear and laws of physics, riding beyond. The dirt bike needs to be tough, robust and ready to go over the limits whenever the riders want. This is why Kellys created WHIP - the toughest bike for the toughest riders. There are no compromises whenever it comes to the frame's performance and strength. Kellys WHIP is now even stronger and easier to control - both on the ground and in the air, so every dirt rider can be limited only by his imagination. The latest frame geometry provides lots of fun factor because we know that dirt riding is all about having fun!

### WHIP 70

**FRAME** Kellys Dirt 26, single-speed **FORK** X-Fusion Slant RC, 100mm, air / RC Damper **CRANKSET** Samox [32T] 1-speed **R/BRAKE** Shimano MT500 Hydraulic Disc **HUBS** KT Disc single-speed **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.10 Billy Bonkers, ADDIX



\* WHIP 70 model. Technology library on pages 164-165.



### WHIP 50

**FRAME** Kellys Dirt 26 **FORK** SR Suntour XCR32 L0-R, 100mm, coil / Speed Lockout **CRANKSET** Samox [32T] **R/SHIFTER** Sram X5 Trigger, 9-speed **R/DERAILLEUR** Sram X4 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Brave Disc **TYRES** Kenda 2.35 Small Block Eight



### WHIP 10 RAW / PURPLE

**FRAME** Kellys Dirt 26 **FORK** SR Suntour XCM, 100mm, coil spring **CRANKSET** Samox [32T] **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano Acera M360 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT Disc **RIMS** KLS Draft Disc **TYRES** Kenda 2.35 Small Block Eight



### WHIP 30

**FRAME** Kellys Dirt 26, single-speed **FORK** SR Suntour XCR32 L0-R, 100mm, coil / Speed Lockout **CRANKSET** Samox [32T] 1-speed **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT Disc single-speed **RIMS** KLS Brave Disc **TYRES** Schwalbe 2.10 Billy Bonkers, ADDIX





# ROAD

090 **RACING** URC, ARC

096 **GRAVEL** S00T





iCAD  
CARBON

## KELLYS URC: THE ROAD MASTERPIECE

Kellys URC is the ultimate road racer with latest iCAD Carbon RC frame, race-ready geometry and top-of-the-line equipment. Choose between rim- or disc-brake version and enjoy the lightness, agility and speed of the pro peloton bike. Thanks to Power Core technology optimising the strength-to-weight ratio, Kellys URC is second to none in terms of pedal-efficiency and precision, while keeping the low weight so desired by progressive road cyclists.



091



### URC 90

**FRAME** Kellys iCAD RC Carbon Pro **FORK** Kellys Carbon 1.5 TS  
**CRANKSET** Shimano Ultegra R8000 Hollowtech II [52x36T] **SHIFTERS**  
Shimano Ultegra Di2 ST-R8050 Dual Control, 22-speed **F/R**  
**DERAILLEUR** Shimano Ultegra Di2 R8050 **BRAKES** Shimano Ultegra  
R8000 **WHEELSET** Mavic Ksyrium Elite UST **TYRES** Mavic Yksion Pro  
UST 25C



\* URC 90 and URC 30 models. Technology library on pages 164-165.



iCAD  
CARBON



### URC 70

**FRAME** Kellys iCAD RC Carbon Pro Disc **FORK** Kellys Carbon Disc 1.5 TS  
**CRANKSET** Shimano Ultegra R8000 Hollowtech II [50x34T] **SHIFTERS**  
 Shimano Ultegra ST-R8020 Dual Control, 22-speed **F/R DERAILLEUR**  
 Shimano Ultegra R8000 **BRAKES** Shimano Ultegra R8070 Hydraulic  
 Disc **WHEELSET** Mavic Ksyrium UST Disc **TYRES** Mavic Yksion Elite 28C



### URC 50

**FRAME** Kellys iCAD RC Carbon Pro Disc **FORK** Kellys Carbon Disc 1.5 TS  
**CRANKSET** Shimano 105 R7000 Hollowtech II [52x36T] **SHIFTERS**  
 Shimano ST-RS505 Dual Control, 22-speed **F/R DERAILLEUR** Shimano  
 105 R7000 **BRAKES** Shimano RS505 Hydraulic Disc **WHEELSET** Mavic  
 Aksium Disc **TYRES** Schwalbe Durano 25C



### URC 30

**FRAME** Kellys iCAD RC Carbon Sport **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Tiagra 4700 [50x34T] **SHIFTERS**  
 Shimano Tiagra ST-4720 Dual Control, 20-speed **F/R DERAILLEUR** Shimano Tiagra R4703 / R4700 **BRAKES** Shimano  
 Tiagra 4770 Hydraulic Disc **HUBS** Shimano Tiagra RS470 **RIMS** KLS Spark Disc **TYRES** Schwalbe Lugano 25C

\* URC 70 and URC 50 models. Technology library on pages 164-165.



### ARC 50

**FRAME** Kellys Endurance Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano RS510 [50x34T] **SHIFTERS** Shimano 105 ST-R7000 Dual Control, 22-speed **F/R DERAILEUR** Shimano 105 R7000 **BRAKES** Tektro Spyre Mechanical Disc **HUBS** Novatec Disc **RIMS** KLS Spark Disc **TYRES** Schwalbe Lugano 25C




\* ARC 50 model. Technology library on pages 164-165.



### ARC 30

**FRAME** Kellys Endurance Concept - Aluminium alloy **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Sora R3000 [50x34T] **SHIFTERS** Shimano Sora ST-R3000 Dual Control, 18-speed **F/R DERAILEUR** Shimano Sora R3000 **BRAKES** Tektro **HUBS** Shimano Claris **RIMS** KLS Spark **TYRES** Schwalbe Lugano 25C



### ARC 10

**FRAME** Kellys Endurance Concept - Aluminium alloy **FORK** Kellys Carbon 1.5 TS **CRANKSET** Shimano Claris R2000 [50x34T] **SHIFTERS** Shimano Claris ST-R2000 Dual Control, 16-speed **F/R DERAILEUR** Shimano Claris R2000 **BRAKES** Tektro **HUBS** Shimano Claris **RIMS** KLS Spark **TYRES** Schwalbe Lugano 25C



\* ARC models. Technology library on pages 164-165.



# GRAVEL

GRAVEL  
*Soot*  
 ADVENTURE  
 BEGINS



## KELLYS SOOT: CONQUER THE GRAVEL

2021 Kellys gravel series has undergone quite a few changes and gained a new member, the gravel series flagship – all-new SOOT 90 based on a carbon fibre frame. While designing new SOOT 90 we wanted to keep all the best qualities of aluminium SOOT, while benefit from carbon fibre composite frame. As other SOOT models, the SOOT 90 is ultra-versatile, precise and ready for the longest bikepacking trips. Thanks to carbon fibre vibration damping abilities and low weight, SOOT 90 is even more comfortable and easy to ride. The new frame utilises all the latest standards such as internal cable routing, flat mount disc brakes, thru-axes and a tapered head tube with carbon steerer for even better comfort and lightness.

### SOOT 90

**FRAME** Kellys Gravel Concept - Carbon Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano GRX RX600-1 (40T) **SHIFTERS** Shimano GRX BL-RX600 / ST-RX600 Dual Control, 11-speed **R/DERAILLEUR** Shimano GRX RX812 **BRAKES** Shimano GRX RX400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** DT Swiss G 540 Disc **TYRES** Schwalbe G-One Allround 38C



\* All SOOT models. Technology library on pages 164-165.



## SOOT 50

**FRAME** Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano GRX RX600-10 (46x30T) **SHIFTERS** Shimano GRX ST-RX400 Dual Control, 20-speed **F/R DERAILLEUR** Shimano GRX RX400 **BRAKES** Shimano GRX RX400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Grind Disc **TYRES** Schwalbe Smart Sam Performance 40C ADDIX



## SOOT 30

**FRAME** Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano Claris R2000 (50x34T) **SHIFTERS** Shimano Claris ST-R2000 Dual Control, 16-speed **F/R DERAILLEUR** Shimano Claris R2000 **BRAKES** Tektro Spyre Mechanical Disc **HUBS** Novatec Disc **RIMS** KLS Grind Disc **TYRES** Schwalbe Smart Sam Performance 40C ADDIX

## SOOT 70

**FRAME** Kellys Gravel Concept - Aluminium alloy Disc **FORK** Kellys Carbon Disc 1.5 TS **CRANKSET** Shimano GRX RX600-1 (40T) **SHIFTERS** Shimano GRX BL-RX600 / ST-RX600 Dual Control, 11-speed **R/DERAILLEUR** Shimano GRX RX812 **BRAKES** Shimano GRX RX400 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Grind Disc **TYRES** Schwalbe G-One Allround 38C



\* All SOOT models. Technology library on pages 164-165.



104 **CROSS**

PHANATIC, PHEEBE, CLIFF, CLEA

118 **TREKKING**

CARSON, CRISTY



**TOUR**





## PHANATIC 90

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NRX-D RL Air, 75mm, air / Remote Speed Lockout **CRANKSET** Shimano Deore XT T8000 Hollowtech II [48x36x26T] **SHIFTERS** Shimano Deore XT SL-T8000 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore XT T8000 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek Cross 40C ReflectiveLine



## PHANATIC 50

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NVX30 HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano T521 Hollowtech Octalink [48x36x26T] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore T6000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Disc **TYRES** Michelin Protek Cross 40C ReflectiveLine



## PHANATIC 70

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NCX-D RL Air, 63mm, air / Remote Speed Lockout **CRANKSET** Shimano Deore T6010 Hollowtech II [48x36x26T] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore T6000 / Deore XT M781 **BRAKES** Shimano MT500 Hydraulic Disc **HUBS** Shimano M475 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek Cross 40C ReflectiveLine



## PHANATIC 40

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NEX-E25 NLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 [48x36x26T] **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / TX505 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek Cross 40C ReflectiveLine **LIGHTING** Büchel Urban Halogen / Büchel LED Standlight





**PHANATIC 30** *TEAL / GREY*

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NVX30 HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 [48x36x26T] **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek Cross 40C ReflectiveLine



**PHEEBE 30** *WHITE / DARK RED*

**FRAME** Kellys Crossforce Lady Lite - Sport Cross Geometry **FORK** SR Suntour NVX30 HLO, 75mm, coil / Speed Lockout **CRANKSET** Shimano Acera T3010 [48x36x26T] **SHIFTERS** Shimano Alivio SL-M4000 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano Acera T3000 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek Cross 40C ReflectiveLine





**PHANATIC 10**  
RED / DARK OCEAN

**FRAME** Kellys Crossforce Lite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil spring **CRANKSET** SR Suntour XCM [48x36x26T] **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Innova



**PHEEBIE 10** MINT / DARK PURPLE

**FRAME** Kellys Crossforce LadyLite - Sport Cross Geometry **FORK** SR Suntour NEX HLO, 63mm, coil spring **CRANKSET** SR Suntour XCM [48x36x26T] **SHIFTERS** Shimano ST-EF505-9 EZ-fire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Acera M3000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Innova





### CLIFF 90

BLACK RED / DEEP BLUE

**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil/SpeedLockout **CRANKSET** Shimano TY501 [48x38x28T] **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



### CLEA 90

DARK RED / BLACK AQUA

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY501 [48x38x28T] **SHIFTERS** Shimano Altus SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



**CLIFF 70**  
BLACK GREEN / GREY

**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (48x38x28T) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



**CLEA 70** DARK BLUE / RED

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 (48x38x28T) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Innova



**CLIFF 30** *BLUE / GREY*

**FRAME** Kellys Crosslite **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [48x38x28T] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova



**CLEA 30** *BLACK PINK / WHITE*

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour NEX HLO, 63mm, coil / Speed Lockout **CRANKSET** Shimano TY301 [48x38x28T] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / TX800 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova





**CLIFF 10** BLACK BLUE / RED

**FRAME** Kellys Crosslite **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [48x38x28T] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova



**CLEA 10** GREY PINK / MINT

**FRAME** Kellys Crosslite Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [48x38x28T] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY710 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova





# TREKKING



### CARSON 90

**FRAME** Kellys Tour Profile **FORK** SR Suntour NEX-E25 NLO, 63mm, coil spring **CRANKSET** Shimano T521 Hollowtech Octalink [48x36x26T] **SHIFTERS** Shimano Deore SL-M6000 Rapidfire Plus, 30-speed **F/R DERAILLEUR** Shimano Deore T6000 / Deore XT T8000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek BR 40C ReflectiveLine **LIGHTING** AXA Compactline 35 Steady / AXA Slim Steady



### CARSON 70

**FRAME** Kellys Tour Profile **FORK** SR Suntour NEX DX, 63mm, coil spring **CRANKSET** SR Suntour XCM [48x36x26T] **SHIFTERS** Shimano Altus SL-M2010-9 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek BR 40C ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



### CRISTY 70

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour NEX DX, 63mm, coil spring **CRANKSET** SR Suntour XCM [48x36x26T] **SHIFTERS** Shimano Altus SL-M2010-9 Rapidfire Plus, 27-speed **F/R DERAILLEUR** Shimano TY710 / Alivio M4000 **BRAKES** Shimano MT200 Hydraulic Disc **HUBS** Shimano Dynamo 3D37 / Shimano TX505 Disc **RIMS** KLS Draft Disc **TYRES** Michelin Protek BR 40C ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight





### CARSON 50

**FRAME** Kellys Tour Profile **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 (48x38x28T) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



### CRISTY 50

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour NEX, 63mm, coil spring **CRANKSET** Shimano TY301 (48x38x28T) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Acera M360 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight



### CARSON 40

**FRAME** Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28T) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight

### CRISTY 40

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 (48x38x28) **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



## CARSON 30

**FRAME** Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28T] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery



## CARSON 10

**FRAME** Kellys Tour Profile **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28T] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILEUR** Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery



## CRISTY 30

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28T] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILEUR** Shimano TY710 / Altus M310 **BRAKES** Apse V-brake **HUBS** alloy **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery



## CRISTY 10

**FRAME** Kellys Tour Profile Lady **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Shimano TY301 [48x38x28T] **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILEUR** Shimano TY510 / TY300 **BRAKES** Apse V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova **LIGHTING** LED battery / Büchel Champs Elysees LED battery





128 CITY AVERY

132 CLASSIC ROYAL DUTCH, ARWEN DUTCH

138 FITNESS PHYSIO

# URBAN



## AVERY 70

**FRAME** Kellys Aluminium alloy monotube 28 **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Shimano TY501 [48x38x28T] **SHIFTERS** Shimano ST-EF500-8 EZ-fire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M370 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / KLS Drive **RIMS** KLS Draft **TYRES** Michelin Proték BR 28x40C ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight




## AVERY 50

**FRAME** Kellys Aluminium alloy monotube 28 **FORK** hi-ten unicrown **CRANKSET** Prowheel [38T] **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Draft **TYRES** Michelin Proték BR 28x40C ReflectiveLine **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



## AVERY 90

**FRAME** Kellys Aluminium alloy monotube 28 **FORK** SR Suntour CR-8V, 50mm, coil spring **CRANKSET** Prowheel [38T] **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Draft **TYRES** Michelin Proték BR 28x40C ReflectiveLine **LIGHTING** Büchel Urban LED / Büchel Champs Elysees LED Standlight





## EVERY 30

**FRAME** Kellys Aluminium alloy monotube 26 **FORK** hi-ten unicrown **CRANKSET** Prowheel (38T) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Mitas Cobra 26x1.90 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



## EVERY 20

**FRAME** Kellys Aluminium alloy monotube 28 **FORK** hi-ten unicrown **CRANKSET** Prowheel (38T) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Michelin Protek BR 28x40C ReflectiveLine **LIGHTING** LED battery / Büchel Champs Elysees LED battery



## EVERY 10

**FRAME** Kellys Aluminium alloy monotube 26 **FORK** hi-ten unicrown **CRANKSET** Prowheel (38T) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** Kellys Event **TYRES** Mitas Cobra 26x1.90 **LIGHTING** LED battery / Büchel Champs Elysees LED battery





# WASSI



### ROYAL DUTCH MENTHOL

**FRAME** van Kellys Dutch - Aluminium alloy **28 FORK** unicrown steel **CRANKSET** Prowheel (36T) **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / battery LED



### ROYAL DUTCH BLACK

**FRAME** van Kellys Dutch - Aluminium alloy **28 FORK** unicrown steel **CRANKSET** Prowheel (36T) **SHIFTERS** Shimano Nexus SL-7S20 Revoshift, 7-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus C3000 Inter-7 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** battery LED





**ARWEN DUTCH**  
BLACK / BEIGE

**FRAME** van Kellys Dutch - Aluminium alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel (36T) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / LED battery



**ARWEN DUTCH**  
MENTHOL / RED

**FRAME** van Kellys Dutch - Aluminium alloy 28  
**FORK** unicrown steel **CRANKSET** Prowheel (36T) **SHIFTERS** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Apse V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Event **TYRES** Impac Bigpac 28x2.0 ReflectiveLine **LIGHTING** Büchel Retro battery / LED battery



# FITNESS





## PHYSIO 50

**FRAME** Kellys Urban Move Concept - Aluminium alloy **FORK** Aluminium alloy **CRANKSET** Shimano Sora R3000 (50x34T) **SHIFTERS** Shimano Sora SL-3000 Rapidfire Plus, 18-speed **F/R DERAILLEUR** Shimano Sora R3000 **BRAKES** Shimano UR300 Hydraulic Disc **HUBS** Novatec Disc **RIMS** KLS Grind **TYRES** Schwalbe Spicer 35C ReflectiveLine





144 **JUNIOR**

NAGA, MARC, KITER, LUMI,  
MAGGIE, CINDY, WASPER, EMMA

158 **FIRST BIKE**

KIRU, KITE 12



**JUNIOR**





## NAGA 90

**FRAME** Kellys Aluminium alloy MTB 26  
**FORK** Aluminium alloy **CRANKSET** Prowheel (30T) **R/SHIFTER** Shimano Deore SL-M6000-R Rapidfire Plus, 10-speed **R/DERAILLEUR** Shimano Deore M6000 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano T3000 **RIMS** KLS Draft **TYRES** Schwalbe CX Comp 26x2.0



## NAGA 70 NEON LIME / PURPLE

**FRAME** Kellys Aluminium alloy MTB 26 **FORK** SR Suntour M3010, 63mm, coil spring **CRANKSET** Prowheel (42x34x24T) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova 26x2.0



## NAGA 80

**FRAME** Kellys Aluminium alloy MTB 26 **FORK** SR Suntour M3010, 63mm, coil spring **CRANKSET** Prowheel (42x34x24T) **SHIFTERS** Shimano ST-EF41-7 EZ-fire Plus, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / Shimano TY500 **RIMS** KLS Draft **TYRES** Innova 26x2.0 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight





## MARC 70

**FRAME** Kellys Alutec RRC MTB 24 Junior plus **FORK** Aluminium alloy  
**CRANKSET** Prowheel [36T] **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano TX800 **BRAKES** Tektro Hydraulic Disc **HUBS** KT Disc **RIMS** KLS Brave Disc **TYRES** Innova 24x2.35



147



## MARC 50

**FRAME** Kellys Alutec RRC MTB 24 **FORK** SR Suntour XCT, 50mm, coil spring **CRANKSET** Prowheel [36T] **R/SHIFTER** Shimano SL-M310 Rapidfire Plus, 7-speed **R/DERAILLEUR** Shimano TX800 **BRAKES** C-Star CX7 Mechanical Disc **HUBS** KT Disc **RIMS** KLS Draft Disc **TYRES** Mitas Winner 24x1.95

## MARC 90

**FRAME** Kellys Alutec RRC MTB 24 **FORK** SR Suntour XCT, 50mm, coil spring **CRANKSET** SR Suntour XCT [42x32x22T] **SHIFTERS** Shimano SL-M310 Rapidfire Plus, 24-speed **F/R DERAILLEUR** Shimano TY710 / Altus M310 **BRAKES** Tektro Hydraulic Disc **HUBS** KLS Firework Disc **RIMS** KLS Draft Disc **TYRES** Mitas Winner 24x1.95





**KITER 90**

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** Aluminium alloy **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano Altus SL-M370 Rapidfire Plus, 9-speed **R/DERAILLEUR** Shimano Altus M370 **BRAKES** Tektro V-brake **HUBS** alloy / Shimano TX500 **RIMS** KLS Wasper **TYRES** Schwalbe CX Comp 24x1.75



**KITER 70**

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** Shimano Dynamo Nexus C3000 / alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



**KITER 50**

*TITANIUM BLUE / TURQUOISE*

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [42x34x24T] **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Wasper **TYRES** Mitas Winner 24x1.95





**KITER 50**  
NEON YELLOW / WHITE

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** SR Suntour M3010, 50mm, coil spring **CRANKSET** Prowheel [42x34x24T] **SHIFTERS** Shimano SL-RS35-7 Revoshift, 21-speed **F/R DERAILLEUR** Shimano TY500 / TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Waspert **TYRES** Mitas Winner 24x1.95



**KITER 30**  
TURQUOISE

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Waspert **TYRES** Mitas Winner 24x1.95



**KITER 30**  
NEON ORANGE / WHITE / PURPLE

**FRAME** Kellys Aluminium alloy MTB 24 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS Waspert **TYRES** Mitas Winner 24x1.95



## LUMI 90

**FRAME** Kellys Aluminium alloy MTB 20 **FORK** Aluminium alloy **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS45-8 Revoshift, 8-speed **BRAKES** Tektro V-brake **HUBS** Shimano TX500 **RIMS** KLS **TYRES** Schwalbe CX Comp 20x1.75



## LUMI 50

GREEN / PINK BLUE

**FRAME** Kellys Aluminium alloy MTB 20 **FORK** SR Suntour M3010, 40mm, coil spring **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS35-7 Revoshift, 7-speed **R/DERAILLEUR** Shimano TY300 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90



## LUMI 70

**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano Nexus SL-3S42E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS **TYRES** Mitas Winner 20x1.90 **LIGHTING** Büchel Urban Halogen / Büchel Champs Elysees LED Standlight



## LUMI 30 PURPLE

**FRAME** Kellys Aluminium alloy MTB 20 **FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90





### LUMI 30

WHITE / NEON YELLOW / RED

**FRAME** Kellys Aluminium alloy MTB 20  
**FORK** hi-ten steel unicrown **CRANKSET** Prowheel [32T] **R/SHIFTER** Shimano SL-RS35-6 Revoshift, 6-speed **R/DERAILLEUR** Shimano TY21 **BRAKES** Tektro V-brake **HUBS** alloy **RIMS** KLS **TYRES** Mitas Winner 20x1.90

### MAGGIE

**FRAME** Kellys Aluminium alloy monotube 24  
**FORK** hi-ten steel unicrown **CRANKSET** Prowheel [38T] **R/SHIFTER** Shimano Nexus SL-3S41E Revoshift, 3-speed **BRAKES** Tektro V-brake / Shimano coaster brake **HUBS** alloy / Shimano Nexus 3C41 Inter-3 internal geared hub **RIMS** KLS Wasper **TYRES** Mitas Walrus 24x1.75x2 ReflectiveLine



### CINDY

**FRAME** Kellys Aluminium alloy monotube 20  
**FORK** hi-ten steel unicrown **CRANKSET** Prowheel [36T], 1-speed **BRAKES** Tektro V-brake / coaster brake **HUBS** alloy / coaster brake hub **RIMS** KLS **TYRES** Mitas Walrus 20x1.75x2





**WASPER**  
RED / YELLOW / BLUE

**FRAME** Kellys Aluminium alloy MTB 16  
**FORK** steel unicrown **CRANKSET** 1-speed  
**BRAKES** V-brake / coaster brake **HUBS**  
steel / coaster brake hub



**EMMA**  
MENTHOL / PINK

**FRAME** Kellys Aluminium alloy monotube 16  
**FORK** steel unicrown **CRANKSET** 1-speed  
**BRAKES** V-brake / coaster brake **HUBS**  
steel / coaster brake hub





# FIRST BIKE



ALU **Mg** ULTRALIGHT  
MAGNESIUM  
FRAME

**KIRU** it's a new-generation balance bike with frame made out of **ultra-lightweight Magnesium alloy**, which saves 25% of weight compare to traditional aluminium alloy frame. With the new material also comes a unique design with sleek, dynamic lines and shape. You cannot be indifferent to all-new KIRU, so your kid will be a star on the field for sure.

**KIRU RACE**  
RAW SILVER



**KIRU RACE**  
PURPLE / FOREST / LIME



**KIRU**  
LIME / PURPLE / FOREST /  
RAW SILVER





**KITE 12 RACE**  
PINK / TEAM / RED



**KITE 12**  
TEAM

**BOTH KIRU AND KITE 12 HELP YOUR CHILD TO GET USED TO RIDING A BIKE AND BRINGS MUCH FUN.**

Riding on two wheels helps to improve their motor skills, riding control and coordination. As your kid progresses, it tries to keep its feet on the integrated footrests and develops advanced riding skills. Adjustable handlebars and seatpost clamp allow easy and quick adjustment of the bike to meet your child's needs. Thanks to 12-inch wheels with high-profile inflatable tyres the ride is comfortable and smooth. The tyres' tread is designed to keep the grip on any surface from grass and sand, to tarmac or concrete. Balance bikes Kellys KIRU and KITE 12 meet the highest safety standards for the European market and are certified to EN-71 norm.



**KITE 12**  
RED / PINK



 <b>FRAME MANUFACTURED BY ROBOTS FROM NEXT-GENERATION HYBRID COMPOSITE</b> <small>MADE IN EUROPE</small>	The frame is made of new generation <b>Thermoplastic Hybrid Steel-Carbon Composite</b> on fully automatic and <b>robotized production line in Europe</b> for unmatched quality and precision impossible to achieve by manual production methods. Additionally, this process guarantees <b>high quality</b> repeatability.
 <b>ROBOTIC WELDED FRAME</b> <small>MADE IN EUROPE</small>	The frame is <b>welded by robots in European factory</b> for unmatched <b>quality and precision</b> impossible to achieve by manual welding. Additionally, this process guarantees high quality repeatability.
 <b>KELLYS RE-CHARGE BATTERY K1</b>	The <b>all-new generation of Kellys Re-Charge power source</b> for all-new THEOS F-series e-bikes - co-developed by <b>Kellys-BMZ</b> . Thanks to new-generation cells and unique cooling system the Kellys Re-Charge K1 has <b>superb weight-to-capacity ratio</b> offering mighty <b>720 Wh/20 Ah</b> for matchless range and off-road performance. The battery is <b>easy-removeable</b> and it can be <b>charged out of the bike's frame</b> .
 <b>KELLYS RE-CHARGE BATTERY V10</b>	The next generation of <b>Kellys Re-Charge power source</b> for all-new TYGON and TAYEN R-series, e-trekking and e-city bikes - co-developed by <b>Kellys-BMZ</b> . Thanks to new-generation cells Kellys Re-Charge V10 has even <b>better weight-to-capacity ratio</b> comparing to its previous generation. All-new Kellys Re-Charge V10 offers mighty <b>720 Wh/20 Ah</b> for matchless range. The battery is <b>easy-removeable</b> and it can be <b>charged out of the bike's frame</b> .
 <b>KELLYS RE-CHARGE LI-ION INTEGRATED BATTERY</b>	This unique power source is <b>compact, lightweight and has unparalleled volume-to-capacity ratio</b> . This is why our engineers were able to pack <b>massive 630Wh/17Ah of energy</b> into small, <b>fully integrated power cell hidden in the frame</b> . Thanks to its compactness the bottom tube of the frame, where the battery is placed, is single-wall, narrow and has undisrupted structure which makes it stiffer and lighter in compare to the other designs.
 <b>BOOST THRU AXLE</b>	Boost thru axles <b>increases the stiffness</b> even more, resulting in more effective and <b>more precise bike handling</b> . Thanks to the wider rear hub the <b>wheels are stiffer, the tyre clearance is bigger</b> , and so the wider rear wheel and shorter chainstay can be applied.
 <b>SHIMANO Di2 SYSTEM</b>	The bike utilises <b>Shimano Di2 electronic shifting system</b> .
 <b>DRIVE CORE</b>	Drive Core bottom bracket is the heart of Kellys' new generation frames. Thanks to its tough structure it <b>can withstand the great loads occurring during aggressive ride</b> both form suspension system and drivetrain.
 <b>FLAT MOUNT</b>	Flat mount standard is based on the same principles as post mount, but it is intended for road bikes <b>allowing to use smaller 140-millimetre rotors</b> .
 <b>FOUR BAR LINKAGE SUSPENSION SYSTEM</b>	The advanced system of the rear suspension characterized by <b>high sensitivity and pedalling efficiency</b> . Versatile characteristics ensures the best damping and riding performance regardless of the condition.
 <b>HYDRO FORMING</b>	Hydroforming is a way of the 3-D shaping of the frame tubes. This technology allows creating <b>lighter, stiffer and more beautiful frames</b> thanks shape-to-strength optimization.
 <b>INTEGRATED FRAME PROTECTION</b>	Integrated Frame Protection ensures the best possible frame protection. Its <b>exclusive design, precise fitment and durability</b> make the rider feel confident to hit the toughest parts of the trail without any fear of damaging the frame.
 <b>INTERNAL CABLEROUTING</b>	The derailleur, brake, dropper and electrical cables are routed internally inside of the frame which results in a <b>cleaner design, better performance and durability</b> .
 <b>ISCG05</b>	It is a chain guide, bash guard or front derailleur <b>direct mount standard</b> . It is widely used in extreme mountain bikes.
 <b>MULLET SET-UP 29/27.5</b>	The Mullet Set-up means that the bike utilises <b>combination of 29-inch front and 27.5-inch rear wheel</b> for top off-road performance with lots of <b>stability, agility and grip</b> .

 <b>FEATHER HYBRID STEEL-CARBON COMPOSITE</b>	Feather is a <b>hybrid composite</b> of a new generation. This thermoplastic hybrid steel-carbon composite is <b>200% more durable and impact-resistant without any weight penalty</b> to create super-strong and lightweight structure. Feather is also <b>recyclable</b> .
 <b>iCAD CARBON COMPOSITE</b>	The frame is made of <b>military-grade carbon-fibre composite</b> for lightness and top performance.
 <b>1x12 DRIVETRAIN</b>	1x12 drivetrains is the latest MTB configuration offering <b>ultra-wide gear ratio, precision, durability and ease of use</b> .
 <b>AUTOMATIC SHIFTING</b>	The bike utilises <b>Shimano Di2 automatic shifting system</b> .
 <b>WHEEL SWAP</b>	The unique ability of the frame to utilise <b>both 29-inch or 27.5+ wheels</b> .
 <b>KICKSTAND DIRECTMOUNT</b>	This feature allows to <b>directly mount the kickstand to the frame</b> without unnecessary intermediary parts like additional brackets or clamps. It's <b>lighter, simpler and more durable</b> .
 <b>POST MOUNT</b>	It is the way of the direct mount of the brake calliper which results in stiffer and more precise connection to the frame, thus <b>better braking performance and durability</b> is provided.
 <b>POWER CORE</b>	Power Core design is the way of <b>weight-to-stiffness frame optimization</b> which bases on reinforced structure connecting head tube, bottom bracket and chainstays to ensure <b>virtually lossless power transfer, razor-sharp handling and low weight</b> .
 <b>PRESS FIT BOTTOM BRACKET</b>	This technology allows putting bottom bracket bearings directly into the frame, which results in <b>lighter, stiffer and more durable system</b> . Bigger diameter of the bottom bracket tube also creates <b>tougher frame structure</b> .
 <b>SIDE SWING</b>	New standard for front derailleurs. Thanks to simplified construction it allows to <b>shorten the chainstays</b> , provides <b>better shifting performance</b> and <b>more tyre clearance</b> .
 <b>TAPERED HEADTUBE</b>	The tapered head tube serves up a significant <b>increase in rough terrain tracking and stability</b> by use of oversized 1.5" bottom bearing.
 <b>THINKLINK SUSPENSION SYSTEM</b>	Think Link Suspension System is a <b>unique design of totally independent rear suspension</b> . It ensures <b>no negative influence from a drivetrain and brakes, no pedal kickback</b> and <b>constant rear triangle geometry</b> with absolutely <b>no chain growth</b> . Think Link Suspension keeps the grip at the best possible level and provides smooth stroke allowing uninterrupted power transfer from a crank to the rear wheel.
 <b>THRU AXLE</b>	Thru axle is really important feature of the frame <b>increasing the stiffness of the whole structure, better braking and pedalling performance</b> . It also results in improved steering and handling, especially at high speeds and rough terrain.
 <b>UNI-BODY INTEGRATED DESIGN</b>	As in F1 racing cars this unique way of design is based on monolith, unified body of the e-bike creating lightweight and extra-stiff structure for the best possible performance. Having <b>extremely high stiffness-to-weight ratio</b> , with fully integrated components and undisturbed, uniform construction it ensures the <b>best possible performance</b> .
 <b>VARIO GEOMETRY SYSTEM</b>	VGS is a unique feature of new NOID's allowing <b>fine tuning of the frame geometry</b> to match bike's characteristics to the riders needs. The chainstays and wheelbase length, bottom bracket height along with the head and seat tube angles can be adjusted within minutes.
 <b>KELLYS LADYCONCEPT</b>	Kellys Lady Concept stands for unique approach to the design of frames. KLS mark means <b>specially adapted geometry and sizing to meet the feminine bikers needs</b> . Also the gearing, suspension and, of course, the unique style are taken into account.

## E-BIKE

MOUNTAIN				
	THEOS F90 720Wh / capacity 20Ah	THEOS F70 720Wh / capacity 20Ah	THEOS F50 720Wh / capacity 20Ah	THEOS i50 630Wh / capacity 17.5Ah
<b>FRAME</b>	Kellys THEOS F series Thermoplastic Hybrid Steel-Carbon Composite a.k.a. FEATHER® by Rein4ced assembled by advanced robotic manufacturing / Think Link, 170mm rear travel / integrated removable battery, 1.8 tapered HT, post mount 203mm, mullet 29 / 27.5+ wheelset, 12x148mm Boost thru axle / Made in EU	Kellys THEOS F series Thermoplastic Hybrid Steel-Carbon Composite a.k.a. FEATHER® by Rein4ced assembled by advanced robotic manufacturing / Think Link, 170mm rear travel / integrated removable battery, 1.8 tapered HT, post mount 203mm, mullet 29 / 27.5+ wheelset, 12x148mm Boost thru axle / Made in EU	Kellys THEOS F series Thermoplastic Hybrid Steel-Carbon Composite a.k.a. FEATHER® by Rein4ced assembled by advanced robotic manufacturing / Think Link, 140mm rear travel / integrated removable battery, 1.8 tapered HT, post mount 203mm, mullet 29 / 27.5+ wheelset, 12x148mm Boost thru axle / Made in EU	Kellys e-FRAME Allmountain 27.5 Uni-Body Integrated Design / Four-bar link, 150mm rear travel / tapered HT, mullet 29 / 27.5+ wheelset, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L	M / L	ANTHRACITE M / L TEAL M / L	LIGHT GREY S / M / L DARK M / L / XL
<b>MOTOR</b>	Shimano STEPS EP8 (021) 85Nm, 36V	Shimano STEPS EP8 (021) 85Nm, 36V	Shimano STEPS EP8 (021) 85Nm, 36V	Shimano STEPS E7000, 36V
<b>SWITCH UNIT</b>	Shimano SW-E7000-L for assist	Shimano SW-E7000-L for assist	-	-
<b>COMPUTER DISPLAY</b>	Shimano SC-E7000	Shimano SC-E7000	Shimano SC-E5003 cycle computer with assist switch	Shimano SC-E5000 cycle computer with assist switch
<b>BATTERY</b>	Kellys Re-Charge K1 Li-ion internal removable 720Wh / capacity 20Ah co-developed by Kellys-BMZ	Kellys Re-Charge K1 Li-ion internal removable 720Wh / capacity 20Ah co-developed by Kellys-BMZ	Kellys Re-Charge K1 Li-ion internal removable 720Wh / capacity 20Ah co-developed by Kellys-BMZ	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah
<b>FORK</b>	Fox 38 Float Factory - Kashima Coat (29) Boost 180mm, Float Evol / GRIP2 damper / 15QR thru axle	Rock Shox Zeb (29) Boost 180mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox 35 Gold RL (29) Boost 150mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox 35 Gold RL (29) Boost 160mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	Fox Float X2 Factory - Kashima Coat 2-Position Open-Firm (230x65mm)	Rock Shox Super Deluxe Coil Select R (230x65mm)	Rock Shox Deluxe Select R, DebonAir (210x55mm)	Rock Shox Deluxe Select R, DebonAir / Trunnion mount (205x65mm)
<b>HEAD PARTS</b>	Acros 1.8 semi-integrated tapered / blocklock	Acros 1.8 semi-integrated tapered / blocklock	Acros 1.8 semi-integrated tapered / blocklock	FSA 1.5 integrated
<b>CRANKSET</b>	Shimano Deore XT M8150 (34T) length 170mm	Shimano EM600 (38T) length 170mm	Shimano EM600 (34T) length 170mm	Shimano E8000 (38T) length 170mm
<b>SHIFTERS</b>	Shimano Deore XT Di2 SW-M8050-R Firebolt	Shimano Deore (021) SL-M6100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore SL-M4100-R Rapidfire Plus (I-Spec EV)	Shimano Deore SL-M4100-R Rapidfire Plus (I-Spec EV)
<b>R/DERAILLEUR</b>	Shimano Deore XT Di2 M8050 (direct mount)	Shimano Deore XT M8100 (direct mount)	Shimano Deore M5120 (direct mount)	Shimano Deore M5120 (direct mount)
<b>SPEED</b>	11	12	10	10
<b>FREEWHEEL</b>	Shimano CS-M7000-11 (11-46T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano CS-M4100-10 (11-46T)	Shimano CS-M4100-10 (11-46T)
<b>CHAIN</b>	KMC e11T (116 links)	Shimano CN-M8100 (122 links)	KMC e10T (120 links)	KMC e10 T (116 links)
<b>BRAKES</b>	Shimano Deore XT M8120 Hydraulic Disc	Shimano MT420 Hydraulic Disc	Shimano MT420 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc
<b>BRAKE ROTORS</b>	Shimano MT800 203mm front / EM810 203mm rear	203mm front / 203mm rear	203mm front / 203mm rear	203mm front / 203mm rear
<b>BRAKE LEVERS</b>	Shimano Deore XT BL-M8100 Hydraulic Disc	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100
<b>HUBS</b>	-	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Fox 15QR 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear
<b>RIMS / WHEELSET</b>	DT Swiss H 1700 29 622x30 Disc Center Lock front / H 1700 Spline 27.5 584x35 Disc Center Lock rear (15x110mm / 12x148mm)	KLS Bender Disc 622x38 front / 584x38 rear (32 holes)	KLS Bender Disc 622x38 front / 584x38 rear (32 holes)	KLS Valor 3 Disc 622x30 front / 584x30 rear (32 holes)
<b>SPOKES</b>	-	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Eddy Current Evo SuperTrail 65-622 (29x2.60) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Eddy Current Evo SuperGravity 70-584 (27.5x2.80) Tubeless Easy, ADDIX Soft, folding rear	Schwalbe Eddy Current Evo SuperTrail 65-622 (29x2.60) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Eddy Current Evo SuperGravity 70-584 (27.5x2.80) Tubeless Easy, ADDIX Soft, folding rear	Schwalbe Nobby Nic Performance 65-622 (29x2.60) ADDIX front / Schwalbe Nobby Nic Performance 70-584 (27.5x2.80) ADDIX rear	Schwalbe Nobby Nic Performance 65-622 (29x2.60) ADDIX front / Schwalbe Nobby Nic Performance 70-584 (27.5x2.80) ADDIX rear
<b>STEM</b>	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm
<b>HANDLEBAR</b>	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm
<b>GRIPS</b>	KLS Poison	KLS Poison	KLS Poison OneLockon	KLS Poison OneLockon
<b>SEAT POST</b>	Fox Transfer Factory Remote Telescopic - Kashima Coat diam 30.9mm / travel 150mm (M), 175mm (L)	KS RAGE-I Remote Telescopic diam 30.9mm / length 442mm, travel 150mm (M), length 495mm, travel 170mm (L)	KS RAGE-I Remote Telescopic diam 30.9mm / length 442mm, travel 150mm	KS RAGE-I Remote Telescopic diam 31.6mm / length 442mm, travel 125mm (S), 150mm (M - XL)
<b>SADDLE</b>	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails
<b>PEDALS</b>	plastic	plastic	plastic	plastic

Specification are subject to change without notice.

## E-BIKE

MOUNTAIN				
	TYGON R90 29" 720Wh / capacity 20Ah	TAYEN R90 29" 720Wh / capacity 20Ah	TAYEN R90 27.5" 720Wh / capacity 20Ah	TYGON R50 29" 720Wh / capacity 20Ah
<b>FRAME</b>	Kellys TYGON R series advanced robotic welded 6-series aluminium alloy integrated removable battery, 1.5" tapered HT, 12x148mm Boost thru axle / Made in EU	Kellys TAYEN R series advanced robotic welded 6-series aluminium alloy integrated removable battery, 1.5" tapered HT, 12x148mm Boost thru axle / Made in EU	Kellys TAYEN R series advanced robotic welded 6-series aluminium alloy integrated removable battery, 1.5" tapered HT, 12x148mm Boost thru axle / Made in EU	Kellys TYGON R series advanced robotic welded 6-series aluminium alloy integrated removable battery, 1.5" tapered HT, 12x148mm Boost thru axle / Made in EU
<b>FRAME SIZE</b>	M / L / XL	M / L	S	BLUE M / L / XL LIME M / L / XL GREY M / L / XL
<b>MOTOR</b>	Shimano STEPS E7000, 36V			
<b>SWITCH UNIT</b>	-	-	-	-
<b>COMPUTER DISPLAY</b>	Shimano SC-E5000 cycle computer with assist switch			
<b>BATTERY</b>	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ
<b>FORK</b>	Rock Shox Recon Gold RL (29) Boost 120mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Recon Gold RL (29) Boost 120mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Recon Gold RL (27.5) Boost 120mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox 35 Silver RL (29) Boost 120mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	-	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated
<b>CRANKSET</b>	Shimano E6100 (36T) length 170mm	Shimano E6100 (36T) length 170mm	Shimano E6100 (36T) length 170mm	Shimano E6100 (34T) - length 170mm
<b>SHIFTERS</b>	Shimano Deore (021) SL-M6100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) SL-M6100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) SL-M6100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore SL-M4100-R Rapidfire Plus (I-Spec EV)
<b>R/DERAILLEUR</b>	Shimano SLX M7100 (direct mount)	Shimano SLX M7100 (direct mount)	Shimano SLX M7100 (direct mount)	Shimano Deore M5120 (direct mount)
<b>SPEED</b>	12	12	12	10
<b>FREEWHEEL</b>	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano CS-M4100-10 (11-46T)
<b>CHAIN</b>	Shimano (021) CN-M6100 (122 links)	Shimano (021) CN-M6100 (122 links)	Shimano (021) CN-M6100 (122 links)	KMC e10T (116 links)
<b>BRAKES</b>	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear			
<b>BRAKE LEVERS</b>	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano BL-MT200
<b>HUBS</b>	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear
<b>RIMS</b>	KLS Valor 3 Disc 622x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)	KLS Valor 3 Disc 584x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX	Schwalbe Nobby Nic Performance 65-584 (27.5x2.60) ADDIX	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 80mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 80mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 700mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 700mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 720mm
<b>GRIPS</b>	KLS Poison OneLockon	KLS Poison OneLockon	KLS Poison OneLockon	KLS Poison OneLockon
<b>SEAT POST</b>	EXAform JAG1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 125mm	KLS Active diam 30.9mm / length 350mm
<b>SADDLE</b>	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	KLS Sentinel 2
<b>PEDALS</b>	plastic	plastic	plastic	plastic

Specification are subject to change without notice.

## E-BIKES

MOUNTAIN					
	TAYEN R50 29" 720Wh / capacity 20Ah	TAYEN R50 27.5" 720Wh / capacity 20Ah	TYGON 10 29" 630Wh / capacity 17.5Ah	TAYEN 10 29" 630Wh / capacity 17.5Ah	TAYEN 10 27.5" 630Wh / capacity 17.5Ah
<b>FRAME</b>	Kellys TAYEN R series advanced robotic welded 6-series aluminium alloy, 1.5" tapered HT, integrated removable battery, 12x148mm Boost thru axle / Made in EU	Kellys TAYEN R series advanced robotic welded 6-series aluminium alloy, 1.5" tapered HT, integrated removable battery, 12x148mm Boost thru axle / Made in EU	Kellys e-FRAME Uni-Body Integrated Design, Drive Core, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys e-FRAME Uni-Body Integrated Design, Drive Core, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys e-FRAME Uni-Body Integrated Design, Drive Core, tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	<b>SKY BLUE</b> M/L <b>WHITE</b> M/L <b>PINK</b> M	<b>SKY BLUE</b> S <b>WHITE</b> S <b>PINK</b> S	<b>GREY</b> M/L/XL <b>RED</b> M/L	<b>SKY BLUE</b> M/L <b>GREY</b> M/L	<b>SKY BLUE</b> S <b>GREY</b> S
<b>MOTOR</b>	Shimano STEPS E7000, 36V	Shimano STEPS E7000, 36V	Panasonic GX Ultimate, 90Nm, 36V	Panasonic GX Ultimate, 90Nm, 36V	Panasonic GX Ultimate, 90Nm, 36V
<b>SWITCH UNIT</b>	-	-	Panasonic gear shifter button	Panasonic gear shifter button	Panasonic gear shifter button
<b>COMPUTER DISPLAY</b>	Shimano SC-E5000 cycle computer with assist switch	Shimano SC-E5000 cycle computer with assist switch	Panasonic center LCD	Panasonic center LCD	Panasonic center LCD
<b>BATTERY</b>	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah	Kellys Re-Charge Li-ion internal 630Wh / capacity 17.5Ah
<b>FORK</b>	Rock Shox 35 Silver RL (29) Boost 120mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox 35 Silver RL (27.5) Boost 120mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	SR Suntour XCM32 (29) Boost 120mm, coil spring / 15mm thru axle	SR Suntour XCM32 (29) Boost 120mm, coil spring / 15mm thru axle	SR Suntour XCM32 (27.5) Boost 120mm, coil spring / 15mm thru axle
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated
<b>CRANKSET</b>	Shimano E6100 (34T) length 170mm	Shimano E6100 (34T) length 170mm	Samox (34T) length 170mm	Samox (34T) length 170mm	Samox (34T) length 170mm
<b>SHIFTERS</b>	Shimano Deore SL-M4100-R Rapidfire Plus (I-Spec EV)	Shimano Deore SL-M4100-R Rapidfire Plus (I-Spec EV)	Shimano Altus SL-M2000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus
<b>R/DERAILLEUR</b>	Shimano Deore M5120 (direct mount)	Shimano Deore M5120 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)
<b>SPEED</b>	10	10	9	9	9
<b>FREEWHEEL</b>	Shimano CS-M4100-10 (11-46T)	Shimano CS-M4100-10 (11-46T)	Shimano CS-HG400-9 (11-36T)	Shimano CS-HG400-9 (11-36T)	Shimano CS-HG400-9 (11-36T)
<b>CHAIN</b>	KMC e10T (116 links)	KMC e10T (116 links)	KMC e9S (118 links)	KMC e9S (118 links)	KMC e9S (118 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
<b>HUBS</b>	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)	Shimano MT400-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear
<b>RIMS</b>	KLS Valor 3 Disc 622x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX	Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX	Michelin Country Race'r 54-622 (29x2.10)	Michelin Country Race'r 54-622 (29x2.10)	Michelin Country Race'r 54-584 (27.5x2.10)
<b>STEM</b>	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 60mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 700mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 700mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 700mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 700mm
<b>GRIPS</b>	KLS Poison OneLockon	KLS Poison OneLockon	KLS Poison OneLockon	KLS Token Lockon 3Density	KLS Token Lockon 3Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm
<b>SADDLE</b>	KLS Sentinel 2	Selle Royal Vivo	KLS Sentinel 2	Selle Royal Vivo	Selle Royal Vivo
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic

Specification are subject to change without notice.

## E-BIKES

TOUR					CITY
	E-CARSON 70 720Wh / capacity 20Ah	E-CRISTY 70 720Wh / capacity 20Ah	E-CARSON 30 720Wh / capacity 20Ah	E-CRISTY 30 720Wh / capacity 20Ah	ESTIMA 80 720Wh / capacity 20Ah
<b>FRAME</b>	Kellys E-CARSON R series advanced robotic welded 6-series aluminium alloy, integrated removable battery, 1.5" tapered HT / Made in EU	Kellys E-CRISTY R series advanced robotic welded 6-series aluminium alloy, integrated removable battery, 1.5" tapered HT / Made in EU	Kellys E-CARSON R series advanced robotic welded 6-series aluminium alloy, integrated removable battery, 1.5" tapered HT / Made in EU	Kellys E-CRISTY R series advanced robotic welded 6-series aluminium alloy, integrated removable battery, 1.5" tapered HT / Made in EU	Kellys ESTIMA R series advanced robotic welded 6-series aluminium alloy, integrated removable battery, Di2 Full-automatic shifting, 1.5" tapered HT / Made in EU
<b>FRAME SIZE</b>	M / L / XL	S / M	<b>GREY</b> M / L / XL <b>BLUE</b> M / L / XL	<b>SKY BLUE</b> S / M / L <b>WHITE</b> S / M / L <b>GREY</b> S / M / L	S / M
<b>MOTOR</b>	Shimano STEPS E6100, 36V	Shimano STEPS E6100, 36V	Shimano STEPS E5000, 36V	Shimano STEPS E5000, 36V	Shimano STEPS E6100, 36V
<b>SWITCH UNIT</b>	-	-	-	-	Shimano SW-E7000-L / SW-E6010-R
<b>COMPUTER DISPLAY</b>	Shimano SC-E5000 cycle computer with assist switch	Shimano SC-E6100			
<b>BATTERY</b>	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ
<b>FORK</b>	Rock Shox Recon Silver RL (29) Boost 100mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox Recon Silver RL (29) Boost 100mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	SR Suntour NVX30 NLO (29) 100mm, coil spring	SR Suntour NVX30 NLO (29) 100mm, coil spring	SR Suntour Mobie-A32 (29) 75mm, coil spring / 15mm thru axle
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated				
<b>CRANKSET</b>	Shimano E6100 (38T) length 175mm	Shimano E6100 (38T) length 175mm	Shimano E5000 (38T) length 175mm	Shimano E5000 (38T) length 175mm	Shimano E6100 (38T) length 170mm
<b>SHIFTERS</b>	Shimano Deore SL-M5100-R Rapidfire Plus	Shimano Deore SL-M5100-R Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus	Shimano Altus SL-M2000 Rapidfire Plus	Shimano SW-E7000-L / SW-E6010-R
<b>R/DERAILLEUR</b>	Shimano Deore XT M8000 (direct mount)	Shimano Deore XT M8000 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)	-
<b>SPEED</b>	11	11	9	9	5
<b>FREEWHEEL</b>	Shimano CS-M5100-11 (11-42T)	Shimano CS-M5100-11 (11-42T)	Shimano CS-HG201-9 (11-36T)	Shimano CS-HG201-9 (11-36T)	sprocket Shimano Nexus C7000 24T
<b>CHAIN</b>	KMC e11T (116 links)	KMC e11T (116 links)	KMC e9S (118 links)	KMC e9S (118 links)	Shimano CN-HG11 (108 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc				
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200				
<b>HUBS</b>	Shimano MT400-B / Alivio M4050 Disc Center Lock (32 holes)	Shimano MT400-B / Alivio M4050 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano MT400 / Shimano Nexus C7050-5 with motor unit UR500 Di2 Full-automatic shifting Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox 15x110mm front	Rock Shox 15x110mm front	-	-	SR Suntour 15x110mm front
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)			
<b>SPOKES</b>	stainless steel black				
<b>TYRES</b>	Schwalbe Marathon Almotion Performance 55-622 (28x2.15) ReflectiveLine	Schwalbe Marathon Almotion Performance 55-622 (28x2.15) ReflectiveLine	Impac Bigpac 55-622 (28x2.15) TwinSkin, ReflectiveLine	Impac Bigpac 55-622 (28x2.15) TwinSkin, ReflectiveLine	Schwalbe Super Moto-X Performance 62-584 (27.5x2.40) GreenGuard, SnakeSkin, ReflectiveLine
<b>STEM</b>	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 105mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 105mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm
<b>HANDLEBAR</b>	Kalloy RiseBar diam 31.8mm / width 640mm				
<b>GRIPS</b>	KLS Wave 2Density ergonomic				
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 300mm	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)
<b>SADDLE</b>	Selle Royal Lookin Visual Royalgel	Selle Royal Essenza Moderate	KLS Sentinel 2	KLS Sentinel 2	Selle Royal Essenza Relaxed
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic
<b>FRONT LIGHT</b>	Trelock Veo 50	Trelock Veo 50	Axa Compactline 35	Axa Compactline 35	Axa Compactline 35
<b>REAR LIGHT</b>	Trelock Duo Flat				
<b>FENDERS</b>	alloy	alloy	plastic	plastic	alloy
<b>ACCESSORIES</b>	alloy carrier, adjustable kickstand, bell				

Specification are subject to change without notice.

## E-BIKES

	CITY		JUNIOR
	ESTIMA 60 720Wh / capacity 20Ah	ESTIMA 50 504Wh / capacity 14Ah	eMARC 418Wh / capacity 11.6Ah
<b>FRAME</b>	Kellys ESTIMA R series advanced robotic welded 6-series aluminium alloy, integrated removable battery, 1.5" tapered HT / Made in EU	Kellys e-FRAME City Aluminium alloy monotube, semi-integrated battery, tapered HT, integrated kickstand mount	Kellys eMARC series Junior 24 Aluminium alloy, semi-integrated battery
<b>FRAME SIZE</b>	S / M	WHITE S / M BLACK S / M	315mm
<b>MOTOR</b>	Shimano STEPS E5000, 36V	Shimano STEPS E5000, 36V	Shimano STEPS E5000, 36V
<b>SWITCH UNIT</b>	Shimano SW-E6010-L for assist	Shimano SW-E6010-L for assist	-
<b>COMPUTER DISPLAY</b>	Shimano SC-E6100	Shimano SC-E6100	Shimano SC-E5000 cycle computer with assist switch
<b>BATTERY</b>	Kellys Re-Charge V10 Li-ion internal removable 720Wh / capacity 20Ah powered by BMZ	Shimano BT-E8010 504Wh / capacity 14Ah	Shimano BT-E8014 418Wh / capacity 11.6Ah
<b>FORK</b>	SR Suntour Mobile-A32 (29) 75mm, coil spring / 15mm thru axle	SR Suntour NEX-E25 NLD 63mm, coil spring	SR Suntour XCR Air LO (24) 100mm, air / Speed Lockout
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	semi-integrated
<b>CRANKSET</b>	Shimano E5000 (38T) length 170mm	Shimano E5000 (38T) length 170mm	Shimano E5010 (38T) length 165mm
<b>SHIFTERS</b>	Shimano Nexus SL-C3000-7 Revoshift	Shimano Nexus SL-C6000-8 Revoshift	Shimano Altus SL-M2000 Rapidfire Plus
<b>R/DERAILLEUR</b>	-	-	Shimano Altus M2000 (direct mount)
<b>SPEED</b>	7	8	9
<b>FREEWHEEL</b>	sprocket for internal hub 18T	sprocket for internal hub 18T	Shimano CS-HG201-9 (11-36T)
<b>CHAIN</b>	KMC Z1 (102 links)	KMC Z1 (102 links)	KMC X9 (114 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
<b>HUBS</b>	Shimano MT400 / Shimano Nexus C3001-7 Disc Center Lock (32 holes)	Shimano TX505 / Shimano Nexus C6001-8 Coaster brake / Disc brake Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)
<b>THRU AXLE</b>	SR Suntour 15x110mm front	-	-
<b>RIMS</b>	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 507x21 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	steel black
<b>TYRES</b>	Schwalbe Super Moto-X Performance 62-584 (27.5x2.40) GreenGuard, SnakeSkin, ReflectiveLine	Impac Streetpac 47-622 (28x1.75) ReflectiveLine	Impac Ridgepac 54-507 (24x2.10)
<b>STEM</b>	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 85mm (S), 105mm (M)	Promax diam 31.8mm / length 45mm
<b>HANDLEBAR</b>	Kalloy RiseBar diam 31.8mm / width 640mm	Kalloy RiseBar diam 31.8mm / width 640mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Advancer 2Density
<b>SEAT POST</b>	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy diam 30.9mm / length 300mm
<b>SADDLE</b>	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel	KLS Junior
<b>PEDALS</b>	plastic	plastic	plastic
<b>FRONT LIGHT</b>	Axa Compactline 35	Axa Compactline 35	-
<b>REAR LIGHT</b>	Trelock Duo Flat	Trelock Duo Flat	-
<b>FENDERS</b>	plastic	plastic	-
<b>ACCESSORIES</b>	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	-

Specification are subject to change without notice.

## MOUNTAIN

	DOWNHILL			ENDURO	
	NOID 90 29"	NOID 90 27.5"	NOID 70 27.5"	SWAG 50 29"	SWAG 30 29"
<b>FRAME</b>	Kellys Gravity DH 29 / Think Link, 205mm rear travel internal routing, ISCG 05, 12x150mm thru axle	Kellys Gravity DH 27.5 / Think Link, 205mm rear travel internal routing, ISCG 05, 12x150mm thru axle	Kellys Gravity DH 27.5 / Think Link, 205mm rear travel internal routing, ISCG 05, 12x150mm thru axle	Kellys Enduro 29 / Think Link, 150mm rear travel tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Enduro 29 / Think Link, 150mm rear travel tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L	M / L / XL	M / L	M / L	M / L
<b>FORK</b>	Rock Shox BoXXer Ultimate (29) Boost 200mm, DebonAir / Charger 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox BoXXer Ultimate (27.5) Boost 200mm, DebonAir / Charger 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox BoXXer Ultimate (27.5) Boost 200mm, DebonAir / Charger 2 RC2 / Maxle Stealth 20mm thru axle	Rock Shox Lyrik Select (29) Boost 170mm, DebonAir / Charger RC / Maxle Stealth 15mm thru axle	Rock Shox Yari RC (29) Boost 170mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	Rock Shox Super Deluxe Coil Ultimate DH RC (250x75mm)	Rock Shox Super Deluxe Coil Ultimate DH RC (250x75mm)	Rock Shox Super Deluxe Coil Select R (250x75mm)	Rock Shox Super Deluxe Coil Ultimate RCT (210x55mm)	Rock Shox Super Deluxe Select+ RT, DebonAir / Open-Threshold (210x55mm)
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A	Sram DUB PressFit	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A
<b>CRANKSET</b>	Shimano Saint M825 Hollowtech II (34T) length 165mm	Shimano Saint M825 Hollowtech II (34T) length 165mm	Truvativ Descendant DH DUB X-Sync (34T) length 170mm	Shimano SLX M7120-1 Hollowtech II (32T) length 175mm	Shimano Deore (021) MT510-1 (32T) length 175mm
<b>SHIFTERS</b>	Shimano Saint SL-M820 Rapidfire Plus	Shimano Saint SL-M820 Rapidfire Plus	Sram GX DH X-Actuation Trigger	Shimano SLX SL-M7100-1R Rapidfire Plus (1-Spec EV)	Shimano SLX SL-M7100-1R Rapidfire Plus (1-Spec EV)
<b>F/DERAILLEUR</b>	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt Piano, ISCG 05
<b>R/DERAILLEUR</b>	Shimano Saint M820 (direct mount)	Shimano Saint M820 (direct mount)	Sram GX DH 1x X-Horizon	Shimano Deore XT M8100 (direct mount)	Shimano SLX M7100 (direct mount)
<b>SPEED</b>	10	10	7	12	12
<b>FREEWHEEL</b>	Shimano CS-HG500-10 (11-25T)	Shimano CS-HG500-10 (11-25T)	Sram PG-720-7 (11-25T)	Shimano CS-M7100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)
<b>CHAIN</b>	KMC X10 EL (104 links)	KMC X10 EL (102 links)	KMC X11 (102 links)	Shimano (021) CN-M6100 (114 links)	Shimano (021) CN-M6100 (114 links)
<b>BRAKES</b>	Shimano Saint M820 Hydraulic Disc	Shimano Saint M820 Hydraulic Disc	Sram G2 R Hydraulic Disc	Shimano SLX M7120 Hydraulic Disc	Shimano Deore (021) M6100 Hydraulic Disc
<b>BRAKE ROTORS</b>	203mm front / 203mm rear	203mm front / 203mm rear	203mm front / 203mm rear	180mm front / 180mm rear	180mm front / 180mm rear
<b>BRAKE LEVERS</b>	Shimano Saint BL-M820	Shimano Saint BL-M820	Sram G2 R	Shimano SLX BL-M7100	Shimano Deore (021) BL-M6100
<b>HUBS</b>	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Novatec DH Disc (20x110mm / 12x150mm / 32 holes)	Shimano SLX M7110-B Disc Center Lock (32 holes)	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 20x110 front / Mr.control 12x150mm rear	Rock Shox Maxle Stealth 20x110 front / Mr.control 12x150mm rear	Rock Shox Maxle Stealth 20x110 front / Mr.control 12x150mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear
<b>RIMS</b>	KLS Brave 3 Disc 622x30 (32 holes)	KLS Brave 3 Disc 622x30 (32 holes)	KLS Brave 3 Disc 584x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Magic Mary 60-622 (29x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Magic Mary 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Magic Mary 60-584 (27.5x2.35) SnakeSkin, Tubeless Easy, ADDIX Soft, folding	Schwalbe Hans Dampf Evo SuperTrail 60-622 (29x2.35) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic Evo SuperTrail 60-622 (29x2.35) Tubeless Easy, ADDIX Soft, folding rear	Schwalbe Hans Dampf Evo SuperTrail 60-622 (29x2.35) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic Evo SuperTrail 60-622 (29x2.35) Tubeless Easy, ADDIX SpeedGrip, folding rear
<b>STEM</b>	Race Face Atlas DM direct mount / bar bore 31.8mm x 50/30	Race Face Atlas DM direct mount / bar bore 31.8mm x 50/30	Race Face Chester DM 35 direct mount / bar bore 35mm	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm
<b>HANDLEBAR</b>	Race Face Atlas RiseBar diam 31.8mm / rise 13mm / width 785mm	Race Face Atlas RiseBar diam 31.8mm / rise 13mm / width 785mm	Race Face Aeffect R 35 RiseBar diam 35mm / rise 20mm / width 780mm	Race Face Chester 35 RiseBar diam 35mm / rise 35mm / width 780mm	Race Face Chester 35 RiseBar diam 35mm / rise 35mm / width 780mm
<b>GRIPS</b>	KLS Poison	KLS Poison	KLS Poison	KLS Poison	KLS Poison
<b>SEAT POST</b>	Race Face Chester diam 30.9mm / length 325mm	Race Face Chester diam 30.9mm / length 325mm	Race Face Chester diam 30.9mm / length 325mm	KS E20-1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS E20-1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm
<b>SADDLE</b>	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails
<b>PEDALS</b>	plastic	plastic	plastic	KLS Master	KLS Master

Specification are subject to change without notice.

## MOUNTAIN

	ENDURO			TRAIL	
	SWAG 30 27.5"	SWAG 10 29"	SWAG 10 27.5"	THORX 50 29"	THORX 30 29"
<b>FRAME</b>	Kellys Enduro 27.5 / Think Link, 165mm rear travel tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Enduro 29 / Think Link, 150mm rear travel tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Enduro 27.5 / Think Link, 165mm rear travel tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link, 140mm rear travel tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 29 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	S	M / L	S	M / L	M / L
<b>FORK</b>	Rock Shox Yari RC (27.5) Boost 170mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle	Rock Shox 35 Silver TK (29) Boost 160mm, Solo Air / TurnKey / Maxle Stealth 15mm thru axle	Rock Shox 35 Silver TK (27.5) Boost 160mm, Solo Air / TurnKey / Maxle Stealth 15mm thru axle	Rock Shox Pike Select (29) Boost 150mm, DebonAir / Charger RC / Maxle Stealth 15mm thru axle	Rock Shox 35 Gold RL (29) Boost 150mm, DebonAir / Motion Control / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold (230x65mm)	Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold (210x55mm)	Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold (230x65mm)	Rock Shox Deluxe Ultimate RCT, DebonAir / Open-Pedal (210x55mm)	Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold (210x55mm)
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB71-41A	Samox Press-Fit	Samox Press-Fit	Shimano Press-Fit BB71-41A	Shimano Press-Fit BB71-41A
<b>CRANKSET</b>	Shimano Deore (021) MT510-1 (32T) length 170mm	Samox (32T) length 175mm	Samox (32T) length 170mm	Shimano Deore XT M8120-1 Hollowtech II (32T) - length 175mm	Shimano Deore (021) MT510-1 (34T) length 175mm
<b>SHIFTERS</b>	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) M6100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) M6100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)
<b>F/DERAILLEUR</b>	chain guide Mozartt Piano, ISCG 05	chain guide Mozartt Piano, ISCG 05	chain guide Mozartt Piano, ISCG 05	chain guide Mozartt HXR, ISCG 05	chain guide Mozartt Piano, ISCG 05
<b>R/DERAILLEUR</b>	Shimano SLX M7100 (direct mount)	Shimano Deore (021) M6100 (direct mount)	Shimano Deore (021) M6100 (direct mount)	Shimano Deore XT M8100 (direct mount)	Shimano SLX M7100 (direct mount)
<b>SPEED</b>	12	12	12	12	12
<b>FREEWHEEL</b>	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano CS-M7100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)
<b>CHAIN</b>	Shimano (021) CN-M6100 (114 links)	Shimano (021) CN-M6100 (114 links)	Shimano (021) CN-M6100 (114 links)	Shimano (021) CN-M6100 (114 links)	Shimano (021) CN-M6100 (114 links)
<b>BRAKES</b>	Shimano Deore (021) M6100 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore XT M8100 Hydraulic Disc	Shimano SLX M7100 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
<b>BRAKE LEVERS</b>	Shimano Deore (021) BL-M6100	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano Deore XT BL-M8100	Shimano SLX BL-M7100
<b>HUBS</b>	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)	Shimano SLX M7110-B Disc Center Lock (32 holes)	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear
<b>RIMS</b>	KLS Valor 3 Disc 584x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)	KLS Valor 3 Disc 584x30 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 622x27 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Hans Dampf Evo SuperTrail 60-584 (27.5x2.35) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic Evo SuperTerrain 60-584 (27.5x2.35) Tubeless Easy, ADDIX SpeedGrip, folding rear	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX	Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX	Schwalbe Hans Dampf Evo SuperTrail 60-622 (29x2.35) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic Evo SuperTerrain 60-622 (29x2.35) Tubeless Easy, ADDIX SpeedGrip, folding rear	Schwalbe Hans Dampf Evo SuperTrail 60-622 (29x2.35) Tubeless Easy, ADDIX Soft, folding front / Schwalbe Nobby Nic Evo SuperTerrain 60-622 (29x2.35) Tubeless Easy, ADDIX SpeedGrip, folding
<b>STEM</b>	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm	Race Face Ride diam 28.6mm / bar bore 35mm / 6° / length 50mm
<b>HANDLEBAR</b>	Race Face Chester 35 RiseBar diam 35mm / rise 35mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 38mm / width 780mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 38mm / width 780mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm
<b>GRIPS</b>	KLS Poison	KLS Poison OneLockon	KLS Poison OneLockon	KLS Poison	KLS Poison
<b>SEAT POST</b>	KS E20-I Remote Telescopic diam 30.9mm / length 485mm, travel 125mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 150mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 125mm	KS E20-I Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	KS E20-I Remote Telescopic diam 30.9mm / length 445mm, travel 150mm
<b>SADDLE</b>	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails
<b>PEDALS</b>	KLS Master	KLS Master	KLS Master	KLS Master	KLS Master

Specification are subject to change without notice.

## MOUNTAIN

	TRAIL				
	THORX 10 29"	THORX 10 27.5"	GIBON 50 29"	GIBON 50 27.5"	GIBON 30 29"
<b>FRAME</b>	Kellys Allmountain 29 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Allmountain 27.5 / Think Link suspension system, 140mm rear travel, tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 29 tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L	S	L	M	L
<b>FORK</b>	Rock Shox 35 Silver TK (29) Boost 150mm, Solo Air / TurnKey / Maxle Stealth 15mm thru axle	Rock Shox 35 Silver TK (27.5) Boost 150mm, Solo Air / TurnKey / Maxle Stealth 15mm thru axle	Marzocchi Bomber Z2 (29) Boost 140mm, Float / Rail / 15QR thru axle	Marzocchi Bomber Z2 (27.5) Boost 140mm, Float / Rail / 15QR thru axle	Rock Shox Recon Silver RL (29) Boost 140mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle
<b>REAR SHOCK</b>	Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold (210x55mm)	Rock Shox Deluxe Select+ RT, DebonAir / Open-Threshold (210x55mm)	-	-	-
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	1.5 integrated
<b>B.B.PARTS</b>	Samox Press-Fit	Samox Press-Fit	Shimano BB52	Shimano BB52	Shimano BB52
<b>CRANKSET</b>	Samox (34T) length 175mm	Samox (34T) length 175mm	Shimano SLX M7100-1 Hollowtech II (32T) length 175mm	Shimano SLX M7100-1 Hollowtech II (32T) length 175mm	Shimano Deore (021) MT510-1 (32T) length 175mm
<b>SHIFTERS</b>	Shimano Deore (021) M6100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) M6100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) M6100-R Rapidfire Plus
<b>F/DERAILLEUR</b>	chain guide Mozartt Piano, ISCG 05	chain guide Mozartt Piano, ISCG 05	-	-	-
<b>R/DERAILLEUR</b>	Shimano Deore (021) M6100 (direct mount)	Shimano Deore (021) M6100 (direct mount)	Shimano Deore XT M8100 (direct mount)	Shimano Deore XT M8100 (direct mount)	Shimano Deore (021) M6100 (direct mount)
<b>SPEED</b>	12	12	12	12	12
<b>FREEWHEEL</b>	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)
<b>CHAIN</b>	Shimano (021) CN-M6100 (114 links)	Shimano (021) CN-M6100 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)
<b>BRAKES</b>	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano SLX M7100 Hydraulic Disc	Shimano SLX M7100 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear
<b>BRAKE LEVERS</b>	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano SLX BL-M7100	Shimano SLX BL-M7100	Shimano Deore (021) BL-M4100
<b>HUBS</b>	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)	Shimano Deore (021) MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Marzocchi 15QRx110mm front / Novatec 12x148mm rear	Marzocchi 15QRx110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear
<b>RIMS</b>	KLS Valor 2 Disc 622x27 (32 holes)	KLS Valor 2 Disc 584x27 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)	KLS Valor 3 Disc 584x30 (32 holes)	KLS Valor 3 Disc 622x30 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX	Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX	Schwalbe Nobby Nic Evo SuperTerrain 60-622 (29x2.35) Tubeless Easy, ADDIX SpeedGrip, folding	Schwalbe Nobby Nic Evo SuperTerrain 60-584 (27.5x2.35) Tubeless Easy, ADDIX SpeedGrip, folding	Michelin Wild AM Competition Line 60-622 (29x2.35) Tubeless Ready
<b>STEM</b>	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	Race Face Aeffect R 35 diam 28.6mm / bar bore 35mm / 0° / length 50mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm
<b>HANDLEBAR</b>	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	Race Face Ride RiseBar diam 35mm / rise 20mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm
<b>GRIPS</b>	KLS Poison	KLS Poison OneLockon	KLS Poison	KLS Poison	KLS Poison
<b>SEAT POST</b>	EXAform JAG1 Remote Telescopic diam 30.9mm / length 485mm, travel 150mm	EXAform JAG1 Remote Telescopic diam 30.9mm / length 430mm, travel 125mm	KS RAGE-I Remote Telescopic diam 30.9mm / length 445mm, travel 150mm	KS RAGE-I Remote Telescopic diam 30.9mm / length 445mm, travel 150mm	KS RAGE-I Remote Telescopic diam 30.9mm / length 445mm, travel 150mm
<b>SADDLE</b>	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	fi'zi:k Taiga S-alloy rails	KLS Avenger
<b>PEDALS</b>	KLS Master	KLS Master	KLS Flat - plastic platform	KLS Flat - plastic platform	KLS Flat - plastic platform

Specification are subject to change without notice.

# MOUNTAIN

	TRAIL			XC	
	GIBON 30 27.5"	GIBON 10 29"	GIBON 10 27.5"	HACKER 90 29"	HACKER 70 29"
<b>FRAME</b>	Kellys Dynamic Trail 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic Trail 27.5 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys iCAD Carbon Pro 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys iCAD Carbon Pro 29 tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M	L	M	M / L	M / L
<b>FORK</b>	Rock Shox Recon Silver RL (27.5) Boost 140mm, Solo Air / Motion Control / Maxle Stealth 15mm thru axle	SR Suntour XCM34 (29) Boost 130mm, coil spring / 15mm thru axle	SR Suntour XCM34 (27.5) Boost 130mm, coil spring / 15mm thru axle	Rock Shox SID Ultimate (29) Boost 110mm, DebonAir / Charger Race Day / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox SID Select+ (29) Boost 100mm, DebonAir / Charger 2 RL / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle
<b>HEAD PARTS</b>	1.5 integrated	1.5 integrated	1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano BB52	Samox cartridge	Samox cartridge	Sram DUB PressFit	Shimano Press-Fit BB71-41A
<b>CRANKSET</b>	Shimano Deore (021) MT510-1 (32T) length 175mm	Samox (32T) length 175mm	Samox (32T) length 175mm	Sram X01 Eagle DUB X-Sync 2 (34T) length 175mm	Shimano Deore XT M8100-1 Hollowtech II (34T) length 175mm
<b>SHIFTERS</b>	Shimano Deore (021) M6100-R Rapidfire Plus	Shimano Deore (021) M4100-R Rapidfire Plus	Shimano Deore (021) M4100-R Rapidfire Plus	Sram X01 Eagle X-Actuation Trigger	Shimano Deore XT SL-M8100-IR Rapidfire Plus (I-Spec EV)
<b>R/DERAILLEUR</b>	Shimano Deore (021) M6100 (direct mount)	Shimano Deore M5120 (direct mount)	Shimano Deore M5120 (direct mount)	Sram X01 Eagle X-Horizon	Shimano Deore XT M8100 (direct mount)
<b>SPEED</b>	12	10	10	12	12
<b>FREEWHEEL</b>	Shimano (021) CS-M6100-12 (10-51T)	SunRace MS2-10 (11-46T)	SunRace MS2-10 (11-46T)	Sram XG-1295-12 Eagle (10-50T)	Shimano CS-M7100-12 (10-51T)
<b>CHAIN</b>	KMC X12 (114 links)	KMC X10 EL (110 links)	KMC X10 EL (110 links)	Sram X01 Eagle (114 links)	KMC X12 (114 links)
<b>BRAKES</b>	Shimano Deore (021) MT410 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano XTR M9100 Hydraulic Disc	Shimano Deore XT M8100 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 180mm rear	180mm front / 160mm rear	180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore (021) BL-M4100	Shimano BL-MT200	Shimano BL-MT200	Shimano XTR BL-M9100	Shimano Deore XT BL-M8100
<b>HUBS</b>	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	-	-
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	SR Suntour 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear
<b>RIMS / WHEELSET</b>	KLS Valor 3 Disc 584x30 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	DT Swiss XR 1700 Spline 29 XD (15x110mm / 12x148mm)	Mavic Crossmax 29 (15x110mm / 12x148mm)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	-	-
<b>TYRES</b>	Michelin Wild AM Competition Line 60-584 (27.5x2.35) Tubeless Ready	Schwalbe Nobby Nic Performance 60-622 (29x2.35) ADDIX	Schwalbe Nobby Nic Performance 60-584 (27.5x2.35) ADDIX	Schwalbe Racing Ray Performance front / Schwalbe Racing Ralph Performance rear 57-622 (29x2.25) folding	Schwalbe Racing Ray Performance front / Schwalbe Racing Ralph Performance rear 57-622 (29x2.25) folding
<b>STEM</b>	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	Ritchey WCS C220 84D - diam 28.6mm / bar bore 31.8mm / 6° / length 90mm	KLS Ultimate diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (M), 100mm (L)
<b>HANDLEBAR</b>	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 25mm / width 760mm	Ritchey WCS FlatBar diam 31.8mm / rise 5mm / width 740mm	KLS Ultimate FlatBar diam 31.8mm / width 720mm
<b>GRIPS</b>	KLS Poison	kraton	kraton	KLS Silica	KLS Poison OneLockon
<b>SEAT POST</b>	KS RAGE-1 Remote Telescopic diam 30.9mm / length 445mm, travel 150mm	KLS Active diam 30.9mm / length 400mm	KLS Active diam 30.9mm / length 350mm	KS LEV Integra Remote Telescopic diam 30.9mm / length 392mm, travel 125mm	KLS Ultimate diam 30.9mm / length 400mm
<b>SADDLE</b>	KLS Avenger	KLS Avenger	KLS Avenger	fi'zi:k Antares R7 S-alloy rails	fi'zi:k Antares R7 S-alloy rails
<b>PEDALS</b>	KLS Flat - plastic platform	KLS Flat - plastic platform	KLS Flat - plastic platform	plastic	plastic

Specification are subject to change without notice.

# MOUNTAIN

	XC				
	HACKER 50 29"	HACKER 30 29"	GATE 90 29"	GATE 70 29"	GATE 50 29"
<b>FRAME</b>	Kellys iCAD Carbon Pro 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys iCAD Carbon Sport 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	M / L	S / M / L	S / M / L	S / M / L / XL	S / M / L
<b>FORK</b>	Rock Shox Reba RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Stealth 15mm thru axle	Rock Shox Recon Silver RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	Rock Shox Recon Gold RL (29) Boost 100mm, DebonAir / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	Rock Shox Recon Gold RL (29) Boost 100mm, DebonAir / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	Rock Shox Recon Silver RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB-MT500-PA	Shimano Press-Fit BB-MT500-PA	Shimano BB52	Shimano BB52	Shimano BB52
<b>CRANKSET</b>	Shimano SLX M7100-1 Hollowtech II (34T) length 175mm	Shimano MT610 (34T) length 170mm (S), 175mm (M - L)	Shimano Deore XT M8100-1 Hollowtech II (34T) length 170mm (S), 175mm (M - L)	Shimano Deore XT M8100-1 Hollowtech II (34T) length 170mm (S), 175mm (M - L)	Shimano Deore (021) MT510-1 (34T) length 170 (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano SLX SL-M7100-R Rapidfire Plus	Shimano Deore (021) SL-M6100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)
<b>R/DERAILLEUR</b>	Shimano Deore XT M8100 (direct mount)	Shimano SLX M7100 (direct mount)	Shimano Deore XT M8100 (direct mount)	Shimano Deore XT M8100 (direct mount)	Shimano Deore XT M8100 (direct mount)
<b>SPEED</b>	12	12	12	12	12
<b>FREEWHEEL</b>	Shimano CS-M7100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)
<b>CHAIN</b>	KMC X12 (114 links)	Shimano (021) CN-M6100 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)
<b>BRAKES</b>	Shimano Deore M6000 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore BL-M6000	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100
<b>HUBS</b>	Shimano MT400-B / MT510-B Disc Center Lock (32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Stealth 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Mr.control 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear
<b>RIMS</b>	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)
<b>SPOKES</b>	Sapim - stainless steel black	Sapim - stainless steel black	Sapim - stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Racing Ray Performance front / Schwalbe Racing Ralph Performance rear 57-622 (29x2.25) folding	Schwalbe Rapid Rob 57-622 (29x2.25)	Schwalbe Smart Sam Performance 57-622 (29x2.25) ADDIX	Michelin Country Race'r 54-622 (29x2.10)	Michelin Country Race'r 54-622 (29x2.10)
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L - XL)	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L)
<b>HANDLEBAR</b>	KLS Advanced FlatBar diam 31.8mm / width 720mm	KLS Advanced FlatBar diam 31.8mm / width 720mm	KLS Advanced FlatBar diam 31.8mm / width 720mm	KLS Advanced FlatBar diam 31.8mm / width 720mm	KLS Advanced FlatBar diam 31.8mm / width 720mm
<b>GRIPS</b>	KLS Poison OneLockon	KLS Poison OneLockon	KLS Poison OneLockon	KLS Poison OneLockon	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Advanced diam 30.9mm / length 400mm	KLS Advanced diam 30.9mm / length 350mm (S), 400mm (M - L)	KS E20-1 Remote Telescopic diam 30.9mm / length 485mm, travel 125mm	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - XL)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)
<b>SADDLE</b>	fi'zi:k Antares R7 S-alloy rails	KLS Avenger	fi'zi:k Taiga S-alloy rails	KLS Avenger	KLS Avenger
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic

Specification are subject to change without notice.

## MOUNTAIN

	XC				
	GATE 30 29"	SPIDER 90 29"	SPIDER 80 29"	SPIDER 70 29"	SPIDER 70 27.5"
<b>FRAME</b>	Kellys Dynamic RRC 29 tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept
<b>FRAME SIZE</b>	WHITE S/M/L/XL DARK S/M/L	S/M/L/XL	S/M/L	YELLOW M/L BLACK S/M/L/XL	YELLOW S/M BLACK S/M
<b>FORK</b>	Rock Shox Recon Silver RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	SR Suntour XCR32 RLR Air (29) 100mm, air / Remote Speed Lockout	SR Suntour XCR32 RLR Air (29) 100mm, air / Remote Speed Lockout	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (27.5), 100mm, coil / Speed Lockout
<b>HEAD PARTS</b>	FSA 1.5 integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	Samox cartridge integrated	cartridge (122mm)	cartridge (122.5mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Samox (34T) length 170mm (S - M), 175mm (L - XL)	Samox (34T) length 170mm (S - M), 175mm (L - XL)	Samox (36x26T) length 170mm (S), 175mm (M - L)	Shimano Alivio MT101-2 (36x22T) length 170mm (S), 175mm (M - XL)	Shimano Alivio MT101-2 (36x22T) length 170mm (S), 175mm (M)
<b>SHIFTERS</b>	Shimano Deore (021) SL-M6100-R Rapidfire Plus	Shimano Deore (021) SL-M6100-R Rapidfire Plus	Shimano Deore (021) SL-M5100-L / M4100-R Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus
<b>F/DERAILLEUR</b>	-	-	Shimano Deore M618 (34.9mm)	Shimano Altus M2020 (34.9mm)	Shimano Altus M2020 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Deore (021) M6100 (direct mount)	Shimano Deore (021) M6100 (direct mount)	Shimano (021) Deore M4120 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)
<b>SPEED</b>	12	12	20	18	18
<b>FREEWHEEL</b>	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-9 (11-34T)
<b>CHAIN</b>	KMC X12 (114 links)	KMC X12 (114 links)	KMC X10 EL (110 links)	KMC X9 (108 links)	KMC X9 (108 links)
<b>BRAKES</b>	Shimano Deore (021) MT410 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore (021) BL-M4100	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
<b>HUBS</b>	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano TX505 / Deore MT401 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	-	-	-	-
<b>RIMS</b>	KLS Cartel Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel	steel	steel
<b>TYRES</b>	Michelin Country Race'r 54-622 (29x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10) K-Guard	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 80mm (S - M), 100mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
<b>HANDLEBAR</b>	KLS Advanced FlatBar diam 31.8mm / width 720mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M - L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M - L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M - XL)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - XL)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - XL)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Active diam 30.9mm / length 300mm (S - M), 350mm (L - XL)	KLS Active diam 30.9mm / length 300mm
<b>SADDLE</b>	KLS Avenger	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2
<b>PEDALS</b>	plastic	alloy	alloy	alloy	alloy

Specification are subject to change without notice.

## MOUNTAIN

	XC				
	SPIDER 50 29"	SPIDER 50 27.5"	SPIDER 50 26"	SPIDER 30 29"	SPIDER 30 27.5"
<b>FRAME</b>	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 26 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept
<b>FRAME SIZE</b>	BLACK M/L/XL RED M/L	BLACK S/M RED S/M	BLACK XXS/XS RED XXS/XS	BLACK S/M/L/XL BLUE M/L	BLACK S/M BLUE S/M
<b>FORK</b>	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (26) 100mm, coil / Speed Lockout	SR Suntour XCE28 (29) 100mm, coil spring	SR Suntour XCE28 (27.5) 100mm, coil spring
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano TY501 (42x34x24T) length 175mm	Shimano TY501 (42x34x24T) length 170mm (S), 175mm (M)	Shimano TY501 (42x34x24T) length 170mm	Shimano TY301 (42x34x24T) length 175mm	Shimano TY301 (42x34x24T) length 170mm (S), 175mm (M)
<b>SHIFTERS</b>	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	24	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
<b>CHAIN</b>	KMC Z8 (110 links)	KMC Z8 (110 links)	KMC Z8 (108 links)	KMC Z8 (110 links)	KMC Z8 (108 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano ST-EF510 EZ-fire Plus	Shimano ST-EF510 EZ-fire Plus
<b>HUBS</b>	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 559x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (S - M), 90mm (L - XL)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 680mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XXS), 620mm (XS)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M - L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M)
<b>GRIPS</b>	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 300mm (M), 350mm (L - XL)	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm (S - M), 350mm (L - XL)	KLS Active diam 30.9mm / length 300mm
<b>SADDLE</b>	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2
<b>PEDALS</b>	alloy	alloy	alloy	alloy	alloy

Specification are subject to change without notice.

## MOUNTAIN

	XC				XC WOMEN
	SPIDER 30 26"	SPIDER 10 29"	SPIDER 10 27.5"	SPIDER 10 26"	MYSTERY 90 29"
<b>FRAME</b>	Kellys Alutec RRC 26 Race Ready Concept	Kellys Alutec RRC 29 Race Ready Concept	Kellys Alutec RRC 27.5 Race Ready Concept	Kellys Alutec RRC 26 Race Ready Concept	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing, 12x148mm Boost thru axle
<b>FRAME SIZE</b>	<b>BLACK BLUE</b> XXS / XS XXS / XS	<b>NEON YELLOW GREEN</b> M / L M / L	<b>NEON YELLOW GREEN</b> S / M S / M	<b>NEON YELLOW GREEN</b> XXS / XS XXS / XS	S / M / L
<b>FORK</b>	SR Suntour XCE28 (26) 100mm, coil spring	SR Suntour XCE28 (29) 80mm, coil spring	SR Suntour XCE28 (27.5) 80mm, coil spring	SR Suntour XCE28 (26) 80mm, coil spring	Rock Shox Recon Gold RL (29) Boost 100mm, DebonAir / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	Shimano BB52
<b>CRANKSET</b>	Shimano TY301 (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Shimano Deore XT M8100-1 Hollowtech II (34T) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)
<b>F/DERAILLEUR</b>	Shimano TY700 (34.9mm)	Shimano TY300 (34.9mm)	Shimano TY300 (34.9mm)	Shimano TY300 (34.9mm)	-
<b>R/DERAILLEUR</b>	Shimano TX800 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano Deore XT M8100 (direct mount)
<b>SPEED</b>	24	21	21	21	12
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano (021) CS-M6100-12 (10-51T)
<b>CHAIN</b>	KMC Z8 (108 links)	KMC Z7 (110 links)	KMC Z7 (110 links)	KMC Z7 (110 links)	KMC X12 (114 links)
<b>BRAKES</b>	C-Star CX7 Mechanical Disc	Apse V-brake	Apse V-brake	Apse V-brake	Shimano Deore (021) MT410 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear				180mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano ST-EF510 EZ-fire Plus	Shimano ST-EF41 EZ-fire Plus	Shimano ST-EF41 EZ-fire Plus	Shimano ST-EF41 EZ-fire Plus	Shimano Deore (021) BL-M4100
<b>HUBS</b>	KLS Firework Disc (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	Shimano MT400-B / MT510-B Disc Center Lock (32 holes)
<b>THRU AXLE</b>	-	-	-	-	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear
<b>RIMS</b>	KLS Draft Disc 559x21 (32 holes)	KLS Draft 622x21 (32 holes)	KLS Draft 584x21 (32 holes)	KLS Draft 559x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)
<b>SPOKES</b>	steel	steel	steel	steel	stainless steel black
<b>TYRES</b>	Impac Ridgepac 54-559 (26x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.2x2.10)	Impac Ridgepac 54-559 (26x2.10)	Schwalbe Rapid Rob 54-622 (29x2.10) K-Guard
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 80mm (M - L)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XXS), 620mm (XS)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 680mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm (S), 680mm (M)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XXS), 620mm (XS)	KLS Advanced RiseBar diam 31.8mm / rise 15mm / width 640mm (S - M), 660mm (L)
<b>GRIPS</b>	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer	KLS Token 3Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm (M), 350mm (L)	KLS Active diam 30.9mm / length 300mm	KLS Active diam 30.9mm / length 300mm	KLS Advanced diam 30.9mm / length 350mm (S - M), 400mm (L)
<b>SADDLE</b>	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Sentinel 2	KLS Diversa
<b>PEDALS</b>	alloy	plastic	plastic	plastic	plastic

Specification are subject to change without notice.

## MOUNTAIN

	XC WOMEN				
	MYSTERY 70 29"	MYSTERY 50 29"	MYSTERY 30 29"	VANITY 90 29"	VANITY 90 27.5"
<b>FRAME</b>	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing, 12x148mm Boost thru axle	Kellys Dynamic KLC Lite 29 LSG tapered HT, internal routing, 12x148mm Boost thru axle	Kellys KLC 29 Lady Sport Geometry	Kellys KLC 27.5 Lady Sport Geometry
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	M / L	S / M
<b>FORK</b>	Rock Shox Recon Silver RL (29) Boost 100mm, Solo Air / Motion Control / OneLoc Remote Lockout / Maxle Lite 15mm thru axle	SR Suntour XCR32 RLR Air (29) Boost 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR32 RLR Air (29) Boost 100mm, air / Remote Speed Lockout / 15Q-Loc thru axle	SR Suntour XCR32 RLR Air (29) 100mm, air / Remote Speed Lockout	SR Suntour XCR32 RLR Air (27.5) 100mm, air / Remote Speed Lockout
<b>HEAD PARTS</b>	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	Shimano BB52	Shimano BB52	Samox cartridge integrated	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano SLX M7100-1 Hollowtech II (34T) length 170mm (S - M), 175mm (L)	Shimano Deore (021) MT510-1 (34T) length 170mm (S - M), 175mm (L)	Samox (34T) length 170mm (S - M), 175mm (L)	Samox (34T) length 170mm (M), 175mm (L)	Samox (34T) length 170mm
<b>SHIFTERS</b>	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano SLX SL-M7100-IR Rapidfire Plus (I-Spec EV)	Shimano Deore (021) SL-M6100-R Rapidfire Plus	Shimano Deore (021) SL-M6100-R Rapidfire Plus	Shimano Deore (021) SL-M6100-R Rapidfire Plus
<b>F/DERAILLEUR</b>	-	-	-	-	-
<b>R/DERAILLEUR</b>	Shimano Deore XT M8100 (direct mount)	Shimano SLX M7100 (direct mount)	Shimano Deore (021) M6100 (direct mount)	Shimano Deore (021) M6100 (direct mount)	Shimano Deore (021) M6100 (direct mount)
<b>SPEED</b>	12	12	12	12	12
<b>FREEWHEEL</b>	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)	Shimano (021) CS-M6100-12 (10-51T)
<b>CHAIN</b>	KMC X12 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)	KMC X12 (114 links)
<b>BRAKES</b>	Shimano Deore (021) MT410 Hydraulic Disc	Shimano Deore (021) MT410 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	180mm front / 160mm rear	180mm front / 160mm rear	180mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Deore (021) BL-M4100	Shimano Deore (021) BL-M4100	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
<b>HUBS</b>	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano MT400-B / Deore MT410-B Disc Center Lock (32 holes)	Shimano TX505 / Deore MT401 Disc Center Lock (32 holes)	Shimano TX505 / Deore MT401 Disc Center Lock (32 holes)
<b>THRU AXLE</b>	Rock Shox Maxle Lite 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	SR Suntour Q-Loc 15x110mm front / Novatec 12x148mm rear	-	-
<b>RIMS</b>	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Cartel Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Rapid Rob 54-622 (29x2.10) K-Guard	Schwalbe Rapid Rob 54-622 (29x2.10) K-Guard	Schwalbe Rapid Rob 54-622 (29x2.10) K-Guard	Schwalbe Rapid Rob 54-622 (29x2.10) K-Guard	Schwalbe Rapid Rob 54-584 (27.5x2.10) K-Guard
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 6° / length 70mm (S), 80mm (M - L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 15mm / width 640mm (S), 660mm (M), 680mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm
<b>GRIPS</b>	KLS Token 3Density	KLS Token 3Density	KLS Token 3Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S - M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M)
<b>SADDLE</b>	KLS Diversa	KLS Diversa	KLS Diversa	KLS Ebony Women	KLS Ebony Women
<b>PEDALS</b>	plastic	plastic	plastic	alloy	alloy

Specification are subject to change without notice.

## MOUNTAIN

XC WOMEN					
	VANITY 80 29"	VANITY 80 27.5"	VANITY 70 29"	VANITY 70 27.5"	VANITY 50 29"
<b>FRAME</b>	Kellys KLC 29 Lady Sport Geometry	Kellys KLC 27.5 Lady Sport Geometry	Kellys KLC 29 Lady Sport Geometry	Kellys KLC 27.5 Lady Sport Geometry	Kellys KLC 29 Lady Sport Geometry
<b>FRAME SIZE</b>	M / L	S / M	RASPBERRY M / L WHITE M / L	RASPBERRY S / M WHITE S / M	ULTRAVIOLET M / L SKY BLUE M / L
<b>FORK</b>	SR Suntour XCR32 RLR Air (29) 100mm, air / Remote Speed Lockout	SR Suntour XCR32 RLR Air (27.5) 100mm, air / Remote Speed Lockout	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (29) 100mm, coil / Speed Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122.5mm)	cartridge (122.5mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Samox (36x26T) length 170mm (M), 175mm (L)	Samox (36x26T) length 170mm	Shimano MT101-2 (36x22T) length 175mm	Shimano MT101-2 (36x22T) length 175mm	Shimano TY501 (42x34x24T) length 175mm
<b>SHIFTERS</b>	Shimano Deore (021) SL-M5100-L / M4100-R Rapidfire Plus	Shimano Deore (021) SL-M5100-L / M4100-R Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore M618 (34.9mm)	Shimano Deore M618 (34.9mm)	Shimano Altus M2020 (34.9mm)	Shimano Altus M2020 (34.9mm)	Shimano TY700 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano (021) Deore M4120 (direct mount)	Shimano (021) Deore M4120 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M2000 (direct mount)	Shimano Altus M310 (direct mount)
<b>SPEED</b>	20	20	18	18	24
<b>FREEWHEEL</b>	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-8 (12-32T)
<b>CHAIN</b>	KMC X10 EL (110 links)	KMC X10 EL (110 links)	KMC X9 (110 links)	KMC X9 (108 links)	KMC Z8 (110 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200
<b>HUBS</b>	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)
<b>SPOKES</b>	stainless steel	stainless steel	steel	steel	steel
<b>TYRES</b>	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-622 (29x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)
<b>GRIPS</b>	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer 2Density	KLS Advancer
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 400mm	KLS Active diam 30.9mm / length 350mm (S), 400mm (M)	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)
<b>SADDLE</b>	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
<b>PEDALS</b>	alloy	alloy	alloy	alloy	alloy

Specification are subject to change without notice.

## MOUNTAIN

XC WOMEN					
	VANITY 50 27.5"	VANITY 50 26"	VANITY 30 29"	VANITY 30 27.5"	VANITY 30 26"
<b>FRAME</b>	Kellys KLC 27.5 Lady Sport Geometry	Kellys KLC 26 Lady Sport Geometry	Kellys KLC 29 Lady Sport Geometry	Kellys KLC 27.5 Lady Sport Geometry	Kellys KLC 26 Lady Sport Geometry
<b>FRAME SIZE</b>	ULTRAVIOLET S / M SKY BLUE S / M	ULTRAVIOLET XS / S SKY BLUE XS / S	WHITE M / L GREY M / L	WHITE S / M GREY S / M	WHITE XS / S GREY XS / S
<b>FORK</b>	SR Suntour XCM HLO (27.5) 100mm, coil / Speed Lockout	SR Suntour XCM HLO (26) 100mm, coil / Speed Lockout	SR Suntour XCE28 (29) 100mm, coil spring	SR Suntour XCE28 (27.5) 100mm, coil spring	SR Suntour XCE28 (26) 100mm, coil spring
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	Shimano TY501 (42x34x24T) length 170mm (S), 175mm (M)	Shimano TY501 (42x34x24T) length 170mm	Shimano TY301 (42x34x24T) length 175mm	Shimano TY301 (42x34x24T) length 175mm	Shimano TY301 (42x34x24T) length 170mm
<b>SHIFTERS</b>	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus	Shimano ST-EF510-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)	Shimano TY700 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	24	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
<b>CHAIN</b>	KMC Z8 (110 links)	KMC Z8 (110 links)	KMC Z8 (108 links)	KMC Z8 (108 links)	KMC Z8 (108 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano ST-EF510 EZ-fire Plus	Shimano ST-EF510 EZ-fire Plus	Shimano ST-EF510 EZ-fire Plus
<b>HUBS</b>	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 559x21 (32 holes)	KLS Draft Disc 622x21 (32 holes)	KLS Draft Disc 584x21 (32 holes)	KLS Draft Disc 559x21 (32 holes)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XS), 620mm (S)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XS), 620mm (S)
<b>GRIPS</b>	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer	KLS Advancer
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm
<b>SADDLE</b>	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women
<b>PEDALS</b>	alloy	alloy	alloy	alloy	alloy

Specification are subject to change without notice.

## MOUNTAIN

	XC WOMEN			DIRT
	VANITY 10 29"	VANITY 10 27.5"	VANITY 10 26"	WHIP 70
<b>FRAME</b>	Kellys KLC 29 Lady Sport Geometry	Kellys KLC 27.5 Lady Sport Geometry	Kellys KLC 26 Lady Sport Geometry	Kellys Dirt 26 tapered HT, single-speed
<b>FRAME SIZE</b>	AQUA GREEN M / L WHITE M / L	AQUA GREEN S / M WHITE S / M	AQUA GREEN XS / S WHITE XS / S	M / L
<b>FORK</b>	SR Suntour XCE28 (29) 80mm, coil spring	SR Suntour XCE28 (27.5) 80mm, coil spring	SR Suntour XCE28 (26) 80mm, coil spring	X-Fusion Slant RC (26) 100mm, air / RC Damper / LockX 15mm thru axle
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	FSA 1.5 integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	Samox cartridge integrated
<b>CRANKSET</b>	Prowheel (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Prowheel (42x34x24T) length 170mm	Samox (32T) length 170mm
<b>SHIFTERS</b>	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	-
<b>F/DERAILLEUR</b>	Shimano TY300 (34.9mm)	Shimano TY300 (34.9mm)	Shimano TY300 (34.9mm)	-
<b>R/DERAILLEUR</b>	Shimano TY200 (direct mount)	Shimano TY200 (direct mount)	Shimano TY200 (direct mount)	-
<b>SPEED</b>	21	21	21	1
<b>FREEWHEEL</b>	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	single speed 15T sprocket
<b>CHAIN</b>	KMC Z7 (110 links)	KMC Z7 (110 links)	KMC Z7 (110 links)	KMC Z1 (86 links)
<b>BRAKES</b>	Apse V-brake	Apse V-brake	Apse V-brake	Shimano MT500 Hydraulic Disc 160mm rear
<b>BRAKE ROTORS</b>				
<b>BRAKE LEVERS</b>	Shimano ST-EF41 EZ-fire Plus	Shimano ST-EF41 EZ-fire Plus	Shimano ST-EF41 EZ-fire Plus	Shimano BL-MT501
<b>HUBS</b>	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	KT Disc (15x100mm) / KT Disc single-speed (32 holes)
<b>THRU AXLE</b>	-	-	-	X-Fusion LockX 15x100mm front
<b>RIMS</b>	KLS Draft 622x21 (32 holes)	KLS Draft 584x21 (32 holes)	KLS Draft 559x21 (32 holes)	KLS Brave Disc 559x23 (32 holes)
<b>SPOKES</b>	steel	steel	steel	stainless steel black
<b>TYRES</b>	Impac Ridgepac 54-622 (29x2.10)	Impac Ridgepac 54-584 (27.5x2.10)	Impac Ridgepac 54-559 (26x2.10)	Schwalbe Billy Bonkers 54-559 (26x2.10) K-Guard, Classic-Skin, ADDIX
<b>STEM</b>	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm (M), 90mm (L)	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	KLS Active diam 28.6mm / bar bore 31.8mm / 8° / length 75mm	Race Face Chester 35 diam 28.6mm / bar bore 35mm / 0° / length 40mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm (M), 660mm (L)	KLS Active RiseBar diam 31.8mm / rise 18mm / width 620mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm (XS), 620mm (S)	Race Face Chester RiseBar diam 35mm / rise 35mm / width 780mm
<b>GRIPS</b>	KLS Advancer	KLS Advancer	KLS Advancer	dirt
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 350mm	KLS Active diam 30.9mm / length 350mm	BMX Pivotal diam 30.9mm / length 200mm
<b>SADDLE</b>	KLS Ebony Women	KLS Ebony Women	KLS Ebony Women	Velo Pivotal
<b>PEDALS</b>	plastic	plastic	plastic	thermoplastic platform

Specification are subject to change without notice.

## MOUNTAIN

	DIRT		
	WHIP 50	WHIP 30	WHIP 10
<b>FRAME</b>	Kellys Dirt 26 tapered HT, ISCG 05	Kellys Dirt 26 tapered HT, single-speed	Kellys Dirt 26 tapered HT, ISCG 05
<b>FRAME SIZE</b>	M / L	M / L	PURPLE M / L RAW M / L
<b>FORK</b>	SR Suntour XCR32 LO-R (26) 100mm, coil / Speed Lockout	SR Suntour XCR32 LO-R (26) 100mm, coil / Speed Lockout	SR Suntour XCM (26) 100mm, coil spring
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	Samox cartridge integrated	Samox cartridge integrated	cartridge (126mm)
<b>CRANKSET</b>	Samox (32T) length 170mm	Samox (32T) length 170mm	Samox (32T) length 170mm
<b>SHIFTERS</b>	Sram X5 9-Speed Trigger	-	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	chain guide Mozartt Presto, ISCG 05	-	chain guide Mozartt Presto, ISCG 05
<b>R/DERAILLEUR</b>	Sram X4	-	Shimano Acera M360 (direct mount)
<b>SPEED</b>	9	1	7
<b>FREEWHEEL</b>	Shimano CS-HG200-9 (11-34T)	single speed 15T sprocket	Shimano CS-HG200-7 (12-32T)
<b>CHAIN</b>	KMC X9 (102 links)	KMC Z1 (86 links)	KMC Z7 (104 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Tektro	Apse
<b>HUBS</b>	KLS Firework Disc (32 holes)	KLS Firework Disc / KT Disc single-speed (32 holes)	KT Disc (32 holes)
<b>THRU AXLE</b>	-	-	-
<b>RIMS</b>	KLS Brave Disc 559x23 (32 holes)	KLS Brave Disc 559x23 (32 holes)	KLS Draft Disc 559x21 (32 holes)
<b>SPOKES</b>	stainless steel black	stainless steel black	steel
<b>TYRES</b>	Kenda Small Block Eight 58-559 (26x2.35)	Schwalbe Billy Bonkers 54-559 (26x2.10) K-Guard, ADDIX	Kenda Small Block Eight 58-559 (26x2.35)
<b>STEM</b>	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm	KLS Alm/En 50 diam 28.6mm / bar bore 31.8mm / length 45mm
<b>HANDLEBAR</b>	KLS Alm/En 70 RiseBar diam 31.8mm / rise 38mm / width 740mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 38mm / width 740mm	KLS Alm/En 70 RiseBar diam 31.8mm / rise 38mm / width 740mm
<b>GRIPS</b>	kraton	kraton	kraton
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 300mm	BMX Pivotal diam 30.9mm / length 200mm	diam 30.9mm / length 300mm
<b>SADDLE</b>	KLS Vader	Velo Pivotal	KLS Vader
<b>PEDALS</b>	KLS Flat - plastic platform	KLS Flat - plastic platform	KLS Flat - plastic platform

Specification are subject to change without notice.



## ROAD

	RACING				
	URC 90	URC 70	URC 50	URC 30	ARC 50
<b>FRAME</b>	Kellys iCAD RC Carbon Pro Power Core, tapered HT, internal routing	Kellys iCAD RC Carbon Pro Disc Power Core, flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys iCAD RC Carbon Pro Disc Power Core, flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys iCAD RC Carbon Sport Disc Power Core, flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys Endurance Concept Aluminium alloy Disc, flat mount, tapered HT, internal routing
<b>FRAME SIZE</b>	M / L	M / L	M / L	M / L	S / M / L
<b>FORK</b>	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, post mount disc brake
<b>HEAD PARTS</b>	Ritchey WCS Logic Zero 1.5 integrated	Ritchey Comp Cartridge 1.5 integrated	Ritchey Comp Cartridge 1.5 integrated	FSA 1.5 integrated	FSA 1.5 semi-integrated
<b>B.B.PARTS</b>	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB71-41B	Shimano Press-Fit BB-RS500-PB	Shimano BB-RS500
<b>CRANKSET</b>	Shimano Ultegra R8000 Hollowtech II (52x36T) length 172.5mm (M), 175mm (L)	Shimano Ultegra R8000 Hollowtech II (50x34T) length 172.5mm (M), 175mm (L)	Shimano 105 R7000 Hollowtech II (52x36T) length 172.5mm (M), 175mm (L)	Shimano Tiagra 4700 (50x34T) length 175mm (M - L)	Shimano RS510 (50x34T) length 172.5mm (S - M), 175mm (L)
<b>SHIFTERS</b>	Shimano Ultegra Di2 ST-R8050 Dual Control	Shimano Ultegra ST-R8020 Dual Control	Shimano ST-RS505 Dual Control	Shimano Tiagra ST-4720 Dual Control	Shimano 105 ST-R7000 Dual Control
<b>F/DERAILLEUR</b>	Shimano Ultegra Di2 R8050 (braze on)	Shimano Ultegra R8000 (braze on)	Shimano 105 R7000 (braze on)	Shimano Tiagra R4700 (braze on)	Shimano 105 R7000 (braze on)
<b>R/DERAILLEUR</b>	Shimano Ultegra Di2 R8050 (direct mount)	Shimano Ultegra R8000 (direct mount)	Shimano 105 R7000 (direct mount)	Shimano Tiagra R4700 (direct mount)	Shimano 105 R7000 (direct mount)
<b>SPEED</b>	22	22	22	20	22
<b>FREEWHEEL</b>	Shimano CS-R8000-11 (11-28T)	Shimano CS-5800-11 (11-32T)	Shimano CS-R7000-11 (11-32T)	Shimano CS-HG500-10 (11-32T)	Shimano CS-R7000-11 (11-32T)
<b>CHAIN</b>	Shimano CN-HG701-11 (106 links)	Shimano CN-HG701-11 (106 links)	Shimano CN-HG601-11 (108 links)	KMC X10 EL (108 links)	KMC X11 EL (108 links)
<b>BRAKES</b>	Shimano Ultegra R8000 / R8010-R	Shimano Ultegra R8070 Hydraulic Disc	Shimano RS505 Hydraulic Disc	Shimano Tiagra 4770 Hydraulic Disc	Tektro Spyre Mechanical Disc
<b>BRAKE ROTORS</b>		140mm front / 140mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Ultegra Di2 ST-R8050 Dual Control	Shimano Ultegra ST-R8020 Dual Control	Shimano ST-RS505 Dual Control	Shimano Tiagra ST-4720 Dual Control	Shimano 105 ST-R7000 Dual Control
<b>HUBS</b>	-	-	-	Shimano Tiagra RS470 Disc Center Lock (32 holes)	Novatec Disc (28 holes)
<b>THRU AXLE</b>	-	Mr.control 12x100mm front / Mr.control 12x142mm rear	Mr.control 12x100mm front / Mr.control 12x142mm rear	Mr.control 12x100mm front / Mr.control 12x142mm rear	-
<b>RIMS / WHEELSET</b>	Mavic Ksyrium Elite UST	Mavic Ksyrium UST Disc Center Lock (12x100mm / 12x142mm)	Mavic Aksium Disc Center Lock (12x100mm / 12x142mm)	KLS Spark Disc 622x15 (32 holes / eyelets)	KLS Spark Disc 622x15 (32 holes / eyelets)
<b>SPOKES</b>	-	-	-	stainless steel black	stainless steel black
<b>TYRES</b>	Mavic Yksion Pro UST 25-622 (700x25C) folding	Mavic Yksion Elite 28-622 (700x28C) folding	Schwalbe Durano 25-622 (700x25C) RaceGuard	Schwalbe Lugano 25-622 (700x25C) K-Guard, Silica	Schwalbe Lugano 25-622 (700x25C) K-Guard, Silica
<b>STEM</b>	Ritchey WCS C220 diam 28.6mm / bar bore 31.8mm / 84° / length 100mm (M), 110mm (L)	Ritchey WCS C220 diam 28.6mm / bar bore 31.8mm / 84° / length 100mm (M), 110mm (L)	Ritchey Comp 4-Axis diam 28.6mm / bar bore 31.8mm / 84° / length 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
<b>HANDLEBAR</b>	Ritchey WCS diam 31.8mm / width 420mm (M), 440mm (L)	Ritchey Comp Logic II diam 31.8mm / width 420mm (M), 440mm (L)	Ritchey Comp Logic II diam 31.8mm / width 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)
<b>GRIPS</b>	fi'zi:k microtex bar tape / gel padding	fi'zi:k microtex bar tape / gel padding	KLS bar tape	KLS bar tape	KLS bar tape
<b>SEAT POST</b>	Ritchey WCS Carbon 1-Bolt monocoque diam 30.9mm / length 350mm (M), 400mm (L)	Ritchey WCS Carbon 1-Bolt monocoque diam 30.9mm / length 350mm (M), 400mm (L)	Ritchey Comp 2-Bolt diam 30.9mm / length 350mm (M), 400mm (L)	KLS Active diam 30.9mm / length 400mm	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)
<b>SADDLE</b>	fi'zi:k Antares R7 S-alloy rails	fi'zi:k Antares R7 S-alloy rails	fi'zi:k Antares R7 S-alloy rails	KLS SlipStream cr-mo rails	KLS SlipStream cr-mo rails

Specification are subject to change without notice.

## ROAD

	RACING		GRAVEL		
	ARC 30	ARC 10	SOOT 90	SOOT 70	SOOT 50
<b>FRAME</b>	Kellys Endurance Concept Aluminium alloy tapered HT, internal routing	Kellys Endurance Concept Aluminium alloy tapered HT, internal routing	Kellys Gravel Concept Carbon Disc flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing, 12x142mm thru axle	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing, 12x142mm thru axle
<b>FRAME SIZE</b>	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L
<b>FORK</b>	Kellys Carbon 1.5 tapered steerer	Kellys Carbon 1.5 tapered steerer	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated	FSA 1.5 semi-integrated	FSA 1.5 integrated	FSA 1.5 integrated	FSA 1.5 semi-integrated
<b>B.B.PARTS</b>	Shimano BB-RS500	Shimano BB-RS500	Shimano Press-Fit BB-RS500-PB	Shimano BB-RS500	Shimano BB-RS500
<b>CRANKSET</b>	Shimano Sora R3000 (50x34T) length 170mm (S), 175mm (M - L)	Shimano Claris R2000 (50x34T) length 170mm (S - M), 175mm (L)	Shimano GRX RX600-1 (40T) length 172.5mm (S - M), 175mm (L)	Shimano GRX RX600-1 (40T) length 172.5mm (S - M), 175mm (L)	Shimano GRX RX600-10 (46x30T) length 172.5mm (S - M), 175mm (L)
<b>SHIFTERS</b>	Shimano Sora ST-R3000 Dual Control	Shimano Claris ST-R2000 Dual Control	Shimano GRX BL-RX600 / ST-RX600 Dual Control	Shimano GRX BL-RX600 / ST-RX600 Dual Control	Shimano GRX ST-RX400 Dual Control
<b>F/DERAILLEUR</b>	Shimano Sora R3000 (braze on)	Shimano Claris R2000 (braze on)	-	-	Shimano GRX RX400 (braze on)
<b>R/DERAILLEUR</b>	Shimano Sora R3000 (direct mount)	Shimano Claris R2000 (direct mount)	Shimano GRX RX812 (direct mount)	Shimano GRX RX812 (direct mount)	Shimano GRX RX400 (direct mount)
<b>SPEED</b>	18	16	11	11	20
<b>FREEWHEEL</b>	Shimano CS-HG300-9 (11-32T)	Shimano CS-HG50-8 (11-32T)	SunRace CSMS7 (11-42T)	SunRace CSMS7 (11-42T)	Shimano CS-HG500-10 (11-34T)
<b>CHAIN</b>	KMC X9 (108 links)	KMC Z8 (108 links)	KMC X11 EL (110 links)	KMC X11 EL (110 links)	KMC X10 EL (110 links)
<b>BRAKES</b>	Tektro	Tektro	Shimano GRX RX400 Hydraulic Disc	Shimano GRX RX400 Hydraulic Disc	Shimano GRX RX400 Hydraulic Disc
<b>BRAKE ROTORS</b>			160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Sora ST-R3000 Dual Control	Shimano Claris ST-R2000 Dual Control	Shimano GRX BL-RX600 / ST-RX600 Dual Control	Shimano GRX BL-RX600 / ST-RX600 Dual Control	Shimano GRX ST-RX400 Dual Control
<b>HUBS</b>	Shimano Claris 2400 (32 holes)	Shimano Claris 2400 (32 holes)	Novatec Disc (32 holes)	Novatec Disc (32 holes)	Novatec Disc (32 holes)
<b>THRU AXLE</b>	-	-	Mr.control 12x100mm front / Novatec 12x142mm rear	Mr.control 12x100mm front / Novatec 12x142mm rear	Mr.control 12x100mm front / Novatec 12x142mm rear
<b>RIMS</b>	KLS Spark 622x15 (32 holes / eyelets)	KLS Spark 622x15 (32 holes / eyelets)	DT Swiss G 540 Disc 700Cx24 (32 holes)	KLS Grind Disc 622x17 (32 holes / eyelets)	KLS Grind Disc 622x17 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Schwalbe Lugano 25-622 (700x25C) K-Guard, Silica	Schwalbe Lugano 25-622 (700x25C) K-Guard, Silica	Schwalbe G-One Allround 40-622 (700x38C) RaceGuard, folding	Schwalbe G-One Allround 40-622 (700x38C) RaceGuard, folding	Schwalbe Smart Sam Performance 42-622 (700x40C) ADDIX
<b>STEM</b>	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
<b>HANDLEBAR</b>	KLS Active Road diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	KLS Active Road diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)	GravelBar diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)
<b>GRIPS</b>	KLS bar tape	KLS bar tape	KLS bar tape	KLS bar tape	KLS bar tape
<b>SEAT POST</b>	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Active diam 30.9mm / length 350mm (S), 400mm (M - L)	KLS Active Road diam 27.2mm / length 350mm (S), 400mm (M - L)	KS E20-1 Remote Telescopic diam 30.9mm / length 304mm, travel 75mm	KLS Active Road diam 30.9mm / length 350mm (S), 400mm (M - L)
<b>SADDLE</b>	KLS SlipStream cr-mo rails	KLS SlipStream cr-mo rails	KLS SlipStream cr-mo rails	KLS SlipStream cr-mo rails	KLS SlipStream cr-mo rails

Specification are subject to change without notice.

## ROAD

	GRAVEL
	SOOT 30
<b>FRAME</b>	Kellys Gravel Concept Aluminium alloy Disc flat mount, tapered HT, internal routing, 12x142mm thru axle
<b>FRAME SIZE</b>	S / M / L
<b>FORK</b>	Kellys Carbon Disc 1.5 tapered steerer, flat mount disc brake, 12x100mm thru axle
<b>HEAD PARTS</b>	FSA 1.5 semi-integrated
<b>B.B.PARTS</b>	Shimano BB-RS500
<b>CRANKSET</b>	Shimano Claris R2000 (50x34T) length 170mm (S - M), 175mm (L)
<b>SHIFTERS</b>	Shimano Claris ST-R2000 Dual Control
<b>F/DERAILLEUR</b>	Shimano Claris R2000 (braze on)
<b>R/DERAILLEUR</b>	Shimano Claris R2000 (direct mount)
<b>SPEED</b>	16
<b>FREEWHEEL</b>	Shimano CS-HG50-8 (11-32T)
<b>CHAIN</b>	KMC Z8 (110 links)
<b>BRAKES</b>	Tektro Spyre Mechanical Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano Claris ST-R2000 Dual Control
<b>HUBS</b>	Novatec Disc (32 holes)
<b>THRU AXLE</b>	Mr.control 12x100mm front / Novatec 12x142mm rear
<b>RIMS</b>	KLS Grind Disc 622x17 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black
<b>TYRES</b>	Schwalbe Smart Sam Performance 42-622 (700x40C) ADDIX
<b>STEM</b>	KLS Active Road diam 28.6mm / bar bore 31.8mm / 6° / length 90mm (S), 100mm (M), 110mm (L)
<b>HANDLEBAR</b>	GravelBar diam 31.8mm / width 400mm (S), 420mm (M), 440mm (L)
<b>GRIPS</b>	KLS bar tape
<b>SEAT POST</b>	KLS Active Road diam 30.9mm / length 350mm (S), 400mm (M - L)
<b>SADDLE</b>	KLS SlipStream cr-mo rails

Specification are subject to change without notice.

## TOUR

	CROSS	
	PHANATIC 90	PHANATIC 70
<b>FRAME</b>	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount
<b>FRAME SIZE</b>	M / L	M / L
<b>FORK</b>	SR Suntour NRX-D RL Air 75mm, air / Remote Speed Lockout	SR Suntour NCX-D RL Air 63mm, air / Remote Speed Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	Shimano BB52	Shimano BB52
<b>CRANKSET</b>	Shimano Deore XT T8000 Hollowtech II (48x36x26T) length 175mm (M - L)	Shimano Deore T6010 Hollowtech II (48x36x26T) length 175mm (M - L)
<b>SHIFTERS</b>	Shimano Deore XT SL-T8000 Rapidfire Plus	Shimano Deore SL-M6000 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano Deore XT T8000 (31.8mm)	Shimano Deore T6000 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Deore XT T8000 (direct mount)	Shimano Deore XT M781 (direct mount)
<b>SPEED</b>	30	30
<b>FREEWHEEL</b>	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG50-10 (11-36T)
<b>CHAIN</b>	KMC X10 EL (114 links)	KMC X10 EL (114 links)
<b>BRAKES</b>	Shimano MT500 Hydraulic Disc	Shimano MT500 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT501	Shimano BL-MT501
<b>HUBS</b>	Shimano M475 Disc (32 holes)	Shimano M475 Disc (32 holes)
<b>THRU AXLE</b>	-	-
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel black
<b>TYRES</b>	Michelin Protek Cross 42-622 (700x40C) ReflectiveLine	Michelin Protek Cross 42-622 (700x40C) ReflectiveLine
<b>STEM</b>	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 90mm	KLS Advanced diam 28.6mm / bar bore 31.8mm / 7° / length 90mm
<b>HANDLEBAR</b>	KLS Advanced FlatBar diam 31.8mm / width 640mm (M), 660mm (L)	KLS Advanced FlatBar diam 31.8mm / width 640mm (M), 660mm (L)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Advanced diam 27.2mm / length 350mm	KLS Advanced diam 27.2mm / length 350mm
<b>SADDLE</b>	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Lookin Sport Visual Royalgel
<b>PEDALS</b>	alloy	alloy

## TOUR

	CROSS				
	PHANATIC 50	PHANATIC 40	PHANATIC 30	PHEEBE 30	PHANATIC 10
<b>FRAME</b>	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lady Lite tapered HT, internal routing integrated kickstand mount	Kellys Crossforce Lite tapered HT, internal routing integrated kickstand mount
<b>FRAME SIZE</b>	S / M / L / XL	M / L	TEAL M / L GREY M / L	DARK RED S / M WHITE S / M	DARK OCEAN M / L RED S / M / L / XL
<b>FORK</b>	SR Suntour NVX30 HLO 75mm, coil / Speed Lockout	SR Suntour NEX-E25 NLO 75mm, coil / Speed Lockout	SR Suntour NVX30 HLO 75mm, coil / Speed Lockout	SR Suntour NVX30 HLO 75mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil spring
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	Shimano BB-E5300 Octalink	cartridge (124.5mm)	cartridge (124.5mm)	cartridge (124.5mm)	cartridge (113mm)
<b>CRANKSET</b>	Shimano T521 Hollowtech Octalink (48x36x26T) length 170mm (S), 175mm (M - L)	Shimano Acera T3010 (48x36x26T) length 175mm (M - L)	Shimano Acera T3010 (48x36x26T) length 175mm (M - L)	Shimano Acera T3010 (48x36x26T) length 170mm (S), 175mm (M)	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano Deore SL-M6000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano Alivio SL-M4000 Rapidfire Plus	Shimano ST-EF505-9 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano Deore T6000 (31.8mm)	Shimano Acera T3000 (31.8mm)	Shimano Acera T3000 (31.8mm)	Shimano Acera T3000 (31.8mm)	Shimano T710 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Deore T6000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M3000 (direct mount)
<b>SPEED</b>	30	27	27	27	27
<b>FREEWHEEL</b>	Shimano CS-HG50-10 (11-36T)	Shimano CS-HG300-9 (11-34T)	Shimano CS-HG300-9 (11-34T)	Shimano CS-HG300-9 (11-34T)	Shimano CS-HG200-9 (11-34T)
<b>CHAIN</b>	KMC X10 EL (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)	KMC X9 (114 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano BL-MT201	Shimano BL-MT200	Shimano BL-MT200	Shimano BL-MT200	Shimano ST-EF505-9 EZ-fire Plus
<b>HUBS</b>	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)	Shimano TX505-8 Disc Center Lock (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel black	stainless steel black	stainless steel black	stainless steel black
<b>TYRES</b>	Michelin Protek Cross 42-622 (700x40C) ReflectiveLine	Michelin Protek Cross 42-622 (700x40C) ReflectiveLine	Michelin Protek Cross 42-622 (700x40C) ReflectiveLine	Michelin Protek Cross 42-622 (700x40C) ReflectiveLine	Innova 44-622 (700x42C)
<b>STEM</b>	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)
<b>HANDLEBAR</b>	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (M), 660mm (L)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (M), 660mm (L)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm	KLS Active diam 27.2mm / length 350mm
<b>SADDLE</b>	Selle Royal Lookin Sport Visual Royalgel	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo
<b>PEDALS</b>	alloy	alloy	alloy	alloy	alloy
<b>FRONT LIGHT</b>	-	Büchel Urban Halogen	-	-	-
<b>REAR LIGHT</b>	-	Büchel LED Standlight	-	-	-
<b>FENDERS</b>	-	RPZ	-	-	-
<b>ACCESSORIES</b>	-	adjustable kickstand, bell	-	-	-

Specification are subject to change without notice.

## TOUR

	CROSS				
	PHEEBE 10	CLIFF 90	CLEA 90	CLIFF 70	CLEA 70
<b>FRAME</b>	Kellys Crossforce Lady Lite tapered HT, internal routing integrated kickstand mount	Kellys Crosslite	Kellys Crosslite Lady	Kellys Crosslite	Kellys Crosslite Lady
<b>FRAME SIZE</b>	<b>DARK PURPLE</b> S/M <b>MINT</b> S/M	<b>DEEP BLUE</b> S/M/L/XL <b>BLACK RED</b> S/M/L	<b>BLACK AQUA</b> S/M <b>DARK RED</b> S/M	<b>BLACK GREEN</b> S/M/L/XL <b>GREY</b> S/M/L	<b>DARK BLUE</b> S/M <b>RED</b> S/M
<b>FORK</b>	SR Suntour NEX HLO 63mm, coil spring	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (113mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)	cartridge (122mm)
<b>CRANKSET</b>	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M)	Shimano TY501 (48x38x28T) length 170mm (S), 175mm (M - XL)	Shimano TY501 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)
<b>SHIFTERS</b>	Shimano ST-EF505-9 EZ-fire Plus	Shimano Altus SL-M310 Rapidfire Plus	Shimano Altus SL-M310 Rapidfire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)
<b>R/DERAILLEUR</b>	Shimano Acera M3000 (direct mount)	Shimano Altus M370 (direct mount)	Shimano Altus M370 (direct mount)	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	27	24	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
<b>CHAIN</b>	KMC X9 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Tektro Hydraulic Disc	Tektro Hydraulic Disc	C-Star CX7 Mechanical Disc	C-Star CX7 Mechanical Disc
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano ST-EF505-9 EZ-fire Plus	Tektro	Tektro	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus
<b>HUBS</b>	Shimano TX505-8 Disc Center Lock (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)	KLS Firework Disc (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
<b>SPOKES</b>	stainless steel black	stainless steel	stainless steel	stainless steel	stainless steel
<b>TYRES</b>	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
<b>STEM</b>	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm (S - L), 110mm (XL)	KLS CRX 70 adjustable diam 28.6mm / bar bore 31.8mm / length 95mm
<b>HANDLEBAR</b>	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm (S - M), 660mm (L - XL)	KLS CRX 70 RiseBar diam 31.8mm / rise 25mm / width 640mm
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density
<b>SEAT POST</b>	KLS Active diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm	Kalloy diam 27.2mm / length 350mm
<b>SADDLE</b>	Selle Royal Vivo	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine
<b>PEDALS</b>	alloy	alloy	alloy	plastic	plastic

Specification are subject to change without notice.



## TOUR

	CROSS				TREKKING
	CLIFF 30	CLEA 30	CLIFF 10	CLEA 10	CARSON 90
<b>FRAME</b>	Kellys Crosslite	Kellys Crosslite Lady	Kellys Crosslite	Kellys Crosslite Lady	Kellys Tour Profile internal routing, integrated kickstand mount
<b>FRAME SIZE</b>	<b>BLUE</b> S/M/L/XL <b>GREY</b> S/M/L	<b>BLACK PINK</b> S/M <b>WHITE</b> S/M	<b>BLACK BLUE</b> S/M/L <b>RED</b> S/M/L	<b>GREY PINK</b> S/M <b>MINT</b> S/M	M/L/XL
<b>FORK</b>	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour NEX HLO 63mm, coil / Speed Lockout	SR Suntour M3010 50mm, coil spring	SR Suntour M3010 50mm, coil spring	SR Suntour NEX-E25 NLO 63mm, coil spring
<b>HEAD PARTS</b>	semi-integrated	semi-integrated	semi-integrated	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (122mm)	cartridge (122mm)	cartridge (124.5mm)	cartridge (124.5mm)	Shimano BB-ES300 Octalink
<b>CRANKSET</b>	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - XL)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Prowheel (48x38x28T) length 170mm	Prowheel (48x38x28T) length 170mm	Shimano T521 Hollowtech Octalink (48x36x26T) length 175mm (M - XL)
<b>SHIFTERS</b>	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano Deore SL-M6000 Rapidfire Plus
<b>F/DERAILLEUR</b>	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano TY710 (31.8mm)	Shimano Deore T6000 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano TX800 (direct mount)	Shimano TX800 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano Deore XT T8000 (direct mount)
<b>SPEED</b>	24	24	21	21	30
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG50-10 (11-36T)
<b>CHAIN</b>	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)	KMC X10 EL (114 links)
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake	Apse V-brake	Apse V-brake	Shimano MT200 Hydraulic Disc
<b>BRAKE ROTORS</b>	-	-	-	-	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano BL-MT200
<b>HUBS</b>	alloy (32 holes)	alloy (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	Shimano Dynamo 3D37 / Shimano TX505-8 Disc Center Lock (32 holes)
<b>RIMS</b>	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Michelin Protek BR 42-622 (700x40C) ReflectiveLine
<b>STEM</b>	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 15° / length 75mm (S), 90mm (M - L), 105mm (XL)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 30° / length 90mm	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 15° / length 75mm (S), 90mm (M - L)	Kalloy Uno diam 28.6mm / bar bore 25.4mm / 30° / length 90mm	Promax a-head adjustable diam 28.6mm / bar bore 31.8mm / length 105mm
<b>HANDLEBAR</b>	alloy RiseBar diam 25.4mm / width 640mm (S - M), 660mm (L - XL)	alloy RiseBar diam 25.4mm / width 640mm	alloy RiseBar diam 25.4mm / width 640mm (S - M), 660mm (L)	alloy RiseBar diam 25.4mm / width 640mm	alloy RiseBar diam 31.8mm / width 640mm
<b>GRIPS</b>	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Token 2Density	KLS Wave 2Density ergonomic
<b>SEAT POST</b>	Kalloy Uno diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 350mm	Kalloy suspension diam 30.9mm / length 350mm
<b>SADDLE</b>	KLS CrossLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine	Selle Royal Lookin Visual Royalgel
<b>PEDALS</b>	plastic	plastic	plastic	plastic	alloy
<b>FRONT LIGHT</b>	-	-	-	-	AXA Compactline 35 Steady
<b>REAR LIGHT</b>	-	-	-	-	AXA Slim Steady
<b>FENDERS</b>	-	-	-	-	RPZ
<b>ACCESSORIES</b>	-	-	-	-	alloy carrier, adjustable kickstand, bell

Specification are subject to change without notice.

## TOUR

CROSS					
	CARSON 70	CRISTY 70	CARSON 50	CRISTY 50	CARSON 40
<b>FRAME</b>	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount
<b>FRAME SIZE</b>	S / M / L / XL	S / M	M / L / XL	S / M	S / M / L / XL
<b>FORK</b>	SR Suntour NEX DX 63mm, coil spring (threaded steerer)	SR Suntour NEX DX 63mm, coil spring (threaded steerer)	SR Suntour NEX 63mm, coil spring (threaded steerer)	SR Suntour NEX 63mm, coil spring (threaded steerer)	SR Suntour M3010 50mm, coil spring (threaded steerer)
<b>HEAD PARTS</b>	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)
<b>B.B.PARTS</b>	cartridge (113mm)	cartridge (113mm)	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)
<b>CRANKSET</b>	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M - XL)	SR Suntour XCM (48x36x26T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 175mm	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - XL)
<b>SHIFTERS</b>	Shimano Altus SL-M2010-9 Rapidfire Plus	Shimano Altus SL-M2010-9 Rapidfire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Alivio M4000 (direct mount)	Shimano Alivio M4000 (direct mount)	Shimano Acera M360 (direct mount)	Shimano Acera M360 (direct mount)	Shimano Altus M310 (direct mount)
<b>SPEED</b>	27	27	24	24	24
<b>FREEWHEEL</b>	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)
<b>CHAIN</b>	KMC X9 (114 links)	KMC X9 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)
<b>BRAKES</b>	Shimano MT200 Hydraulic Disc	Shimano MT200 Hydraulic Disc	Tektro V-brake	Tektro V-brake	Apse V-brake
<b>BRAKE ROTORS</b>	160mm front / 160mm rear	160mm front / 160mm rear	-	-	-
<b>BRAKE LEVERS</b>	Shimano BL-MT200	Shimano BL-MT200	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus
<b>HUBS</b>	Shimano Dynamo 3D37 / Shimano TX505-8 Disc Center Lock (32 holes)	Shimano Dynamo 3D37 / Shimano TX505-8 Disc Center Lock (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Michelin Protek BR 42-622 (700x40C) ReflectiveLine	Michelin Protek BR 42-622 (700x40C) ReflectiveLine	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
<b>STEM</b>	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M - XL)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 100mm	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M - XL)
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
<b>SEAT POST</b>	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - XL)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 350mm	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - XL)
<b>SADDLE</b>	Selle Royal Essenza Moderate	Selle Royal Essenza Moderate	Selle Royal Essenza Moderate	Selle Royal Essenza Moderate	KLS CrossLine
<b>PEDALS</b>	alloy	alloy	plastic	plastic	plastic
<b>FRONT LIGHT</b>	Büchel Urban LED	Büchel Urban LED	Büchel Urban LED	Büchel Urban LED	Büchel Urban Halogen
<b>REAR LIGHT</b>	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED Standlight
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell

Specification are subject to change without notice.

## TOUR

CROSS					
	CRISTY 40	CARSON 30	CRISTY 30	CARSON 10	CRISTY 10
<b>FRAME</b>	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount	Kellys Tour Profile internal routing, integrated kickstand mount	Kellys Tour Profile Lady internal routing, integrated kickstand mount
<b>FRAME SIZE</b>	S / M	M / L	S / M	S / M / L	S / M
<b>FORK</b>	SR Suntour M3010 50mm, coil spring (threaded steerer)	SR Suntour M3010 50mm, coil spring (threaded steerer)	SR Suntour M3010 50mm, coil spring (threaded steerer)	SR Suntour M3010 50mm, coil spring (threaded steerer)	SR Suntour M3010 50mm, coil spring (threaded steerer)
<b>HEAD PARTS</b>	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)
<b>B.B.PARTS</b>	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)	cartridge (120mm)
<b>CRANKSET</b>	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 175mm	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M - L)	Shimano TY301 (48x38x28T) length 170mm (S), 175mm (M)
<b>SHIFTERS</b>	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus
<b>F/DERAILLEUR</b>	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY710 (34.9mm)	Shimano TY510 (34.9mm)	Shimano TY510 (34.9mm)
<b>R/DERAILLEUR</b>	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano Altus M310 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)
<b>SPEED</b>	24	24	24	21	21
<b>FREEWHEEL</b>	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)
<b>CHAIN</b>	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z8 (114 links)	KMC Z7 (114 links)	KMC Z7 (114 links)
<b>BRAKES</b>	Apse V-brake	Apse V-brake	Apse V-brake	Apse V-brake	Apse V-brake
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Shimano ST-EF500-8 EZ-fire Plus	Apse	Apse
<b>HUBS</b>	Shimano Dynamo Nexus C3000 / alloy (32 holes)	alloy (32 holes)	alloy (32 holes)	alloy / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)
<b>RIMS</b>	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft Disc 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)	KLS Draft 622x21 (32 holes / eyelets)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)	Innova 44-622 (700x42C)
<b>STEM</b>	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 100mm	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M - L)	Kalloy Uno adjustable diam 25.4mm / bar bore 25.4mm / length 90mm (S), 100mm (M)
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm	steel RiseBar diam 25.4mm / rise 35mm width 630mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic
<b>SEAT POST</b>	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 350mm	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M - L)	Kalloy suspension diam 30.9mm / length 300mm (S), 350mm (M)
<b>SADDLE</b>	KLS ComfortLine	KLS ComfortLine	KLS ComfortLine	KLS CrossLine	KLS ComfortLine
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic
<b>FRONT LIGHT</b>	Büchel Urban Halogen	LED battery	LED battery	LED battery	LED battery
<b>REAR LIGHT</b>	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED battery	Büchel Champs Elysees LED battery
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell	alloy carrier, adjustable kickstand, bell

Specification are subject to change without notice.

## URBAN

	CITY				
	EVERY 90 28"	EVERY 70 28"	EVERY 50 28"	EVERY 30 26"	EVERY 20 28"
<b>FRAME</b>	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 28	Kellys Aluminium alloy monotube 26	Kellys Aluminium alloy monotube 28
<b>FRAME SIZE</b>	430mm / 480mm	430mm / 480mm	430mm / 480mm	430mm	430mm / 480mm
<b>FORK</b>	SR Suntour CR-8V 50mm, coil spring (threaded steerer)	SR Suntour CR-8V 50mm, coil spring (threaded steerer)	hi-ten unicrown (threaded steerer)	hi-ten unicrown (threaded steerer)	hi-ten unicrown (threaded steerer)
<b>HEAD PARTS</b>	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)	semi-integrated (threaded)
<b>B.B.PARTS</b>	cartridge (116mm)	cartridge (120mm)	cartridge (116mm)	cartridge (116mm)	cartridge (116mm)
<b>CRANKSET</b>	Prowheel (38T) length 170mm	Shimano TY501 (48x38x28T) length 170mm	Prowheel (38T) length 170mm	Prowheel (38T) length 170mm	Prowheel (38T) length 170mm
<b>SHIFTERS</b>	Shimano Nexus SL-7S20 Revoshift	Shimano ST-EF500-8 EZ-fire Plus	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-3S42E Revoshift
<b>F/DERAILLEUR</b>	-	Shimano TY710 (31.8mm)	-	-	-
<b>R/DERAILLEUR</b>	-	Shimano Altus M370 (direct mount)	-	-	-
<b>SPEED</b>	7	24	3	3	3
<b>FREEWHEEL</b>	Shimano for internal hub 21T	Shimano CS-HG31-8 (11-34T)	Shimano for internal hub 21T	Shimano for internal hub 20T	Shimano for internal hub 21T
<b>CHAIN</b>	KMC Z6 (102 links)	KMC Z8 (116 links)	KMC Z6 (102 links)	KMC Z6 (98 links)	KMC Z6 (102 links)
<b>BRAKES</b>	Tektro V-brake / Shimano coaster brake	Tektro V-brake	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake
<b>BRAKE ROTORS</b>	-	-	-	-	-
<b>BRAKE LEVERS</b>	Tektro	Shimano ST-EF510-8 EZ-fire Plus	Tektro	Tektro	Tektro
<b>HUBS</b>	Shimano Dynamo Nexus C3000 / Nexus C3000 Inter-7 (36 holes)	Shimano Dynamo Nexus C3000 / KLS Drive (36 holes)	Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 (36 holes)	Shimano Dynamo Nexus C3000 / Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)
<b>RIMS</b>	KLS Draft 622x21 (36 holes / eyelets)	KLS Draft 622x21 (36 holes / eyelets)	KLS Draft 622x21 (36 holes / eyelets)	KLS Event 559x19 (36 holes)	KLS Draft 622x19 (36 holes)
<b>SPOKES</b>	steel	steel	steel	steel	steel
<b>TYRES</b>	Michelin Protek BR 42-622 (700x40C) ReflectiveLine	Michelin Protek BR 42-622 (700x40C) ReflectiveLine	Michelin Protek BR 42-622 (700x40C) ReflectiveLine	Mitas Cobra 50-559 (26x1.90)	Michelin Protek BR 42-622 (700x40C) ReflectiveLine
<b>STEM</b>	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	Zoom diam 25.4mm / 25° / length 80mm
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 160mm / width 670mm	steel RiseBar diam 25.4mm / rise 160mm / width 670mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	KLS Wave 2Density ergonomic			
<b>SEAT POST</b>	Kalloy suspension diam 27.2mm / length 350mm	Kalloy suspension diam 27.2mm / length 350mm	Kalloy suspension diam 27.2mm / length 350mm	Kalloy Uno diam 27.2mm / length 300mm	Kalloy Uno diam 27.2mm / length 300mm
<b>SADDLE</b>	Selle Royal Freedom Royalgel	Selle Royal Freedom Royalgel			
<b>PEDALS</b>	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic	NonSlip - plastic
<b>FRONT LIGHT</b>	Büchel Urban LED	Büchel Urban LED	Büchel Urban Halogen	Büchel Urban Halogen	LED battery
<b>REAR LIGHT</b>	Büchel Champs Elysees LED Standlight	Büchel Champs Elysees LED battery			
<b>FENDERS</b>	RPZ	RPZ	RPZ	RPZ	RPZ
<b>ACCESSORIES</b>	alloy carrier, chainguard, adjustable kickstand, bell	alloy carrier, chainguard, adjustable kickstand, bell			

Specification are subject to change without notice.

## URBAN

	CITY	CLASSIC		FITNESS
	EVERY 10 26"	ROYAL DUTCH 28"	ARWEN DUTCH 28"	PHYSIO 50
<b>FRAME</b>	Kellys Aluminium alloy monotube 26	van Kellys Dutch Aluminium alloy 28	van Kellys Dutch Aluminium alloy 28	Kellys Urban Move Concept Aluminium alloy, flat mount, tapered HT, internal routing
<b>FRAME SIZE</b>	430mm	<b>MENTHOL BLACK</b> 460mm 460mm	<b>MENTHOL BLACK</b> 460mm <b>BEIGE RED</b> 460mm 460mm	S / M / L
<b>FORK</b>	hi-ten unicrown (threaded steerer)	unicrown steel (threaded steerer)	unicrown steel (threaded steerer)	Aluminium alloy (1.5 tapered steerer), flat mount disc brake
<b>HEAD PARTS</b>	semi-integrated (threaded)	threaded	threaded	1.5 semi-integrated
<b>B.B.PARTS</b>	cartridge (116mm)	cartridge (115mm)	cartridge (115mm)	Shimano BB-RS500
<b>CRANKSET</b>	Prowheel (38T) length 170mm	Prowheel (36T) length 170mm	Prowheel (36T) length 170mm	Shimano Sora R3000 (50x34T) length 170mm (S), 175mm (M - L)
<b>SHIFTERS</b>	Shimano Nexus SL-3S42E Revoshift	Shimano Nexus SL-7S20 Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano Sora SL-3000 Rapidfire Plus
<b>F/DERAILLEUR</b>	-	-	-	Shimano Sora R3000 (34.9mm)
<b>R/DERAILLEUR</b>	-	-	-	Shimano Sora R3000 (direct mount)
<b>SPEED</b>	3	7	3	18
<b>FREEWHEEL</b>	Shimano for internal hub 20T	Shimano for internal hub 16T	Shimano for internal hub 16T	Shimano CS-HG300-9 (11-34T)
<b>CHAIN</b>	KMC Z6 (98 links)	KMC Z6 (98 links)	KMC Z6 (98 links)	KMC X9 (112 links)
<b>BRAKES</b>	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Apse V-brake / Shimano coaster brake	Shimano UR300 Hydraulic Disc
<b>BRAKE ROTORS</b>	-	-	-	160mm front / 160mm rear
<b>BRAKE LEVERS</b>	Tektro	Tektro	Tektro	Shimano BL-MT200
<b>HUBS</b>	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / Shimano Nexus C3000 Inter-7 (36 holes)	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	Novatec Disc (32 holes)
<b>RIMS</b>	KLS Event 559x19 (36 holes)	KLS Event 622x19 (36 holes)	KLS Event 622x19 (36 holes)	KLS Grind 622x17 (32 holes / eyelets)
<b>SPOKES</b>	steel	steel	steel	stainless steel black
<b>TYRES</b>	Mitas Cobra 50-559 (26x1.90)	Impac Bigpac 50-622 (28x2.0) ReflectiveLine	Impac Bigpac 50-622 (28x2.0) ReflectiveLine	Schwalbe Spicer 35-622 (700x35C) ReflectiveLine
<b>STEM</b>	Kalloy adjustable diam 25.4mm / bar bore 25.4mm / length 90mm	alloy / steel diam 25.4mm / 30° / length 80mm	alloy / steel diam 25.4mm / 30° / length 80mm	KLS Active diam 28.6mm / bar bore 31.8mm / 7° / length 70mm (S), 90mm (M), 110mm (L)
<b>HANDLEBAR</b>	steel RiseBar diam 25.4mm / rise 160mm / width 670mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	steel RiseBar diam 25.4mm / rise 70mm / width 630mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 660mm
<b>GRIPS</b>	KLS Wave 2Density ergonomic	HollandGrip	HollandGrip	KLS Token 2Density
<b>SEAT POST</b>	Kalloy Uno diam 27.2mm / length 300mm	steel diam 27.2mm / length 330mm	steel diam 27.2mm / length 330mm	KLS Active diam 30.9mm / length 300mm (S - M), 350mm (L)
<b>SADDLE</b>	Selle Royal Freedom Royalgel	van Kellys	van Kellys	KLS SlipStream
<b>PEDALS</b>	NonSlip - plastic	NonSlip - alloy	NonSlip - alloy	plastic
<b>FRONT LIGHT</b>	LED battery	<b>MENTHOL:</b> Büchel Retro battery	Büchel Retro battery	-
<b>REAR LIGHT</b>	Büchel Champs Elysees LED battery	LED battery, 3 modes	LED battery, 3 modes	-
<b>FENDERS</b>	RPZ	steel with coat guard	steel with coat guard	SKS
<b>ACCESSORIES</b>	alloy carrier, chainguard, adjustable kickstand, bell	<b>BLACK:</b> front rack, alloy carrier, chainguard, adjustable kickstand, bell <b>MENTHOL:</b> front basket, alloy carrier, chainguard, adjustable kickstand, bell	front basket, alloy carrier, chainguard, adjustable, kickstand, bell	-

Specification are subject to change without notice.

## JUNIOR

JUNIOR					
	NAGA 90 26"	NAGA 80 26"	NAGA 70 26"	MARC 90 24"	MARC 70 24"
<b>FRAME</b>	Kellys Aluminium alloy MTB 26	Kellys Aluminium alloy MTB 26	Kellys Aluminium alloy MTB 26	Kellys Alutec RRC MTB 24 Race Ready Concept	Kellys Alutec RRC MTB 24 Junior plus Race Ready Concept
<b>FRAME SIZE</b>	340mm	340mm	<b>NEON LIME</b> 340mm <b>PURPLE</b> 340mm	315mm	315mm
<b>FORK</b>	Aluminium alloy (cr-mo steerer)	SR Suntour M3010 (26) 63mm, coil spring	SR Suntour M3010 (26) 63mm, coil spring	SR Suntour XCT (24) 50mm, coil spring	Aluminium alloy (cr-mo steerer, post mount disc brake)
<b>HEAD PARTS</b>	semi-integrated	threadless a-head	threadless a-head	semi-integrated	semi-integrated
<b>B.B.PARTS</b>	cartridge (113mm)	cartridge (120mm)	cartridge (120mm)	cartridge (118mm)	cartridge (126mm)
<b>CRANKSET</b>	Prowheel (30T) length 155mm	Prowheel (42x34x24T) length 152mm	Prowheel (42x34x24T) length 152mm	SR Suntour XCT (42x32x22T) length 160mm	Prowheel (36T) length 152mm
<b>SHIFTERS</b>	Shimano Deore SL-M6000-R Rapidfire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 EZ-fire Plus	Shimano SL-M310 Rapidfire Plus	Shimano SL-M310 Rapidfire Plus
<b>F/DERAILLEUR</b>	chain guide Mr.control	Shimano TY500 (31.8mm)	Shimano TY500 (31.8mm)	Shimano TY710 (31.8mm)	-
<b>R/DERAILLEUR</b>	Shimano Deore M6000 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano Altus M310 (direct mount)	Shimano TX800 (direct mount)
<b>SPEED</b>	10	21	21	24	7
<b>FREEWHEEL</b>	Shimano CS-HG500-10 (11-42T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-8 (12-32T)	Shimano CS-HG200-7 (12-32T)
<b>CHAIN</b>	KMC X10 EL (108 links)	KMC Z7 (106 links)	KMC Z7 (106 links)	KMC Z8 (102 links)	KMC Z7 (102 links)
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake	Tektro V-brake	Tektro Hydraulic Disc	Tektro Hydraulic Disc
<b>BRAKE ROTORS</b>	-	-	-	160mm / 160mm	160mm / 160mm
<b>BRAKE LEVERS</b>	Apse	Shimano ST-EF41-7 EZ-fire Plus	Shimano ST-EF41-7 Revoshift	Tektro	Tektro
<b>HUBS</b>	alloy / Shimano T3000 (32 holes)	Shimano Dynamo Nexus C3000 / Shimano TY500-7 (32 holes)	alloy / Shimano TY500-7 (32 holes)	KLS Firework Disc (32 holes)	KT Disc (32 holes)
<b>RIMS</b>	KLS Draft 559x21 (32 holes)	KLS Draft 559x21 (32 holes)	KLS Draft 559x21 (32 holes)	KLS Draft Disc 507x21 (32 holes)	KLS Brave Disc 507x23 (32 holes)
<b>SPOKES</b>	steel black	steel black	steel black	steel black	steel black
<b>TYRES</b>	Schwalbe CX Comp 50-559 (26x2.0) K-Guard	Innova 54-559 (26x2.0)	Innova 54-559 (26x2.0)	Mitas Winner 50-507 (24x1.95)	Innova 58-507 (24x2.35)
<b>STEM</b>	Promax diam 28.6mm / bar bore 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Promax diam 28.6mm / bar bore 31.8mm / length 45mm	Promax diam 28.6mm / bar bore 31.8mm / length 45mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm
<b>GRIPS</b>	kraton 2Density	kraton 2Density	kraton 2Density	KLS Advancer 2Density	KLS Advancer 2Density
<b>SEAT POST</b>	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic
<b>FRONT LIGHT</b>	-	Büchel Urban Halogen	-	-	-
<b>REAR LIGHT</b>	-	Büchel Champs Elysees LED Standlight	-	-	-
<b>FENDERS</b>	-	SKS	-	-	-
<b>ACCESSORIES</b>	-	alloy carrier, adjustable kickstand, bell	-	-	-

Specification are subject to change without notice.

## JUNIOR

JUNIOR					
	MARC 50 24"	KITER 90 24"	KITER 70 24"	KITER 50 24"	KITER 30 24"
<b>FRAME</b>	Kellys Alutec RRC MTB 24 Race Ready Concept	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24	Kellys Aluminium alloy MTB 24
<b>FRAME SIZE</b>	315mm	280mm	280mm	<b>TITANIUM BLUE</b> 280mm <b>NEON YELLOW</b> 280mm <b>TURQUOISE</b> 280mm <b>PURPLE</b> 280mm <b>WHITE</b> 280mm	<b>NEON ORANGE</b> 280mm <b>TURQUOISE</b> 280mm <b>PURPLE</b> 280mm <b>WHITE</b> 280mm
<b>FORK</b>	SR Suntour XCT (24) 50mm, coil spring	Aluminium alloy	SR Suntour M3010 (24) 50mm, coil spring	SR Suntour M3010 (24) 50mm, coil spring	hi-ten steel unicrown
<b>HEAD PARTS</b>	semi-integrated	threadless a-head	threadless a-head	threadless a-head	threadless a-head
<b>B.B.PARTS</b>	cartridge (126mm)	cartridge (126mm)	cartridge (126mm)	cartridge (120mm)	cartridge (126mm)
<b>CRANKSET</b>	Prowheel (36T) length 152mm	Prowheel (32T) length 152mm	Prowheel (32T) length 152mm	Prowheel (42x34x24T) length 152mm	Prowheel (32T) length 152mm
<b>SHIFTERS</b>	Shimano SL-M310 Rapidfire Plus	Shimano Altus SL-M370 Rapidfire Plus	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-7 Revoshift
<b>F/DERAILLEUR</b>	-	-	-	Shimano TY500 (31.8mm)	-
<b>R/DERAILLEUR</b>	Shimano TX800 (direct mount)	Shimano Altus M370 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)	Shimano TY300 (direct mount)
<b>SPEED</b>	7	9	7	21	7
<b>FREEWHEEL</b>	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-9 (11-34T)	Shimano CS-HG200-7 (12-32T)	Shimano CS-HG200-7 (12-32T)	Shimano MF-TZ21-7 (14-28T)
<b>CHAIN</b>	KMC Z7 (102 links)	KMC X9 (104 links)	KMC Z7 (102 links)	KMC Z7 (102 links)	KMC Z7 (102 links)
<b>BRAKES</b>	C-Star CX7 Mechanical Disc	Tektro V-brake	Tektro V-brake	Tektro V-brake	Tektro V-brake
<b>BRAKE ROTORS</b>	160mm / 160mm	-	-	-	-
<b>BRAKE LEVERS</b>	Apse	Apse	Apse	Apse	Apse
<b>HUBS</b>	KT Disc (32 holes)	alloy / Shimano TX500-8 (32 holes)	Shimano Dynamo Nexus C3000 / alloy (32 holes)	alloy (32 holes)	alloy (32 holes)
<b>RIMS</b>	KLS Draft Disc 507x21 (32 holes)	KLS Wasper 507x19 (32 holes)	KLS Wasper 507x19 (32 holes)	KLS Wasper 507x19 (32 holes)	KLS Wasper 507x19 (32 holes)
<b>SPOKES</b>	steel black	steel black	steel black	steel black	steel black
<b>TYRES</b>	Mitas Winner 50-507 (24x1.95)	Schwalbe CX Comp 47-507 (24x1.75) K-Guard	Mitas Winner 50-507 (24x1.95)	Mitas Winner 50-507 (24x1.95)	Mitas Winner 50-507 (24x1.95)
<b>STEM</b>	Promax diam 28.6mm / bar bore 31.8mm / length 45mm	Promax diam 28.6mm / bar bore 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm	steel RiseBar diam 25.4mm / width 580mm
<b>GRIPS</b>	KLS Advancer	KLS Advancer	kraton 2Density	kraton 2Density	kraton
<b>SEAT POST</b>	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	plastic	plastic	plastic	plastic	plastic
<b>FRONT LIGHT</b>	-	-	Büchel Urban Halogen	-	-
<b>REAR LIGHT</b>	-	-	Büchel Champs Elysees LED Standlight	-	-
<b>FENDERS</b>	-	-	RPZ	-	-
<b>ACCESSORIES</b>	-	-	alloy carrier, adjustable kickstand, bell	-	-

Specification are subject to change without notice.

## JUNIOR

JUNIOR				
	LUMI 90 20"	LUMI 70 20"	LUMI 50 20"	LUMI 30 20"
<b>FRAME</b>	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20	Kellys Aluminium alloy MTB 20
<b>FRAME SIZE</b>	255mm	255mm	<b>PINK BLUE</b> 255mm <b>GREEN</b> 255mm	<b>NEON YELLOW</b> 255mm <b>PURPLE</b> 255mm <b>WHITE</b> 255mm <b>RED</b> 255mm
<b>FORK</b>	Aluminium alloy	hi-ten steel unicrown	SR Suntour M3010 (20) 40mm, coil spring	hi-ten steel unicrown
<b>HEAD PARTS</b>	threadless a-head	threadless a-head	threadless a-head	threadless a-head
<b>B.B.PARTS</b>	cartridge (126mm)	cartridge (126mm)	cartridge (124mm)	cartridge (124mm)
<b>CRANKSET</b>	Prowheel (32T) length 140mm	Prowheel (32T) length 140mm	Prowheel (32T) length 140mm	Prowheel (32T) length 140mm
<b>SHIFTERS</b>	Shimano SL-RS45-8 Revoshift	Shimano Nexus SL-3S42E Revoshift	Shimano SL-RS35-7 Revoshift	Shimano SL-RS35-6 Revoshift
<b>R/DERAILLEUR</b>	Shimano Altus M310 (direct mount)	-	Shimano TY300 (direct mount)	Shimano TY21 (direct mount)
<b>SPEED</b>	8	3	7	6
<b>FREEWHEEL</b>	Shimano CS-HG31-8 (11-32T)	Shimano for internal hub 21T	Shimano CS-HG200-7 (12-32T)	Shimano MF-TZ20-6 (14-28T)
<b>CHAIN</b>	KMC Z8 (100 links)	KMC Z8 (100 links)	KMC Z8 (100 links)	KMC Z8 (100 links)
<b>BRAKES</b>	Tektro V-brake	Tektro V-brake / Shimano coaster brake	Tektro V-brake	Tektro V-brake
<b>BRAKE LEVERS</b>	Apse	Apse	Apse	Apse
<b>HUBS</b>	Shimano TX500-8 (32 holes)	Shimano Dynamo Nexus C3000 / Shimano Nexus 3C41 Inter-3 (32 holes)	alloy (28 holes)	alloy (28 holes)
<b>RIMS</b>	KLS 406x21 (32 holes)	KLS 406x21 (32 holes)	KLS 406x21 (28 holes)	KLS 406x21 (28 holes)
<b>SPOKES</b>	steel black	steel black	steel black	steel black
<b>TYRES</b>	Schwalbe CX Comp 47-406 (20x1.75) K-Guard	Mitas Winner 50-406 (20x1.90)	Mitas Winner 50-406 (20x1.90)	Mitas Winner 50-406 (20x1.90)
<b>STEM</b>	Promax diam 28.6mm / bar bore 31.8mm / length 45mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm	Kalloy diam 28.6mm / length 60mm
<b>HANDLEBAR</b>	KLS Active RiseBar diam 31.8mm / rise 18mm / width 600mm	steel RiseBar diam 25.4mm / width 550mm	steel RiseBar diam 25.4mm / width 550mm	steel RiseBar diam 25.4mm / width 550mm
<b>GRIPS</b>	kraton	kraton	kraton	kraton
<b>SEAT POST</b>	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm	Kalloy diam 27.2mm / length 300mm
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	plastic	plastic	plastic	plastic
<b>FRONT LIGHT</b>	-	Büchel Urban Halogen	-	-
<b>REAR LIGHT</b>	-	Büchel Champs Elysees LED Standlight	-	-
<b>FENDERS</b>	-	RPZ	-	-
<b>ACCESSORIES</b>	-	alloy carrier, adjustable kickstand, bell	-	-


Specification are subject to change without notice.

## JUNIOR

JUNIOR				
	MAGGIE 24"	CINDY 20"	WASPER 16"	EMMA 16"
<b>FRAME</b>	Kellys Aluminium alloy monotube 24	Kellys Aluminium alloy monotube 20	Kellys Aluminium alloy MTB 16	Kellys Aluminium alloy monotube 16
<b>FRAME SIZE</b>	355mm	295mm	<b>YELLOW</b> 245mm <b>RED</b> 245mm <b>BLUE</b> 245mm	<b>MENTHOL</b> 245mm <b>PINK</b> 245mm
<b>FORK</b>	hi-ten steel unicrown (threaded steerer)	hi-ten steel unicrown (threaded steerer)	hi-ten unicrown	hi-ten unicrown
<b>HEAD PARTS</b>	threaded	threaded	threaded	threaded
<b>B.B.PARTS</b>	cartridge (117.5mm)	cartridge (118mm)		
<b>CRANKSET</b>	Prowheel (38T) length 152mm	Prowheel (36T) length 140mm	steel chainwheel (32)	steel chainwheel (32)
<b>SHIFTERS</b>	Shimano Nexus SL-3S41E Revoshift	-	-	-
<b>SPEED</b>	3	1	1	1
<b>FREEWHEEL</b>	Shimano for internal hub 20T	single 18T sprocket	single 16T sprocket	single 16T sprocket
<b>CHAIN</b>	KMC Z6 (94 links)	KMC Z1 (84 links)		
<b>BRAKES</b>	Tektro V-brake / Shimano coaster brake	Tektro V-brake / coaster brake	V-brake / coaster brake	V-brake / coaster brake
<b>BRAKE LEVERS</b>	Apse	Apse	plastic	plastic
<b>HUBS</b>	alloy / Shimano Nexus 3C41 Inter-3 (36 holes)	alloy / coaster brake hub (28 holes)	steel / coaster brake hub	steel / coaster brake hub
<b>RIMS</b>	KLS Wasper 507x19 (36 holes)	KLS 406x21 (28 holes)	305x20 (20 holes)	305x20 (20 holes)
<b>SPOKES</b>	steel	steel	steel	steel
<b>TYRES</b>	Mitas Walrus 47-507 (24x1.75x2) ReflectiveLine	Mitas Walrus 47-406 (20x1.75x2)	nylon 47-305 (16x1.75)	nylon 47-305 (16x1.75)
<b>STEM</b>	alloy - diam 22.2mm / 30° / length 40mm	alloy - diam 22.2mm / 30° / length 40mm	steel	steel
<b>HANDLEBAR</b>	steel - diam 25.4mm / width 660mm	steel - diam 25.4mm / width 610mm	steel RiseBar	steel RiseBar
<b>GRIPS</b>	3Density ergonomic	3Density ergonomic	PVC plastic	PVC plastic
<b>SEAT POST</b>	steel - diam 27.2mm / length 300mm	steel - diam 27.2mm / length 260mm	steel	steel
<b>SADDLE</b>	KLS Junior	KLS Junior	KLS Junior	KLS Junior
<b>PEDALS</b>	NonSlip - plastic	NonSlip - plastic	plastic	plastic
<b>FENDERS</b>	RPZ	RPZ	plastic	plastic
<b>ACCESSORIES</b>	adjustable kickstand, bell	adjustable kickstand, bell	h/bar & stem pads, training wheels, bell	h/bar & stem pads, training wheels, bell

Specification are subject to change without notice.






**E-BIKES - MOUNTAIN: THEOS F90, THEOS F70**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	400	617	463	619	105	76°	64.5°	F 10 / R 12	459	1269
L	430	643	482	638	120	76°	64.5°	F 10 / R 12	459	1298


**E-BIKES - MOUNTAIN: THEOS F50**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	400	615	469	614	105	76.5°	65°	F 28 / R 17	460	1259
L	430	639	489	632	125	76.5°	65°	F 28 / R 17	460	1286




**E-BIKES - MOUNTAIN: THEOS I50**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	607	416	609	110	71°	64°	4	445	1208
M	420	627	436	610	110	71°	64°	3	445	1228
L	460	649	456	619	120	71°	64°	3	445	1252
XL	500	672	476	629	130	71°	64°	3	445	1276




**E-BIKES - TOUR: E-CARSON 70, E-CARSON 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	460	617	410	676	160	73°	69°	60	460	1156
L	500	648	440	681	165	73°	69°	60	460	1188
XL	530	680	470	686	170	73°	69°	60	460	1220




**E-BIKES - URBAN: ESTIMA 80, ESTIMA 60**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	420	600	380	639	160	71°	69°	65	456	1112
M	480	639	400	658	190	70°	69°	65	456	1139




**E-BIKES - TOUR: E-CRISTY 70, E-CRISTY 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	400	592	390	659	155	73°	69°	60	460	1129
M	460	617	410	676	160	73°	69°	60	460	1156
L	500	648	440	681	165	73°	69°	60	460	1188




**E-BIKES - URBAN: ESTIMA 50**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	420	600	371	630	160	70°	70°	65	470	1090
M	480	629	390	658	190	70°	70°	65	470	1119



**E-BIKES - MOUNTAIN: TYGON R90 [29], TYGON R50 [29]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	460	619	403	680	160	72°	68°	56	456	1161
L	500	650	434	685	165	72°	68°	56	456	1193
XL	530	682	464	690	170	72°	68°	56	456	1224



**E-BIKES - MOUNTAIN: TYGON 10 [29]**


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623	440	639	130	74°	67.5°	48	445	1185
L	490	651	465	648	140	74°	67.5°	48	445	1214
XL	520	674	485	658	150	74°	67.5°	48	445	1238

**E-BIKES - MOUNTAIN: TAYEN 10 [29]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	623	440	639	130	74°	67.5°	48	445	1185
L	490	651	465	648	140	74°	67.5°	48	445	1214

**E-BIKES - MOUNTAIN: TAYEN 10 [27.5]**


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	395	586	410	614	120	74°	67.5°	48	435	1135



**E-BIKES - JUNIOR: eMARC**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
315mm	315	502	329	566	145	73°	70°	35	415	979





**MOUNTAIN - DOWNHILL: NOID 90** [29]

**VARIO GEOMETRY SYSTEM SETUP #1** [BB POSITION: HIGH/ CHAINSTAY: SHORT]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	603	451	616	120	76°	62.5°	-1	833	448	1281
L	380	623	471	615	120	76°	63°	-2	853	448	1301

**VARIO GEOMETRY SYSTEM SETUP #2** [BB POSITION: LOW/ CHAINSTAY: SHORT]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	610	441	608	120	75°	61.5°	-16	833	450	1283
L	380	628	460	608	120	75°	62°	-17	853	450	1303

**VARIO GEOMETRY SYSTEM SETUP #3** [BB POSITION: HIGH/ CHAINSTAY: LONG]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	603	451	614	120	76°	62.5°	-2	833	468	1301
L	380	623	470	614	120	76°	62.5°	-3	853	468	1321

**VARIO GEOMETRY SYSTEM SETUP #4** [BB POSITION: LOW/ CHAINSTAY: LONG]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	611	440	608	120	75°	61.5°	-17	833	470	1303
L	380	631	460	608	120	74.5°	61.5°	-17	853	470	1323

**MOUNTAIN - DOWNHILL: NOID 90** [27.5], **NOID 70** [27.5]

**VARIO GEOMETRY SYSTEM SETUP #1** [BB POSITION: HIGH/ CHAINSTAY: SHORT]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	546	416	606	120	77.5°	63°	10	775	422	1197
L	380	590	461	606	120	77.5°	63°	10	820	422	1242
XL	380	616	486	606	120	77.5°	63°	10	845	422	1267

**VARIO GEOMETRY SYSTEM SETUP #2** [BB POSITION: LOW/ CHAINSTAY: SHORT]


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	552	405	600	120	76.5°	62°	-1	775	424	1199
L	380	597	451	600	120	76.5°	62°	-1	820	424	1244
XL	380	622	476	600	120	76.5°	62°	-1	845	424	1269

**VARIO GEOMETRY SYSTEM SETUP #3** [BB POSITION: HIGH/ CHAINSTAY: LONG]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	546	415	605	120	77.5°	63°	10	775	442	1217
L	380	591	460	605	120	77.5°	63°	10	820	442	1262
XL	380	616	485	605	120	77.5°	63°	10	845	442	1287

**VARIO GEOMETRY SYSTEM SETUP #4** [BB POSITION: LOW/ CHAINSTAY: LONG]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FC (mm)	RC (mm)	WB (mm)
M	380	553	404	599	120	76°	62°	-2	775	444	1219
L	380	598	450	599	120	76°	62°	-3	820	444	1264
XL	380	623	475	599	120	76°	62°	-3	845	444	1289




**MOUNTAIN - ENDURO: SWAG 50** [29], **SWAG 30** [29], **SWAG 10** [29]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	400	604	475	601	105	78°	65.5°	6	436	1238
L	440	635	503	610	115	79°	65.5°	6	436	1271

**MOUNTAIN - ENDURO: SWAG 50** [27.5], **SWAG 30** [27.5], **SWAG 10** [27.5]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	551	439	573	105	79°	66°	-10	418	1163




**MOUNTAIN - TRAIL: THORX 50** [29], **THORX 30** [29], **THORX 10** [29]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	440	607	471	601	115	77°	67°	5	429	1208
L	500	625	487	610	125	77°	67°	5	429	1227

**MOUNTAIN - TRAIL: THORX 10** [27.5]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	563	442	561	105	78°	67°	-9	418	1148




**MOUNTAIN - TRAIL: GIBON 50** [29], **GIBON 30** [29], **GIBON 10** [29]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
L	470	642	470	641	120	75°	66°	55	440	1214


**MOUNTAIN - TRAIL: GIBON 50** [27.5], **GIBON 30** [27.5], **GIBON 10** [27.5]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	425	603	440	608	120	72.7°	66°	40	430	1167




**MOUNTAIN - XC: HACKER 90, HACKER 70, HACKER 50, HACKER 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	419	581	420	594	95	74°	69°	48	423	1094
M	462	612	439	603	105	74°	69°	48	423	1121
L	526	631	463	617	120	74°	69°	48	423	1147



**MOUNTAIN - XC: GATE 90, GATE 70, GATE 50, GATE 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	390	580	418	601	95	74°	68°	59	430	1111
M	440	600	433	615	105	74°	68°	59	430	1132
L	490	620	450	624	115	74°	68°	59	430	1153
XL	540	645	473	634	125	74°	68°	59	430	1179



**MOUNTAIN - XC: SPIDER 90** [29], **SPIDER 80** [29], **SPIDER 70** [29], **SPIDER 50** [29], **SPIDER 30** [29]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	410	570	378	630	110	73°	69°	60	450	1087
M	460	590	395	640	120	73°	69°	60	450	1108
L	510	610	411	649	130	73°	69°	60	450	1129
XL	565	635	434	658	140	73°	69°	60	450	1155

**MOUNTAIN - XC: SPIDER 10** [29]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	460	590	401	619	120	73°	69°	60	450	1106
L	510	610	417	628	130	73°	69°	60	450	1127

**MOUNTAIN - XC: SPIDER 70** [27.5], **SPIDER 50** [27.5], **SPIDER 30** [27.5]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	405	565	381	603	110	73°	69.5°	51	430	1059
M	455	585	398	612	120	73°	69.5°	51	430	1080

**MOUNTAIN - XC: SPIDER 10** [27.5]


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	405	565	386	586	110	73°	69.5°	51	430	1058
M	455	585	403	596	120	73°	69.5°	51	430	1078

**MOUNTAIN - XC: SPIDER 50** [26], **SPIDER 30** [26], **SPIDER 10** [26]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XXS	345	530	352	566	100	72.5°	70°	32	420	1009
XS	385	550	369	576	110	72.5°	70°	32	420	1030


**MOUNTAIN - XC: SPIDER 10** [26]

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XXS	345	530	358	547	100	72.5°	70°	32	420	1008
XS	385	550	375	556	110	72.5°	70°	32	420	1029



**MOUNTAIN - XC WOMEN: MYSTERY 90, MYSTERY 70, MYSTERY 50, MYSTERY 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	380	552	370	614	90	73.5°	70.5°	63.5	442	1051
M	432	574	389	625	100	73.5°	71°	63.5	442	1068
L	483	594	404	640	115	73.5°	71°	63.5	442	1088



**MOUNTAIN - XC WOMEN: VANITY 90 [29], VANITY 80 [29], VANITY 70 [29], VANITY 50 [29], VANITY 30 [29]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	430	580	387	632	110	73°	69.5°	63	440	1084
L	480	610	414	642	120	73°	69.5°	63	440	1115

**MOUNTAIN - XC WOMEN: VANITY 10 [29]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	430	580	392	632	110	73°	69.5°	63	440	1083
L	480	610	420	623	120	73°	69.5°	63	440	1114

**MOUNTAIN - XC WOMEN: VANITY 90 [27.5], VANITY 80 [27.5], VANITY 70 [27.5], VANITY 50 [27.5], VANITY 30 [27.5]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	365	604	120	73°	69.5°	42	430	1048
M	425	570	380	621	135	73°	70°	42	430	1063

**MOUNTAIN - XC WOMEN: VANITY 10 [27.5]**


size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	375	550	370	590	120	73°	69.5°	42	430	1047
M	425	570	385	606	135	73°	70°	42	430	1063

**MOUNTAIN - XC WOMEN: VANITY 50 [26], VANITY 30 [26]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	343	526	360	561	100	73.5°	69.5°	30	405	1005
S	375	545	358	594	120	72.5°	70.5°	40	425	1019


**MOUNTAIN - XC WOMEN: VANITY 10 [26]**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
XS	343	526	365	543	100	73.5°	69.5°	30	405	1004
S	375	545	363	576	120	72.5°	70.5°	40	425	1019




**ROAD - RACING: URC 90, URC 70, URC 50, URC 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
M	520	563	403	540	140	73.5°	72°	70	43	405	1000
L	565	588	414	567	165	73°	73°	70	43	405	1010



**ROAD - RACING: ARC 50, ARC 30, ARC 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	500	536	373	549	150	73.5°	71.5°	72.5	42	415	986
M	532	547	379	567	170	73.5°	72.0°	71.5	42	415	993
L	559	560	386	588	190	73.5°	72.5°	71.5	42	415	1001




**MOUNTAIN - DIRT: WHIP 70, WHIP 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	320	581	390	555	120	71°	70°	5	403	1036
L	320	606	415	555	120	71°	70°	5	403	1061


**MOUNTAIN - DIRT: WHIP 50, WHIP 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
M	340	570	400	556	120	73°	68°	15	405	1066
L	340	590	420	556	120	73°	68°	15	405	1087




**ROAD - GRAVEL: SOOT 90**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	520	535	375	557	140	74°	71°	67	50	435	1027
M	540	545	371	568	150	73°	71.5°	67	50	435	1021
L	560	560	380	589	170	73°	72°	67	50	435	1032




**ROAD - GRAVEL: SOOT 70, SOOT 50, SOOT 30**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	FO (mm)	RC (mm)	WB (mm)
S	490	536	372	552	130	73.5°	70.5°	70	48	430	1016
M	515	552	377	571	150	73°	70.5°	70	48	430	1027
L	540	568	386	594	170	73°	71.5°	70	48	430	1034




**TOUR - CROSS: PHANATIC 90, PHANATIC 70, PHANATIC 50, PHANATIC 40, PHANATIC 30, PHANATIC 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	570	384	610	120	73°	70.5°	57	445	1063
M	480	590	403	617	130	73°	70.5°	57	445	1084
L	530	610	418	626	140	73°	70.5°	57	445	1104
XL	580	630	435	636	150	73°	70.5°	57	445	1124



**TOUR - CROSS: PHEEBE 90, PHEEBE 30, PHEEBE 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	570	384	608	120	73°	70.5°	57	445	1063
M	480	590	399	627	140	73°	70.5°	57	445	1084




**URBAN - CITY: AVERY 90**

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	609	165	70°	71°	55	455	1074
480mm	480	634	190	68.5°	71°	55	455	1079


**URBAN - CITY: AVERY 70**

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	584	165	72°	71°	55	455	1074
480mm	480	588	190	72°	71°	55	455	1079




**URBAN - CLASSIC: ROYAL DUTCH, ARWEN DUTCH, CLASSIC DUTCH**

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
460mm	460	618	173	69.5°	69°	65	460	1102




**TOUR - CROSS: CLIFF 90, CLIFF 70, CLIFF 30, CLIFF 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	580	396	603	120	73°	70.5°	53.5	445	1077
M	480	590	403	612	130	73°	70.5°	53.5	445	1087
L	530	605	415	621	140	73°	70.5°	53.5	445	1102
XL	580	620	427	631	150	73°	70.5°	53.5	445	1118




**TOUR - CROSS: CLEA 90, CLEA 70, CLEA 30, CLEA 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	568	381	612	130	73°	70.5°	53.5	445	1065
M	480	583	396	612	130	73°	70.5°	53.5	445	1080




**URBAN - CITY: AVERY 50, AVERY 20**

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	606	165	70°	71°	55	455	1074
480mm	480	630	190	68.5°	71°	55	455	1079




**TOUR - TREKKING: CARSON 70, CARSON 60, CARSON 50, CARSON 40, CARSON 30, CARSON 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	430	558	373	605	120	73°	70°	60	445	1057
M	480	569	381	616	130	73°	70.5°	60	445	1063
L	530	583	388	637	150	73°	71°	60	445	1072
XL	580	598	397	656	170	73°	71°	60	445	1088




**TOUR - TREKKING: CRISTY 70, CRISTY 50, CRISTY 40, CRISTY 30, CRISTY 10**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
S	410	563	369	635	150	73°	70.5°	60	445	1058
M	460	578	383	637	150	73°	71°	60	445	1067



**URBAN - CITY: AVERY 30, AVERY 10**

size	S/T (mm)	L (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	WB (mm)
430mm	430	599	140	69.5°	71°	35	430	1048



**URBAN - FITNESS: PHYSIO 50**

size	S/T (mm)	L (mm)	Reach (mm)	Stack (mm)	H/T (mm)	S/T angle	H/T angle	BB (mm)	RC (mm)	FO (mm)	WB (mm)
S	460	575	406	553	145	73°	71°	55	43.5	430	1050
M	510	595	420	572	165	73°	71°	55	45	430	1072
L	560	615	435	591	185	73°	71°	55	45	430	1093

**AUSTRALIA**

Ride Sports ANZ Pty Ltd  
East Building 6,  
605 Zillmere Road  
4034 Aspley, Queensland  
Tel.: +61 1800 888 898  
Email: info@ridesports.com.au

**AUSTRIA**

KELLYS BICYCLES s.r.o.  
SLNECNA CESTA 374  
922 01 VELKE ORVISTE  
tel.: +421 333 213 140  
fax: +421 333 213 199  
e-mail: vladimir.skarka@kellysbike.com

**BAHRAIN**

Sabeel Trading S.P.C  
Shop No 2209, Road 90, Block 1014  
1014 Hamala  
Phone Number: +973 17 612 995  
Email: Sabeelbikeshop@gmail.com

**BELARUS**

VeloDrive  
Papernyansky village council, N9037, 15/3  
220030 Minsk  
Tel.: +375 29 664 26 42  
e-mail: bonviko@mail.ru

**BULGARIA**

VELOZONA LTD  
25 OTEC PAISIY STREET  
5100 GORNA ORHOVITSA  
tel.: +359 887 800 104  
e-mail: velozona@abv.bg

**CROATIA**

KELLYS BICYCLES s.r.o.  
SLNECNA CESTA 374  
922 01 VELKE ORVISTE  
tel.: +421 333 213 140  
fax: +421 333 213 199  
e-mail: vic.joshi@kellysbike.com

**CYPRUS**

TASOS ALETRAS Ltd.  
266 Tseriou Avenue  
2044 NICOSIA STROVLOS  
tel.: +35 722 321015  
fax: +35 722 321731  
e-mail: tasosaletras@cytanet.com.cy  
www.aletrasbikes.com

**CZECH REPUBLIC**

KELLYS BICYCLES CZECH REPUBLIC s.r.o.  
HAVLICKOVA 426  
753 01 HRANICE  
tel.: +420 581 698 810  
e-mail: infocz@kellysbike.com

**ESTONIA**

VELOPLUS  
SAKU 3  
11314 TALLINN  
tel.: +372 6 556 977  
fax: +372 6 556 308  
e-mail: veloplus@veloplus.ee  
www.veloplus.ee

**FINLAND**

Kuopion pyöräkauppa bikemia oy  
Puijonkatu 28  
70100 KUOPIO  
Tel.: +358 442 303 867  
e-mail: posti@bikemia.fi

**FRANCE**

Eurotop (SAICO SA)  
213 Route de Rouffach Les,  
Erlens  
68920, Wettolsheim  
Tel.: +33 389 203 322  
e-mail: eurotop@saico.fr  
www.eurotop-sport.com

**GEORGIA**

LTD Freeriders  
Shatberashvili street #2 Apartment #55  
0179 Tbilisi  
Tel.: +995 574 944 555  
e-mail: infogeoriders@gmail.com

**GERMANY**

KELLYS BICYCLES DEUTSCHLAND  
AM WALDBERG 15  
12683 BERLIN  
tel.: +49 (0)30 510 61 837  
fax: +49 (0)30 510 61 838  
e-mail: kellysdeutschland@kellysbike.com

**HUNGARY**

KELLYS BICYCLES s.r.o.  
1051 Budapest,  
Arany Janos u. 15.  
tel.: +36 20 975 5732  
e-mail: Infohu@kellysbike.com

**ITALY**

MODOLO ITALIA SRLS  
VIA VENZONE 17  
21028 VAZZOLA TV  
tel.: +39 327 566 3036  
tel.: +39 349 889 0142  
e-mail: serena@modolo.com  
e-mail: pietro.caschera@gmail.com

**IRELAND**

A.B. CYCLE FACTORS Ltd.  
14A SOUTH SUMMER STREET  
DUBLIN 8  
tel.: +353 1 4532777  
fax: +353 1 4544793  
email: abcycles@eircom.net

**LATVIA**

SIA AQUA PRO  
GAROZES 1  
LV-1004 RIGA  
tel.: +371 762 6025  
fax: +371 789 2053  
e-mail: jurism@fans.lv

**LITHUANIA**

UAB Laktopolis  
Raudondvario pl. 164  
LT-51229, Kaunas  
Tel.: +370 607 253 31  
e-mail: aistis@laktopolis.lt

**NORWAY**

TEMPO AS  
TORVLIA 14  
1739 BORGENHAUGEN  
tel: +47 69 100 570  
fax: +47 69 166 252  
e-mail: john@tempoas.no  
www.tempoas.no

**SULTANATE OF OMAN**

Cycle Omania  
Abu Elyas Al Kindy Trading  
Way 887 Block 308 Hail A'shamaliyah  
Shop 7564 W , Al Seeb Muscat Oman  
PO Box 1848  
PC 114 Muttrah , Oman  
Tel.: +96898879060  
e-mail: cycleomania@gmail.com

**POLAND**

KELLYS Sp. z o.o.  
UL. SPORTOWA 6N/2  
55-200 OLAWA  
e-mail: infopl@kellysbike.com

**PORTUGAL**

ALEXANDRE DIAS Lda  
AV. VILLAGARCIA DE AROSA, 1060  
4450-300 MATOSINHOS  
tel.: +351 229 398 990  
fax: +351 229 398 993  
e-mail: alex.dias@mail.telepac.pt  
www.alexandredias.net

**QATAR**

Gulf Youth bicycle  
Barwa Village B-9 Shop No 1  
PO Box 9580  
Doha Qatar  
tel: +97444551092  
e-mail: gyb@usa.com

**RUSSIA**

VELOOLIMP  
MOSCOW, UL. ELEKTRODNAYA, DOM 2  
tel./fax: +7 [495] 788 19 52  
e-mail: mail@veloolimp.ru  
www.kellys-russia.ru

**SEYCHELLES**

Maria Store,  
La passe, La Digue,  
Seychelles.  
Tel.: +2482546196  
Email: maria94@seychelles.net

**SLOVAKIA**

KELLYS BICYCLES s.r.o.  
SLNECNÁ CESTA 374  
922 01 VELKÉ ORVIŠTE  
tel.: +421 333 213 111  
fax: +421 333 213 199  
e-mail: infosk@kellysbike.com

**SLOVENIA**

PE BIKE CENTER  
ERJAVCEVA ULICA 5  
SI-2000 MARIBOR  
tel.: +386 242 018 36  
e-mail: info@bike-center.si  
www.bike-center.si

**SWEDEN**

JAMTLANDS CYKELFABRIK  
KYRGATAN 27  
S-83131 ÖSTERSUND  
tel./fax: +46 63 12 72 22  
e-mail: info@jamtlandscykelfabrik.se

**SWITZERLAND**

Bikedéal AG  
Chemin de vau de cour 7  
1789 Lugnorre  
Switzerland  
+41 79 137 91 95  
info@bikedéal.ch

**TAIWAN**

UNI-VICTOR INT'L CORP.  
NO. 1, RENHUAGONG 10th RD., DALI DIST.,  
TAICHUNG 41278  
TAIWAN  
tel.: +886 4 249 16 008  
fax: +886 4 249 16 007  
e-mail: infotw@kellysbike.com

**U.A.E**

Asia Technics Limited  
SD-7, Blue Shed  
Jebel Ali Free Zone,  
61207 Dubai,  
United Arab Emirates  
Tel.: +97150 5505442  
+ 9714 8833013  
e-mail: arjun@asiatechnics.com

**UKRAINE**

VELOPORTAL LLC  
49/2 Peremohy avenue, build. L.  
03057 KIEV  
tel./fax: +380 44 331 9050  
e-mail: info@veloport.com.ua  
www.kellys.com.ua  
www.klsparts.com.ua



KELLYSBIKE.COM



INSTAGRAM.COM/KELLYSBIKES



FACEBOOK.COM/KELLYSBICYCLES



YOUTUBE.COM/USER/KELLYSBICYCLES





**EVERY BIKE  
HAS A MISSION**